

Financial Crimes Enforcement Network (FinCEN)

FinCEN Suspicious Activity Report (FinCEN SAR) Electronic Filing Requirements

XML Schema 2.0

User Guide

DEPARTMENT OF THE TREASURY FINANCIAL CRIMES ENFORCEMENT NETWORK (FINCEN)

0. Revision History

| Version Number | Date | Change Description |
|-------------------|------------|---|
| 1.0 | 01/26/2018 | Initial version |
| 1.1 | 06/15/2018 | Added the following bullet to the list of general schema requirements that all XML batch files must adhere to: Element values must not include leading and/or trailing spaces. Element values must not include non-printable characters, such as carriage returns, line feeds, and tabs. Element values must not contain duplicate entries within a single activity unless expressly permitted (for example, a Subject party type) |
| | | may contain one legal name and up to 99 alternate names; therefore, if more than one legal name is recorded for the Subject, the batch file will fail validation and will not be accepted). |
| | | 4. FinCEN SAR XML Element Requirements |
| | | AssetSubtypeID Added the following rejection criteria to the Remarks: "The element contains a value that has already been recorded for the Activity." ActivityNarrativeSequenceNumber Added the following rejection criteria to the Remarks: "The element contains a value that has already been recorded for the Activity." OrganizationSubtypeID Added the following rejection criteria to the Remarks: "The element contains a value that has already been recorded for the Activity." SuspiciousActivitySubtypeID Added the following rejection criteria to the Remarks: "The element contains a value that has already been recorded for the Activity." PartyName Added the following rejection criteria to the Remarks: "More than one legal name is recorded for a party within a single FinCEN SAR Activity." PartyIdentification Added the following rejection criteria to the Remarks: "More than one identification (other than the Form of ID for the Subject) of the same type is recorded for a party within a single FinCEN SAR Activity." |
| | | FormTypeCode Modified Value Restrictions and Example to correctly display the expected value of "SARX" rather than "FinCEN SARX". CyberEventIndicatorsTypeCode Modified the Value Restrictions by changing the "Other" cyber event indicator type code from "11" to "999". NOTE: This change has also been applied to the EFL_SARXBatchSchema.xsd schema. ElectronicAddressText Modified the Value Restrictions to specify that E-mail addresses should be 50 characters or less while Website (URL) addresses can be up to 517 characters and must contain at least one period. |
| | | be up to 517 characters and must contain at least one period. OrganizationTypeID |

 Modified the Value Restrictions by changing the "Other" organization type code from "99" to "999". This is consistent with the current XML schema.

• OtherIssuerStateText

Modified the Element Restrictions to include a third bullet that instructs the filer to record the element when "The identification type is Other and the identification was not issues by a national government." In the event that the "Other" identification recorded is a type of national government ID, such as a military ID, then the OtherIssuerStateText should not be recorded; instead, the OtherIssuerCountryText should be recorded identifying the Country where the ID was issued by (or in) associated with the subject.

• <u>PartyldentificationNumberText</u>

- Modified the Value Restrictions to include a statement that "asterisks within the identification number are accepted for the subject's form of identification." This was added to accept Washington State Driver's License numbers containing asterisks.
- Modified the Description of the Financial Institution Where Activity
 Occurred for bullet "55. Filing institution identification" to "55.
 Financial institution identification".
- Modified the Value Restrictions to include the following for the Transmitter (35) TCC: TCC = 8 characters "equal to "TBSATEST" (when submitting in the BSA E-Filing User Test System) or "PBSA8180" (when submitting in the BSA E-Filing Production System)".

• <u>PartyldentificationTypeCode</u>

Modified the Description of the Financial Institution Where Activity
 Occurred (bullet "55. Filing institution identification" to "55. Financial
 institution identification".

• <u>PhoneNumberText</u>

 Modified the Value Restrictions to include the following NOTE for the Transmitter (35): "NOTE: This number must be the same for all FinCEN SARs in the batch file."

• RawPartyFullName

- Modified the Element Restrictions to include the following NOTE for the Transmitter Contact (37): "(NOTE: The value recorded must be the name of the individual to be contacted on issues involving the batch file. This entry must be the same for all FinCEN SARs in the batch file.)"
- Modified the Value Restrictions to include the following note for the Contact Office (8): "(NOTE: This value recorded must be the title of the administrative office (such as Compliance Office) that should be contacted for additional information about the FinCEN SAR.)"

• <u>SuspiciousActivity</u>

 Modified the Description by changing the maxOccurs associated with the SuspiciousActivityClassification sub-element from "1" to "99"

Branch Address Elements:

- o <u>Party</u>
 - Modified the Element Description by changing the Address minOccurs from "0" to "1".
- Address

 Modified the Element Description by changing the minOccurs from "1" to "0" for the following: RawCityText, RawStreetAddress1Text, and RawZIPCode.

RawCityText

- Modified the Element Restrictions from "Required. This element must be recorded if the parent element is recorded" to "Record this element for the Branch (46) where activity occurred party type when the city associated with the branch address is known; otherwise, do not record this element."
- Removed the following from the Remarks: "The batch submission will be accepted with warnings if any of the following conditions are true: The element is not recorded or does not contain a value.

o <u>RawStreetAddress1Text</u>

- Modified the Element Restrictions from "Required. This element must be recorded if the parent element is recorded" to "Record this element for the Branch (46) where activity occurred party type when the street address associated with the branch address is known; otherwise, do not record this element."
- Removed the following from the Remarks: "The batch submission will be accepted with warnings if any of the following conditions are true: The element is not recorded or does not contain a value.

RawZIPCode

- Modified the Element Restrictions from "Required. This element must be recorded if the parent element is recorded" to "Record this element for the Branch (46) where activity occurred party type when the ZIP/Postal Code associated with the branch address is known; otherwise, do not record this element."
- Removed the following from the Remarks: "The batch submission will be accepted with warnings if any of the following conditions are true: The element is not recorded or does not contain a value.

6. FinCEN SAR XML Acknowledgement Format

- Added the following schema reference to the introductory paragraph: "Please visit
 - https://www.fincen.gov/sites/default/files/schema/base/EFL_BatchAcknowled gementSchema.xsd to access the FinCEN XML 2.0 batch acknowledgement schema file."
- Added a more detailed diagram to section 6.1 XML File Structure.
- Updated the Acknowledgement file examples.

Attachment A – Error Descriptions

- Updated Fatal error code A19 description from "Unknown file error. Please contact the BSA E-Filing Help Desk for assistance" to "Schema validation failure. The XML file does not conform to the defined schema located at https://www.fincen.gov/base/EFL_SARXBatchSchema.xsd."
- Removed Warning error code B8 "The element contains a value that is not valid for the associated party type" (misc.) because it is not associated with any particular field on the FinCEN SAR.

Updated Fatal error code B9 as follows: "The element is not recorded or does not contain a value." This is due to the fact that error code B7 is triggered if the element is recorded but with no value (i.e. the value is null). Modified Warning error code C25 to include the following: ...and the county code is US, CA, MX, "or a U.S. Territory." Removed Warning error code D42 "The element is not recorded or does not contain a value" for Item 70. Branch ID Number. Removed Fatal error codes G17 "The element is recorded but without a value (i.e. the value is null)" and G18 "The element contains a valid that is not a valid code" because they are duplicates of G14 and G15, which have been updated to be associated with both Transmitter TIN Type and Transmitter Control Code (TCC) Type. Removed the following Warning error codes associated with the Branch Address sub-elements: D40 – The element is not recorded or does not contain a value (RawStreetAddress1Text/69. Street) o D43 – The element is not recorded or does not contain a value (RawCitvText/71, Citv) D48 – The element is not recorded or does not contain a value (RawZIPCode/73, ZIP/Postal Code) Modified Warning error code D46 as follows: "The element is not recorded or does not contain a value when the country is US, CA, MX, or a U.S. Territory. Attachment C – Electronic Filing Institutions Modified the descriptions associated with 4. Continuing Reports as follows: Change "Continuing reports should be filed at least every 90-days..." to "Continuing reports should be filed on successive 90-day review periods..." Added the following directly after the above: until the suspicious activity ceases, "but may be filed more frequently if circumstances warrant that. Filers have up to 30 days following the end of a review period to file the continuing report for a total of 120 days of review and filing deadline." Modified the description associated with 7. Addresses as follows: Removed the following reference: "U.S. State and Territory codes must conform to the codes used by the United States Postal Service as documented in ISO 3166-2:US." Replaced the following 9.6.2 Item Instructions associated with Item 29 (Amount involved in this report) with what is currently recorded: "Item *29 Amount involved in this report: Enter the total dollar amount involved in the suspicious activity for the time period of this report. If the amount is unknown, leave this item blank and check box 29a "Amount unknown." Explain why the dollar amount is unknown in Part V. If some dollar amounts are known while others are unknown, enter the total of all known amounts and explain the unknown amounts in Part V. If there is no amount involved in the suspicious activity, check box 29b "No amount involved." If the FinCEN SAR is a continuing report with box 1c "Continuing activity report" checked, enter only the amount involved for the time period covered by this FinCEN SAR. Do not include amounts from prior FinCEN SARs in Item 29. See General Instruction 9 for information on entering amounts." 1.2 10/1/2019 FinCEN SAR XML Element Requirements

PartyAssociation

- Modified the element definition (additions underlined for emphasis):
 "This is the container for information about the subject's relationship to the institution recorded in the FinCEN SAR, <u>as well as information about the branch where activity occurred.</u>"
- Modified the element restrictions (additions underlined for emphasis):

Record this element for the under the following circumstances; otherwise do not record this element:

- The party recorded is associated with the Subject (33) party type in order to describe and the relationship of the subject to the filing institution and/or the financial institution(s) where activity occurred is being recorded; otherwise, do not record this element. NOTE: If the subject has no does not have a relationship with any of the above recorded institutions in Part III or IV, record a single <PartyAssociation> element for the subject where the element < NoRelationshipToInstitutionIndicator> is recorded with a "Y" value and the TIN of the filing institution is recorded for the <SubjectRelationshipFinancialInstitutionTINText> element. The <NoRelationshipToInstitutionIndicator> element should not be recorded for the subject if a relationship exists with any institution recorded in Part III or IV, even when there is no relationship with other institutions.
- The party recorded is associated with the financial institution where activity occurred (34) and activity occurred at a branch location.
- Modified the example to include an example of the Branch where activity occurred.

FinCEN SAR Electronic Filing Instructions (Attachment C)

- General Instructions: 7. Address
 - Added the following note to the end of the section text: "NOTE: The ISO 3166-2 country list contains the code "UM" that stands for the United State Minor Outlying Islands. Using "UM" in country fields is prohibited. These islands are uninhabited. As such they have no addresses."
- Part I Subject Information (introductory paragraph)
 - Added Item 16 to the list of critical items that may be blank in the event that Item 3b (all critical subject information is unavailable) is indicated. Also corrected a typo that referenced Item 24 instead of Item 27 as a critical item that is not included in the above rule.
- Item 3 (check if...)
 - Added Item 16 to the list of critical items that may be blank in the event that Item 3b (all critical subject information is unavailable) is indicated. Also corrected a typo that referenced Item 25 instead of Item 27 as a critical item that is not included in the above rule.
- Item 24 (Relationship of the subject to an institution...)
 - Corrected a type referencing the Institution EIN as Item "23a" instead of "24a".
- Item 31 (Cumulative amount...)
 - Modified the title as follows: Cumulative amount (only <u>applicable</u> when if box 1c (c. "Continuing activity report") is checked in Item 1)
- Item 27 (Financial Instituiotn TIN and account numbers)

| | | Modified 27a title from "account" to "accounts". Modified title of description parapgraph from "acct." to "account". Added the following text to the item instructions (underlined for emphasis): Check box 27a "No known acct. involved" if no account related to the subject is involved in the suspicious activity. If box 27a is checked, then all other options in Item 27 will be blank. Part V Suspicious Activity Information – Narrative Added the following bullet to the narrative instructions: "If this SAR contains information provided by another financial institution under the 314(b) Voluntary Information Sharing Program, include in the narrative the statement "This SAR contains 314(b) data." |
|-----|------------|---|
| 1.3 | 01/08/2020 | Secure Data Transfer Mode Filers |
| | | Includes reference to IBM Connect:Direct software replacement with IBM Sterling File Gateway, as well as a more detailed breakdown of the required batch file naming convention. |
| 1.4 | 02/10/2020 | Remove C5 Error Code and Description |
| | | Updated to remove the error code C5 when a gender is not specified for the individual subject. Fixed the typo "acctount" to "account" on page 152. |
| 1.5 | 07/07/2020 | Attachment C: General Instructions |
| | | 13. Reporting Cyber Events (Example 1). Updated the email address listed for the Item 44f1 example to display the malicious email address (CEO@ABCcorp.co) as opposed to the legitimate (victim) email address (CEO@ABCcorp.com). In this example, the victim information should be recorded in the narrative only. |
| | | Increased OccupationBusinessText character limit from 30 to 50 |
| 1.6 | 08/01/2021 | Added ErrorCode F60 (replaces A17) – "The namespace prefix for the element is invalid." |

Contents

| 0. | Revisi | ion History | iii |
|----|--------|--|-----|
| Со | ntents | | ix |
| 1. | Introd | duction | 1 |
| 2. | FinCE | N SAR XML Schema Overview | 1 |
| 2 | 2.1. | File Organization | 1 |
| | 2.1.1. | XML declaration (prolog) | 1 |
| | 2.1.2. | EFilingBatchXML | 1 |
| | 2.1.3. | Activity | 2 |
| | 2.1.4. | Party | 3 |
| | 2.1.5. | SuspiciousActivity | 4 |
| 3. | FinCE | N SAR XML Batch Reporting Requirements | 5 |
| 3 | 3.1. | Element Definition Overview | 5 |
| 3 | 3.2. | Batch Validation (Form & Fit) Overview | 6 |
| 4. | FinCE | N SAR XML Element Requirements | 6 |
| 4 | 4.1. | XML declaration/prolog | 6 |
| 4 | 4.2. | EFilingBatchXML Elements | 6 |
| 4 | 4.3. | Activity Elements | 8 |
| 4 | 1.4. | ActivityAssociation Elements | 10 |
| 4 | 4.5. | ActivitySupportDocument Elements | 13 |
| 4 | 4.6. | Party Elements | 14 |
| | 4.6.1. | PartyName Elements | 27 |
| | 4.6.2. | Address Elements | 35 |
| | 4.6.3. | PhoneNumber Elements | 42 |
| | 4.6.4. | Partyldentification Elements | 45 |
| | 4.6.5. | OrganizationClassificationTypeSubtype Elements | 52 |
| | 4.6.6. | PartyOccupationBusiness Elements | 57 |
| | 4.6.7. | ElectronicAddress Elements | 58 |
| | 4.6.8. | PartyAssociation Elements | 60 |
| | 4.6.9. | PartyAccountAssociation Elements | 77 |
| 4 | 4.7. | SuspiciousActivity Elements | 84 |
| | 4.7.1. | SuspiciousActivityClassification Elements | 88 |
| 4 | 4.8. | ActivityIPAddress Elements | 94 |
| 4 | 4.9. | CyberEventIndicators Elements | 95 |
| 4 | 4.10. | Assets Elements | 99 |
| 4 | 4.11. | AssetsAttribute Elements | 102 |

| | 4.12. | ActivityNarrativeInformation Elements | 104 |
|----|--------|--|-----|
| 5. | Party | Elements by Party Type | 106 |
| | 5.1. | Transmitter Party Record Example | 108 |
| | 5.2. | Transmitter Contact Party Record Example | 109 |
| | 5.3. | Filing Institution Party Record Example | 109 |
| | 5.4. | Designated Contact Office Party Record Example | 110 |
| | 5.5. | Law Enforcement Agency Party Record Example | 110 |
| | 5.6. | Law Enforcement Name Party Record Example | 110 |
| | 5.7. | Financial Institution Where Activity Occurred Party Record Example | 110 |
| | 5.8. | Branch Where Activity Occurred Party Record Example | 111 |
| | 5.9. | Subject Party Record Example | 112 |
| | 5.10. | Financial Institution Where Account is Held Party Record Example | 113 |
| 6. | FinCE | N SAR XML Acknowledgement Format | 114 |
| | 6.1. | XML File Structure | 114 |
| | 6.1.1. | XML declaration/prolog | 114 |
| | 6.1.2. | EFilingBatchXML | 114 |
| | 6.1.3. | EFilingSubmissionXML | 115 |
| | 6.1.4. | EFilingActivityXML | 115 |
| | 6.1.5. | EFilingActivityErrorXML | 116 |
| | 6.2. | Acknowledgement XML Example | 118 |
| 7. | Attacl | nment A – Error Descriptions | 119 |
| | 7.1. | Miscellaneous Errors | 119 |
| | 7.2. | Document Errors | 120 |
| | 7.3. | Subject Information Errors | 125 |
| | 7.4. | Financial Institution & Branch Where Activity Occurred Errors | 128 |
| | 7.5. | Filing Institution Errors | 131 |
| | 7.6. | Attachment & Narrative Errors | 133 |
| | 7.7. | Transmitter Errors | 134 |
| | 7.8. | Transmitter Contact Errors | 135 |
| 8. | Attacl | nment B – Error Correction Instructions | 136 |
| 9. | Attach | nment C – Electronic XML Filing Instructions | 138 |
| | 9.1. | Confidentiality of FinCEN SARs: | 138 |
| | 9.2. | FinCEN SAR Sharing: | 138 |
| | 9.3. | Prohibition on Disclosures by Financial Institutions: | 138 |
| | 9.4. | Prohibition on Disclosures by Government Authorities: | 139 |
| | 9.5. | FinCEN SAR Filing Instructions: | 139 |

| | 9.6. | FinCEN SAR Electronic Filing Instructions | 141 |
|----|--------|---|-----|
| | | General Instructions: | |
| | 9.6.2. | Item Instructions: | 146 |
| 10 | . At | tachment D – Secure Data Transfer Mode Filers | 169 |
| 11 | . At | tachment E – Supporting Documentation (Attachments) | 170 |

1. Introduction

The FinCEN Suspicious Activity Report (FinCEN SAR) XML Schema 2.0 User Guide outlines the business and validation rules to support the electronic batch transmission of the FinCEN SAR. Electronic filing of this report will be through the Bank Secrecy Act (BSA) E-Filing System operated by the Financial Crimes Enforcement Network (FinCEN). BSA E-Filing users who intend to file the FinCEN SAR batch XML should be familiar with FinCEN regulations, Extensible Markup Language (XML) and the FinCEN XML schemas. For more information, please go to bsaefiling.fincen.treas.gov.

2. FinCEN SAR XML Schema Overview

Before you begin submitting your BSA data to FinCEN's BSA E-Filing System (<u>bsaefiling.fincen.treas.gov</u>) via XML batch, you must first review the required schemas to assist you with constructing and testing your XML batch file before submitted to FinCEN for processing. These schemas define the requirements by which the FinCEN SAR XML batch file must be constructed, such as which elements are required and which are optional, what are the appropriate values you may enter for certain elements, and what sequence the elements should appear in when building the batch. Please visit https://www.fincen.gov/sites/default/files/schema/base/EFL FinCEN SARXBatchSchema.xsd to access the FinCEN XML 2.0 batch schema file.

2.1. File Organization

This section describes the general formatting requirements for FinCEN SAR XML batch reporting. The diagrams that follow provide a visual representation of the XML batch file layout from a high level perspective.

2.1.1. XML declaration (prolog)


The XML declaration specifies the XML version and character encoding used in the file. It must appear on the first line of the file.

2.1.2. EFilingBatchXML

This is the root element and serves as the container for all FinCEN SAR documents recorded in the batch. It must be the first element recorded in the file.

The EFilingBatchXML element is parent to the following complex element(s):

 Activity. This element is the container for each FinCEN SAR document in the batch. All BSA data related to a single FinCEN SAR document must be recorded within the <Activity> element. The number of <Activity> elements will depend on the number of FinCEN SAR documents being reported in the batch.




2.1.3. Activity

Each FinCEN SAR document in the batch must begin with the <Activity> element. It identifies all information related to a single FinCEN SAR, including (but not limited to) the transmitter, the reporting financial institution (i.e. filing institution), the financial institution(s) where activity occurred, the subject(s), and suspicious activity details such as the total amount involved, type(s) of suspicious activities, etc. There is no limit to the number of <Activity> elements that may be recorded in the batch; however, the total size of the batch file must not exceed 60MB.


The <Activity> element is parent to the following complex element(s):

- **ActivityAssociation.** This element is the container for the type of filing (i.e. Initial report, Correct/amend prior report, Continuing activity report, and/or Joint filing) for the FinCEN SAR.
- ActivitySupportDocument. This element is the container for information about the supporting document
 as an attachment to the FinCEN SAR being filed.
- Party. This element is the container for any person (individual or entity) associated with the FinCEN SAR, specifically, the transmitter [of the batch file], the transmitter contact, the filing institution and contact office, the law enforcement contact agency and point of contact, the financial institution where activity occurred, and the subject. NOTE: The financial institution where an account is held and the branch location where activity occurred are not recorded at the activity level, but rather, within the corresponding party at the activity level that the financial institution and/or branch are associated with.
- **SuspiciousActivity.** This element is the container for information about the suspicious activity, such as the total amount involved and the type of suspicious activity.
- ActivityIPAddress. This element is the container for information about IP address involved in the suspicious
 activity.
- **CyberEventIndicators.** This element is the container for information about cyber event involved in the suspicious activity.
- Assets. This element is the container for information about asset involved in the suspicious activity, specifically the product type, instrument type, and/or payment mechanism.
- AssetsAttribute. This element is the container for information about the asset attribute involved in the suspicious activity, whether it be a type of commodity, product/instrument, market where traded, and/or CUSIP number.
- ActivityNarrativeInformation. This element is the container for information about narrative description
 associated with the FinCEN SAR.



2.1.4. Party

Each FinCEN SAR activity in the batch must include a separate Party element identifying the following persons: Transmitter, Transmitter Contact, Filing Institution, Designated Contact Office, Law Enforcement Agency (if any), Law Enforcement Name (if any), Financial Institution(s) Where Activity Occurred, Branch(s) Where Activity Occurred (if any), and Subject(s) (Note: If reporting account information related to a subject, the financial institution where the account is held will be recorded as a separate Party element as well.). A maximum occurrence of 1203 total Party elements may be recorded at the activity level for each FinCEN SAR activity in the batch. If one or more branches and/or financial institutions where accounts are held are associated with a FinCEN SAR, a maximum of 99 branches and 99 financial institutions (where accounts are held) may be recorded for the FinCEN SAR in addition to the 1203 maximum mentioned above.



Transmitter (Required)

This is the person (individual or entity) handling the data accumulation and formatting of the batch file. Each FinCEN SAR Activity element in the batch must include a Party element that identifies the batch transmitter. *The batch transmitter should be identical for each FinCEN SAR*. There must be only one occurrence of this party for each FinCEN SAR Activity in the batch.

Transmitter Contact (Required)

This is the official contact for the transmitter. Each FinCEN SAR Activity element in the batch must include a Party element that identifies the point of contact for the batch transmitter. *The transmitter contact should be identical for each FinCEN SAR*. There must be only one occurrence of this party for each FinCEN SAR Activity in the batch.

Filing Institution (Required)

This is the entity responsible for filing the FinCEN SAR, such as a reporting financial institution or a holding or other parent company filling for its subsidiaries. There must be only one occurrence of this party for each FinCEN SAR Activity in the batch. This party corresponds with Part IV of the FinCEN SAR.

Designated Contact Office (Required)

This is the administrative office that should be contacted to obtain additional information about the FinCEN SAR. There must be only one occurrence of this party for each FinCEN SAR Activity in the batch. This party corresponds with Part IV (Items 93-94) of the FinCEN SAR.

LE Contact Agency (if any)

This is the law enforcement agency (if any) that has been informed of the suspicious activity. There may only be one occurrence of this party for each FinCEN SAR Activity in the batch. This party corresponds with Part IV (Item 89) of the FinCEN SAR.

LE Contact Name (if any)

This is the person at law enforcement agency (if any) contacted regarding the suspicious activity. There may only be one occurrence of this party for each FinCEN SAR Activity in the batch. This party corresponds with Part IV (Items 90-92) of the FinCEN SAR.

Financial Institution Where Activity Occurred (Required)

This is the financial institution where the suspicious activity occurred. There must be <u>at least one</u> occurrence (not to exceed 99) of this party for each FinCEN SAR Activity in the batch. This party corresponds with Part III (Items 51-67, 69a). If a branch location associated with the financial institution where activity occurred is also involved, information about the branch should be recorded in a separate party element under the parent element <PartyAssociation> (see PartyAssociation below).

Branch Where Activity Occurred (if any)

This is the branch location where activity occurred. A branch is a location (such as an office or ATM) owned by the financial institution but located separately from the financial institution's headquarters. Generally, a branch operates under the same TIN as the financial institution. No more than 99 branches may be recorded for each FinCEN SAR in the batch. This party corresponds with Part III (Items 68-74) of the FinCEN SAR.

Subject (Required)

This is the subject involved in the suspicious activity. There must be <u>at least one</u> occurrence (not to exceed 999) of this party for each FinCEN SAR Activity in the batch. This party corresponds with Part I (Items 3-28) of the FinCEN SAR. Persons who are victims of the suspicious activity are not subjects and should not be recorded for this party. Victim information, if necessary for a complete description of the suspicious activity, should be recorded in the narrative. If the subject is or all subjects are unknown, record a single party for the subject with "all critical subject information unavailable" indicated and record the nature of the unknown subject(s) in the narrative. If the suspicious activity involves known and unknown subjects, record a separate party for each known subject and record the nature of the unknown subject(s) in the narrative (when there are known subjects involved, do not include a party element for unknown subjects.).

2.1.5. SuspiciousActivity

As the container for information about the details of the suspicious activity, this element identifies information such as the total amount involved and the type of suspicious activity. This element must be recorded after the final Party element is recorded for the FinCEN SAR. There must only be one occurrence of this element for each FinCEN SAR Activity in the batch. This element corresponds with Part II (Items 29-31) of the FinCEN SAR.

Within this element is the sub-element <SuspiciousActivityClassification>, which must be recorded at least once per FinCEN SAR (but no more than 99 total). This element is the container for information about the specific type(s) and subtype(s) of suspicious activity, such as Structuring → "Transaction(s) below CTR threshold", Terrorist financing → "Known or suspended terrorist/terrorist group", etc. This element corresponds with Part II (Items 32-42) of the FinCEN SAR.



3. FinCEN SAR XML Batch Reporting Requirements

This section describes in detail the reporting requirements for each element in the FinCEN SAR batch.

3.1. Element Definition Overview

Each element in this user guide is defined using the following terms:

| Item | Description | | |
|------------------------|---|--|--|
| Element Name | This is the name that must be used when recording the element. | | |
| minOccurs/maxOccurs | This defines the number of times the element can occur for the parent element. | | |
| | MinOccurs. The minimum number of times this element may be recorded for the parent element (e.g. minOccurs=0 means this element is only required under certain conditions while minOccurs=1 means at least one of the element must be recorded for the parent element in the FinCEN SAR.) MaxOccurs. The maximum number of times this element may be recorded for the parent element (e.g. maxOccurs=999 means this element can occur up to 999 times in the same FinCEN SAR.) | | |
| Description | This is the summary description of the element. Also included in the description a list of sub-elements associated with the element (if applicable) as well as any special requirements for when (and when not) to record the element. This specifies the attribute(s) that are required to be recorded for the element. | | |
| Attribute(s) | This specifies the attribute(s) that are required to be recorded for the element. Note: Various elements contain the SeqNum attribute used to identify the associated element in the batch file. The value recorded for this attribute must be numeric and unique. This identifies the element's container element. The chargest element contains | | |
| Parent Element | This identifies the element's container element. The <parent> element contains sub elements and is considered a complex element. This specifies the requirement level for the element; specifically under what</parent> | | |
| Element Restriction(s) | This specifies the requirement level for the element; specifically, under what conditions the element should be recorded: | | |
| | Required. The element must be recorded for the <parent> element.</parent> Conditionally Required means that the element should only be recorded when certain conditions apply. NOTE: If neither of the above requirement levels are specified in this field, then the element is not required. However, a field that is not required does not mean that it is optional. All fields require an entry when the filer has the relevant data. | | |
| Value Restriction(s) | This specifies any requirements and/or restrictions in terms of the value recorded for the element. Required. A value must be recorded for the element. Conditionally Required. A value may or may not be recorded for the element depending on whether or not certain conditions apply. | | |
| Remarks | This specifies any additional information about the element to assist with reporting; including: | | |
| | Reporting conditions that may result in a batch rejection. Reporting conditions that may result in a batch accepted with warnings. | | |
| Example | This provides one or more examples of how to record the element. | | |

3.2. Batch Validation (Form & Fit) Overview

IMPORTANT: FinCEN strongly encourages that filers first test their XML batch files for schema compliance using the schemas available at www.fincen.gov/base. Your batch file should pass schema validation before you attempt to submit to FinCEN; otherwise, it will be at risk of being rejected.

It is important to note that if the batch file does not adhere to the basic format described in this guide in accordance with the FinCEN SAR XML batch schema, then the batch will fail validation and will not be accepted by FinCEN.

Here is a list of general schema requirements that your batch must adhere to in addition to the data requirements described for each element throughout this guide. These schema requirements apply to all elements in the batch:

- Element names must include the prefix "fc2" in both the opening tag and closing tag.
- Element names must be spelled correctly and in the correct case. Do NOT included spaces at the beginning or ending of the element names.
- Elements must have a matching closing tag (which includes a self-closing tag in the event that no value is recorded for the element).
- Elements must be in the correct sequence.
- Elements must be recorded when the minOccurs=1 (or greater than 1).
- Elements must not be recorded more than the maxOccurs value for the associated <Parent> element.
- Element values must not exceed the maximum specified character limit.
- Element values must not include leading and/or trailing spaces.
- Element values must not include non-printable characters, such as carriage returns, line feeds, and tabs.
- Element values must not contain duplicate entries within a single activity unless expressly permitted (for example, a Subject party type may contain one legal name and up to 99 alternate names; therefore, if more than one legal name is recorded for the Subject, the batch file will fail validation and will not be accepted).

4. FinCEN SAR XML Element Requirements

The following defines each element in the FinCEN SAR XML batch in the order in which they can be recorded.

4.1. XML declaration/prolog

| Element Name: | ?xml | | minOccurs: | 1 | maxOccurs: | 1 | |
|-------------------------|--|---|------------------|------------------|-----------------|----------|--|
| Description: | XML declaration/prolog. This is the XML declaration which specifies the XML version and character encoding used in the file. The XML declaration must appear on the first line of the file. | | | | | | |
| Attribute(s): | The following data must be re | The following data must be recorded for XML declaration/prolog: | | | | | |
| | Name | Name Description | | | | | |
| | version | The vers | ion number of th | e XML. The value | e recorded must | be "1.0" | |
| | encoding The character encoding, which must be UTF-8, used for the XML. The value recorded must be "UTF-8" | | | | | | |
| Parent Element: | n/a | | | | | | |
| Element Restriction(s): | This declaration must be reco | orded. | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: • xml version="1.0" encoding="UTF-8"? | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The XML declaration/prolog is not recorded with the required values (see Value Restriction(s) above) or it is not recorded on the first line of the batch file. | | | | | | |
| Example: | xml version="1.0" encodin</td <td>g="UTF-8"</td> <td>?></td> <td></td> <td></td> <td></td> | g="UTF-8" | ?> | | | | |

4.2. EFilingBatchXML Elements

| Element Name: | EFilingBatchXML | | minOccurs: | 1 | maxOccurs: | 1 | |
|-------------------------|--|--|--|-----------------|------------|----------|--|
| Description: | XML batch (header). This is the container for the contents of the batch file. This element is the root element in the FinCEN SAR XML batch file and the container element for all suspicious activities included in the batch. As the root element, it must be the first element recorded in the file, directly following the XML declaration/prolog. The following sub-elements are associated with this element: | | | | | | |
| | Name | | | minOccurs | maxOccurs | Category | |
| | FormTypeCode | | | 1 | 1 | Simple | |
| | Activity | | | 1 | unbounded | Complex | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | |
| | Name | Descript | ion | | | | |
| | ActivityCount | The cou | nt of all <activity< td=""><td>> elements in t</td><td>he batch</td><td></td></activity<> | > elements in t | he batch | | |
| | TotalAmount | The sum of all <totalsuspiciousamounttext> element amounts recorded in the batch</totalsuspiciousamounttext> | | | | | |
| | PartyCount | The count of all <party> elements in the batch where the <activitypartytypecode> is equal to "33" (Subject)</activitypartytypecode></party> | | | | | |
| | ActivityAttachmentCount | The count of all <activity> elements in the batch where the <originalattachmentfilename> element is recorded with a value referencing the file name of the FinCEN SAR attachment</originalattachmentfilename></activity> | | | | | |
| | AttachmentCount | The count of all <originalattachmentfilename> elements in the batch that contain a value referencing the file name of the FinCEN SAR attachment</originalattachmentfilename> | | | | | |
| | xsi:schemaLocation | www.fincen.gov/base https://www.fincen.gov/base/EFL_FinCEN SARXBatchSchema.xsd | | | | | |
| | xmlns:xsi | http://www.w3.org/2001/XMLSchema-instance | | | | | |
| | xmlns:fc2 | www.fincen.gov/base | | | | | |
| Parent Element: | n/a | | | | | | |
| Element Restriction(s): | Required. This element must be recorded. | | | | | | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. One or more of the attributes are missing, incorrectly formatted, or contain an invalid value. The reported attribute count does not match the actual count. | | | | | | |
| Example: | <fc2:efilingbatchxml activityattachmentcount="2" activitycount="2" attachmentcount="2" partycount="4" totalamount="40000" xmlns:fc2="www.fincen.gov/base" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemalocation="www.fincen.gov/base EFL_FinCEN SARXBatchSchema.xsd"></fc2:efilingbatchxml> | | | | | | |

| Element Name: | FormTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|---|--|------------------|-----------------|---|--|--|
| Description: | Form type (code). This element identifie | es the type of for | m being reported | d in the batch. | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | EFilingBatchXML | EFilingBatchXML | | | | | |
| Element Restriction(s): | Required. This element must be recorde | Required. This element must be recorded. | | | | | |
| Value Restriction(s): | The value provided must equal: SARX | The value provided must equal: SARX | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | | | |
| | The element is not recorded. | | | | | | |
| | The value is null or not equal | to FinCEN SARX | • | | | | |

| Е | lement Name: | FormTypeCode | minOccurs: | 1 | maxOccurs: | 1 |
|--|--------------|--------------|------------|---|------------|---|
| Example: <fc2:formtypecode>SARX</fc2:formtypecode> | | | | | | |

| Element Name: | Activity | See Activity Elements for details. |
|---------------|----------|------------------------------------|
|---------------|----------|------------------------------------|

4.3. Activity Elements

| Element Name: | Activity | | minOccurs: | 1 | maxOccurs | : unbounded | |
|-------------------------|---|---|------------|-----------|--------------|-------------|--|
| Description: | Activity (header). This is the container for all information related to the FinCEN SAR. The first <activity> element in the batch file must directly follow the <formtypecode> element. The batch must contain at least one occurrence of this element. There is no maximum occurrence value set for this element; however, the total size of the batch file must not exceed 60MB. The following sub-elements are associated with this element:</formtypecode></activity> | | | | | | |
| | Name | | | minOccurs | maxOccurs | Category | |
| | EFilingPriorDo | ocumentNumber | | 0 | 1 | Simple | |
| | FilingDateTex | t | | 1 | 1 | Simple | |
| | FilingInstitution | onNotetoFinCEN | | 0 | 1 | Simple | |
| | ActivityAssoci | ation | | 1 | 1 | Complex | |
| | ActivitySuppo | ortDocument | | 0 | 1 | Complex | |
| | Party | | | 6 | 1203 | Complex | |
| | SuspiciousAct | ivity | | 1 | 1 | Complex | |
| | ActivityIPAddress CyberEventIndicators Assets | | | 0 | 99 | Complex | |
| | | | | 0 | 99 | Complex | |
| | | | | 0 | 31 | Complex | |
| | AssetsAttribute | | | 0 | 396 | Complex | |
| | ActivityNarrativeInformation | | | 1 | 1 | Complex | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | |
| | Name | Description | | | | | |
| | SeqNum | The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | |
| Parent Element: | EFilingBatchXML | | | | | | |
| Element Restriction(s): | _ | element must be record | ded. | | | | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | | |
| Example: | <pre><fc2:activity seqnum="1"></fc2:activity></pre> | | | | umentNumber> | | |

| Element Name: | EFilingPriorDocumentNumber | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|---|--|---------------------------|-----------------|--|--|
| Description: | Prior report BSA Identifier (number). This element identifies the BSA Identifier (BSA ID) of the previously-filed FinCEN SAR when filing a correction/amendment and/or a continuing activity report. This element corresponds with the following item(s): • 1e. Prior report BSA Identification Number Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Activity | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this element when the FinCEN SAR being filed corrects/amends a prior report and/or is a continuing activity report; otherwise, do not record this element. | | | | | | |
| Value Restriction(s): | 1 | The value provided must adhere to the following requirements: 14-digit numeric BSA ID (if known); 14 consecutive zeros, i.e. "00000000000000" (if the BSA ID is unknown). | | | | | |
| Remarks: | The batch submission will be accepted The element is recorded but The value recorded does not The element is not recorded CorrectsAmendsF ContinuingActivit The element is recorded (with contains a "Y" value: CorrectsAmendsF CorrectsAmendsF CorrectsAmendsF | without a value (equal 14 numeri and one or both PriorReportIndica yReportIndicaton n a valid value) a PriorReportIndica | i.e. the value is not contain the following of the following of the following of the output of the o | ull). elements contain | ns a "Y" value: | | |
| Example: | <pre><fc2:efilingpriordocumentnumber>31</fc2:efilingpriordocumentnumber></pre> | · · | | ocumentNumbe | r> | | |

| Element Name: | FilingDateText | minOccurs: | 1 | maxOccurs: | 1 | |
|-------------------------|---|------------------|------------------|-------------------|---|--|
| Description: | Date filed (date). This element identifies through FinCEN's BSA E-Filing System. • 95. Date filed Please refer to Attachment C for addition | This element cor | responds with th | e following item(| • | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | activity | | | | | |
| Element Restriction(s): | Required. This element must be recorded. | | | | | |
| Value Restriction(s): | · · | · | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is not recorded. The element is recorded but without a value (i.e. the value is null). The value recorded for the element is not a valid date in the format YYYYMMDD. The value recorded for the element is a date greater than the current date or less than January 1, 2000. | | | | | |
| Example: | <fc2:filingdatetext>20171101<td>ingDateText></td><td></td><td></td><th></th></fc2:filingdatetext> | ingDateText> | | | | |

| Element Name: | FilingInstitutionNotetoFinCEN | minOccurs: | 0 | maxOccurs: | 1 | |
|-----------------|---|---|----------------------------|-------------------|---|--|
| Description: | Filing Institution Note to FinCEN (text). is being filed in response to a current spactivity. This element corresponds with 2. Filing Institution Note to Find Please refer to Attachment C for addition | pecific geographi the following ite inCEN | ic targeting orde m(s): | r (GTO) or adviso | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Activity | | | | | |

| Element Name: | FilingInstitutionNotetoFinCEN | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|--|---|------------|---|--|
| Element Restriction(s): | ecord this element when the FinCEN SAR being filed is in response to a current specific geographic argeting order (GTO) or advisory or other activity; otherwise, do not record this element. | | | | | |
| Value Restriction(s): | The value provided must adhere to the | ne value provided must adhere to the following requirements: 50 characters or less | | | | |
| Remarks: | n/a | | | | | |
| Example: | <fc2:filinginstitutionnotetofincen>Filing institution note to FinCEN</fc2:filinginstitutionnotetofincen> | | | | | |

| ActivityAssociation | See ActivityAssociation Elements for details. |
|-------------------------|---|
| · | |
| | |
| ActivitySupportDocument | See ActivitySupportDocument Elements for details. |
| | |
| | |
| Party | See Party Elements for details. |
| | ActivitySupportDocument |

| Element Name: SuspiciousActivity | See SuspiciousActivity Elements for details. |
|----------------------------------|--|
|----------------------------------|--|

| Element Name: | ActivityIPAddress | See ActivityIPAddress Elements for details. |
|---------------|-------------------|---|
|---------------|-------------------|---|

| Element Name: | CyberEventIndicators | See CyberEventIndicators Elements for details. |
|---------------|----------------------|--|
|---------------|----------------------|--|

| Element Name: | Assets | See Assets Elements for details. |
|---------------|--------|----------------------------------|
|---------------|--------|----------------------------------|

| | Element Name: | AssetsAttribute | See AssetsAttribute Elements for details. |
|--|---------------|-----------------|---|
|--|---------------|-----------------|---|

| Element Name: ActivityNarrativeInformation | See ActivityNarrativeInformation Elements for details. |
|--|--|
|--|--|

4.4. ActivityAssociation Elements

| Element Name: | ActivityAssociation | minOccurs: | 1 | maxOccurs | : 1 | |
|---------------|---|------------------------|---|-----------|--------|--|
| Description: | Type of filing (header). This element is the container for information about the type of filing associate with the FinCEN SAR. The following sub-elements are associated with this element: Name minOccurs maxOccurs Category | | | | | |
| | | | | | | |
| | ContinuingActivityReportIndicator | 0 | 1 | Simple | | |
| | Corrects Amends Prior Report Indicator | 0 | 1 | Simple | | |
| | InitialReportIndicator | InitialReportIndicator | | | Simple | |
| | JointReportIndicator | 0 | 1 | Simple | | |
| | *At least one of the above sub-elements must be recorded. | | | | | |
| | This element corresponds with the following item(s): | | | | | |
| | • 1. Type of filing o 1a. Initial report | 1. Type of filing | | | | |

| Element Name: | ActivityAssocia | tion | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|--|--|--|--|--|-----------|--|--|
| Au 'I () | | 1b. Correct/Amend prior report 1c. Continuing activity report 1d. Joint report Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | | The following attributes must be recorded for this element: | | | | | | |
| | Name | Description | | | | | | |
| | SeqNum | The value recorded for any numeric value up t | | | nd unique. It ma | y contain | | |
| Parent Element: | Activity | Activity | | | | | | |
| Element Restriction(s): | Required. This | Required. This element must be recorded. | | | | | | |
| Value Restriction(s): | n/a | | | | | | | |
| Remarks: | The earth of the | nission will be rejected if element is not recorded. element is missing a "Secelement contains a "Sequelement is recorded but a: | ANum" attribute. Num" attribute we none of the followator> PriorReportIndicator WREPORTING if a pombinations are ator> AND (<co< td=""><td>vith a duplicate o wing sub-element of the sollowing of the following recorded with a frectsAmendsPri</td><td>r invalid value. nts are recorded ng conditions ar "Y" value:</td><td>e true:</td></co<> | vith a duplicate o wing sub-element of the sollowing of the following recorded with a frectsAmendsPri | r invalid value. nts are recorded ng conditions ar "Y" value: | e true: | | |
| Example: | <pre><fc2:activityassociation seqnum="2"> <fc2:activityassociation seqnum="2"> <fc2:continuingactivityreportindicator>Y</fc2:continuingactivityreportindicator> <fc2:correctsamendspriorreportindicator>Y</fc2:correctsamendspriorreportindicator></fc2:activityassociation></fc2:activityassociation></pre> | | | | | | | |

| Element Name: | ContinuingActivityReportIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|---|------------|---|--|--|
| Description: | Continuing activity report (indicator). This element declares that the FinCEN SAR being filed continues reporting on a previously-reported suspicious activity. This element corresponds with the following item(s): 1c. Continuing activity report Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | ActivityAssociation | | | | | | |
| Element Restriction(s): | previously-reported suspicious activity; If this element is recorded, the following <efilingpriordocumentnumb< p=""></efilingpriordocumentnumb<> | Conditionally Required. Record this element when the FinCEN SAR being filed continues reporting on a previously-reported suspicious activity; otherwise, do not record this element. If this element is recorded, the following elements must also be recorded: • <efilingpriordocumentnumber> • <cumulativetotalviolationamounttext></cumulativetotalviolationamounttext></efilingpriordocumentnumber> | | | | | |
| | The <continuingactivityreportindicator> element may be recorded on its own or in conjunction with one or both of the following "Type of filing" elements: • <correctsamendspriorreportindicator> • <jointreportindicator></jointreportindicator></correctsamendspriorreportindicator></continuingactivityreportindicator> | | | | | | |
| Value Restriction(s): | The value provided must adhere to the report") | The value provided must adhere to the following requirements: "Y" (to indicate "Continuing activity | | | | | |

| Element Name: | ContinuingActivityReportIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|---|------------|---|------------|---|
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | |
| | The value recorded is not equal to "Y" or not equal to null. | | | | |
| Example: | <fc2:continuingactivityreportindicator>Y</fc2:continuingactivityreportindicator> | | | | |

| Element Name: | Corrects Amends Prior Report Indicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|--|-----------------------------------|-------------------|---|--|--|
| Description: | Corrects/Amends prior report (indicator or amends a previously-filed FinCEN SA • 1b. Correct/Amend prior report of the second o | R. This element ort | corresponds with | the following ite | 3 | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | ActivityAssociation | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler previously-filed FinCEN SAR; otherwise, If this element is recorded, the following • <efilingpriordocumentnumb "type="" <correctsamendspriorreportindication="" both="" filitions="" following="" if="" of="" one="" or="" td="" the="" the<=""><td>do not record the gelement must be personant of the gelement must be get on the gelement must be get on the gelement of the gelements:</td><td>nis element. also be recorded:</td><td></td><td></td></efilingpriordocumentnumb> | do not record the gelement must be personant of the gelement must be get on the gelement must be get on the gelement of the gelements: | nis element. also be recorded: | | | | |
| Value Restriction(s): | <jointreportindicator> The value provided must adhere to the following requirements: "Y" (to indicate "Continuing activity and the continuing activity)</jointreportindicator> | | | | | | |
| Remarks: | report") The batch submission will be <u>rejected</u> if any of the following conditions are true: • The value recorded is not equal to "Y" or not equal to null. | | | | | | |
| Example: | <fc2:correctsamendspriorreportindicator>Y</fc2:correctsamendspriorreportindicator> | | | | | | |

| Element Name: | InitialReportIndicator minOccurs: 0 maxOccurs: 1 | | | | | | | | |
|-------------------------|--|---|--------------------|---------------------|--------|--|--|--|--|
| Description: | Initial report (indicator). This element declares that the FinCEN SAR being filed is the first report filed on the suspicious activity. This element corresponds with the following item(s): • 1a. Initial report Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | | |
| Attribute(s) | n/a | | | | | | | | |
| Parent Element: | ActivityAssociation | | | | | | | | |
| Element Restriction(s): | the suspicious activity; otherwise, do no The <initialreportindicator> element m</initialreportindicator> | Conditionally Required. Record this element when the FinCEN SAR being filed is the first report filed on the suspicious activity; otherwise, do not record this element. The <initialreportindicator> element may be recorded on its own or in conjunction with the following</initialreportindicator> | | | | | | | |
| | "Type of filing" element: • <jointreportindicator></jointreportindicator> | | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate "Initial rep | oort") | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The value recorded is not equal to "Y" or not equal to null. | | | | | | | | |
| Example: | <fc2:initialreportindicator>Y<td>alReportIndicator</td><td>></td><td></td><td></td></fc2:initialreportindicator> | alReportIndicator | > | | | | | | |

| Element Name: | JointReportIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|--|---|--------------------|-----------------|--|--|--|
| Description: | financial institutions. This element corre • 1d. Joint report | oint report (indicator). This element declares that the FinCEN SAR is being filed jointly by two or more nancial institutions. This element corresponds with the following item(s): • 1d. Joint report **Rease refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | ActivityAssociation | | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler financial institutions; otherwise, do not The <jointreportindicator> element m "Type of filing" element:</jointreportindicator> | record this elem ust be recorded dicator> tIndicator> > element shoulution" elements a | ent. in conjunction wi ld <u>not</u> be recorde | ith at least one o | f the following | | | |
| Value Restriction(s): | The value provided must adhere to the | following requir | ements: "Y" (to ir | ndicate "Joint rep | ort") | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:jointreportindicator>Y<td>ReportIndicator></td><td>•</td><td></td><td></td></fc2:jointreportindicator> | ReportIndicator> | • | | | | | |

4.5. ActivitySupportDocument Elements

| Element Name: | ActivitySuppor | ActivitySupportDocument minOccurs: 0 maxOccurs: 1 | | | | | | | |
|-------------------------|--|--|--|-----------|-----------|----------|--|--|--|
| Description: | document as a described in the records that are documentation | Supporting Document (header). This element is the container for information about the supporting document as an attachment to the FinCEN SAR being filed. The contents of the attachment file must be described in the narrative. The attachment file would be most suitable for documenting transaction records that are too numerous to record in the narrative. Do not include any other supporting documentation with the FinCEN SAR. Instead, describe in narrative other supporting documentation not included in the attachment. The following sub-element is associated with this element: | | | | | | | |
| | Name | | | minOccurs | maxOccurs | Category | | | |
| | OriginalAttac | hmentFileName | | 1 | 1 | Simple | | | |
| Attribute(s) | Please refer to | This element corresponds with the following item(s): o Part V. Suspicious Activity Report – Attachment Please refer to Attachment C for additional information regarding the above item(s). The following attributes must be recorded for this element: | | | | | | | |
| | Name | Description | | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | | | |
| Parent Element: | Activity | | | | | | | | |
| Element Restriction(s): | transaction da | Record this element when the FinCEN SAR includes an attachment containing tabular data (such as transaction data) that provides additional suspicious activity information not suitable for inclusion in the narrative; otherwise, do not record this element. | | | | | | | |

| Element Name: | ActivitySupportDocument | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-----------------------|--|--|---|------------|---|--|--|--|
| Value Restriction(s): | n/a | n/a | | | | | | |
| Remarks: | The element is missing a "Second a "Second a "Second a " | - income is missing a sequential attendance. | | | | | | |
| Example: | <fc2:originalattachmentfilen< td=""><td colspan="6"><fc2:activitysupportdocument seqnum="3"></fc2:activitysupportdocument></td></fc2:originalattachmentfilen<> | <fc2:activitysupportdocument seqnum="3"></fc2:activitysupportdocument> | | | | | | |

| Element Name: | OriginalAttachmentFileName | minOccurs: | 1 | maxOccurs: | 1 | |
|-------------------------|--|------------------|---|-------------------|---------------|--|
| Description: | Attachment file name (text). This element declares the attachment file name included with the FinCEN SAR being filed. This element corresponds with the following item(s): • Part V. Suspicious Activity Report – Attachment (File name) Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | <u> </u> | | | |
| Parent Element: | ActivitySupportDocument | | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed when the asso | ciated parent ele | ement is recorded | d. | |
| Value Restriction(s): | The value provided must adhere to the FinCEN SAR_Attachment_1.csv). The att value (CSV) file with a maximum size of name. | achment file mus | st be an MS Exce | l-compatible con | nma separated | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded with a valid value but there is no corresponding attachment. • The batch submission contains an attachment but the <originalattachmentfilename> element of the associated FinCEN SAR within the batch XML is not recorded or the value is null.</originalattachmentfilename> | | | | | |
| Example: | <fc2:originalattachmentfilename>Fin0</fc2:originalattachmentfilename> | CEN SAR_Attachr | nent.csv <td>iginalAttachment</td> <td>:FileName></td> | iginalAttachment | :FileName> | |

4.6. Party Elements

| Element Name: | Party minOccurs: 6 maxOccurs: 1203 | | | | | | | | |
|---------------|--|--------------------|-------------------|-----------|---------|--|--|--|--|
| Description: | Party (header). This is the container for information about the individual or entity associated with the FinCEN SAR (at the activity level); specifically, the transmitter [of the batch file], the transmitter contact, the filing institution and contact office, the law enforcement contact agency and point of contact, the financial institution where activity occurred, and the subject. The following tables describe all possible sub-elements for each party type at the activity level: | | | | | | | | |
| | Activity party type code definitions 35 = Transmitter 37 = Transmitter Contact 30 = Filing Institution 8 = Contact Office 18 = LE Contact Agency 19 = LE Contact Name 34 = Financial Institution Where Activity Occurred 33 = Subject | | | | | | | | |
| | Transmitter Information (Req | uired Batch Trai | nsmitter Informat | ion) | | | | | |
| | Name | | minOccui | maxOccurs | Content | | | | |
| | ActivityPartyTypeCode (Code 35) | | 1 | 1 | Simple | | | | |
| | 1 | Complex | | | | | | | |
| Address 1 1 | | | | | | | | | |
| | PhoneNumber | | 1 | 1 | Complex | | | | |

| ement Name: | Party | minOccurs: | 6 | | maxOccurs: | 1203 | | |
|-------------|---|--|---------|----------------|--------------------|----------------|--|--|
| <u> </u> | Partyldentification | | | 1 | 1 | Complex | | |
| | 2. Transmitter Contact In | nformation (Required I | Batch 1 | Гransmitter Ir | formation) | | | |
| | Name | | | minOccurs | maxOccurs | Content | | |
| | ActivityPartyTypeCode (Code 3 | 37) | | 1 | 1 | Simple | | |
| | PartyName | | | 1 | 1 | Complex | | |
| | 3. Filing Institution (Req | 3. Filing Institution (Required FinCEN SAR Part IV, Items 75-82, 87) | | | | | | |
| | Name | | | minOccurs | maxOccurs | Content | | |
| | ActivityPartyTypeCode (Code 3 | 30) | | 1 | 1 | Simple | | |
| | PrimaryRegulatorTypeCode (It | em 75) | | 1 | 1 | Simple | | |
| | PartyName (Items 76, 87) | | | 1 | 2 | Complex | | |
| | Address (Items 82-86) | | | 1 | 1 | Complex | | |
| | Partyldentification (Items 77, 7 | 8, 81, 88) | | 1 | 3 | Complex | | |
| | OrganizationClassificationType | Subtype (Items 79, 80) | | 1 | 15 | Complex | | |
| | 4. Contact Office (Requi | red FinCEN SAR Part I\ | V, Item | s 93-94) | ' | | | |
| | Name | | | minOccurs | maxOccurs | Content | | |
| | ActivityPartyTypeCode (Code 8 | 3) | | 1 | 1 | Simple | | |
| | PartyName (Item 93) | | | 1 | 1 | Complex | | |
| | PhoneNumber (Item 94) | | | 1 | 1 | Complex | | |
| | 5. LE Contact Agency (if | available FinCEN SAR | Part IV | /, Item 89) | · | · | | |
| | Name | | | minOccurs | maxOccurs | Content | | |
| | ActivityPartyTypeCode (Code 1 | 18) | | 1 | 1 | Simple | | |
| | PartyName (Item 89) | | | 1 | 1 | Complex | | |
| | 6. LE Contact Name (if a | vailable FinCEN SAR P | art IV, | Items 90-92) | | | | |
| | Name | | | minOccurs | maxOccurs | Content | | |
| | ActivityPartyTypeCode (Code | 19) | | 1 | 1 | Simple | | |
| | ContactDateText (Item 92) | | | 0 | 1 | Simple | | |
| | PartyName (Item 90) | | | 0 | 1 | Complex | | |
| | PhoneNumber (Item 91) | | | 0 | 1 | Complex | | |
| | 7. Financial Institution W 68/69/70-74 if a Bran | /here Activity Occurred ch is involved) | (Requi | ired FinCEN | SAR Part III, Itei | ms 51-66, 69a, | | |
| | Name | | | minOccurs | maxOccurs | Content | | |
| | ActivityPartyTypeCode (Code 3 | 34) | | 1 | 1 | Simple | | |
| | LossToFinancialAmountText (It | em 67) | | 0 | 1 | Simple | | |
| | NoBranchActivityInvolvedIndic | ator (Item 69a) | | 0 | 1 | Simple | | |
| | PayLocationIndicator (Item 56 | o) | | 0 | 1 | Simple | | |
| | PrimaryRegulatorTypeCode (It | em 52) | | 1 | 1 | Simple | | |
| | | | | | | | | |
| | SellingLocationIndicator (Item | 56a) | | 0 | 1 | Simple | | |

| Element Name: | Party | | minOccurs: | 6 | | maxOccurs: | 1203 |
|-------------------------|--|---------------------------|---------------------|-------|---------|-------------|--|
| | PartyName (It | ems 57, 58) | | | 1 | 2 | Complex |
| | Address (Item | s 61-65) | | | 1 | 1 | Complex |
| | Partyldentifica | ation (Items 55, 59, 60, | 66) | | 1 | 3 | Complex |
| | Organization(| Classification Type Subty | pe (Items 51, 53, 5 | 54) | 1 | 12 | Complex |
| | PartyAssociat | ion (Items 68, 69, 70-74 | .) | | 0 | 1 | Complex |
| | 8. Subje | ect (Required FinCEN S | SAR Part I, Items 3 | -28) | | | |
| | Name | | | | minOccu | rs maxOc | curs Content |
| | ActivityPartyT | ypeCode | | | 1 | 1 | Simple |
| | AdmissionCo | nfessionNoIndicator (Ite | em 23b) | | 0 | 1 | Simple |
| | AdmissionCo | nfessionYesIndicator (It | em 23a) | | 0 | 1 | Simple |
| | *AllCriticalSub | ojectInformation Unavai | ableIndicator(Iter | n 3b) | 0 | 1 | Simple |
| | BirthDateUnk | nownIndicator (Item 19 | a) | | 0 | 1 | Simple |
| | BothPurchase | rSenderPayeeReceiveIn | dicator (Item 28c) |) | 0 | 1 | Simple |
| | FemaleGende | rIndicator (Item 8b) | | | 0 | 1 | Simple |
| | IndividualBirtl | nDateText (Item 19) | | | 0 | 1 | Simple |
| | MaleGenderIr | ndicator (Item 8a) | | | 0 | 1 | Simple |
| | NoKnownAcc | ountInvolvedIndicator (| Item 27a) | | 0 | 1 | Simple |
| | PartyAsEntity | OrganizationIndicator (| tem 3a) | | 0 | 1 | Simple |
| | PayeeReceive | rIndicator (Item 28b) | | | 0 | 1 | Simple |
| | PurchaserSen | derIndicator (Item 28a) | | | 0 | 1 | Simple |
| | UnknownGen | derIndicator (Item 8c) | | | 0 | 1 | Simple |
| | *PartyName (| Items 4-7, 9) | | | 1 | 100 | Complex |
| | *Address (Iter | ms 11-15) | | | 1 | 99 | Complex |
| | PhoneNumbe | r (Items 20, 21) | | | 0 | 99 | Complex |
| | *Partyldentific | cation (Items 16-18) | | | 2 | 100 | Complex |
| | PartyOccupat | ionBusiness (Item 10) | | | 0 | 1 | Complex |
| | ElectronicAdd | ress (Item 22) | | | 0 | 198 | Complex |
| | PartyAssociat | ion (Items 24-26) | | | 0 | 99 | Complex |
| | **PartyAccou | ntAssociation (Items 27 |) | | 0 | 99 | Complex |
| | **PartyAccountAssociation (Items 27) *In the event that all critical subject information is unavailable, the elements PartyName, Address PartyIdentification become minOccurs "0" and should not be recorded; however, if the subject had more known alternative names (which is not considered critical information), the PartyName elewould be recorded for each known subject alternative name (max 99). **While Item 27 is associated with the subject, many of the elements associated with this item ar within the Financial Institution Where Account is Held (41) party type, which is nested within the | | | | | | ubject has one or Iame element s item are reported |
| | | Please refer to the Party | | | | | and the subject |
| Attribute(s) | The following a | ttributes must be recor | ded for this eleme | ent: | | | |
| | Name | Description | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | may contain | |
| Parent Element: | Activity | | | | | | |
| Element Restriction(s): | - | element must be record | led | | | | |

| Element Name: | Party | minOccurs: | 6 | n | naxOccurs: | 1203 |
|-----------------------|--|---|--|-----------------------------------|---|------|
| | The following table describes the minir document by party type (at the activity | ements per Fi | nCEN SAR | | | |
| | Transmitter | | nOccurs 1 | 1 | | |
| | Transmitter Contact | | 1 | 1 | | |
| | Filing Institution | | 1 | 1 | | |
| | Filing Institution Contact Office | | 1 | 1 | | |
| | Law Enforcement Agency | | 0 | 1 | | |
| | Law Enforcement Name | | 0 | 1 | | |
| | Financial Institution Where Activity O | ccurred | 1 | 99 | | |
| | Subject | ccurred | 1 | 999 | | |
| | Total (per do | ocument) | 6 | 1104 | | |
| | Total (per ut | ocument) | | 1104 | | |
| Value Restriction(s): | n/a | | | | | |
| Remarks: | The batch submission will be rejected in the element is not recorded the element is missing a "See the element contains a "Seq the following party types are finCEN SAR: Transmitter (1 occ the filling Institution (1 occ the filling Institution (2 occ the filling Institution (3 occ the filling Institution (4 occ the filling Institution (5 occ the filling Institution (6 occ the filling Institution (7 occ the filling Institution (7 occ the filling Institution (8 occ the filling Institution (9 occ the filling Institution (1 o | or is incorrectly qNum" attribute Num" attribute e not recorded currence) ct (1 occurrence) ct Office (1 occur Where Activit than 999) party types are Agency | y formatted e. with a dup or exceed e) urrence) y Occurred | d. olicate or in the maximu | valid value. ım occurrence than 99) | |
| | o Law Enforcement | Name | | | | |
| | o Law Enforcement | ivame | | | | |

| Element Name: | ActivityPar | tyTypeCode | TypeCode minOccurs: 1 maxOccurs: 1 | | | | | | |
|-------------------------|-------------|---|--|------------------|---------------------|------|--|--|--|
| Description: | Party type | arty type (code). This element identifies the type of party associated with the FinCEN SAR. | | | | | | | |
| Attribute(s) | n/a | | | | | | | | |
| Parent Element: | Party | | | | | | | | |
| Element Restriction(s): | Required. | This element must be recorde | ed for each <part< td=""><td>:y> element rega</td><td>ardless of party ty</td><td>/pe.</td></part<> | :y> element rega | ardless of party ty | /pe. | | | |
| Value Restriction(s): | The value | provided must adhere to the | following require | ements: | | | | | |
| | Code | Description | | | | | | | |
| | 35 | Transmitter | | | | | | | |
| | 37 | Transmitter Contact | | | | | | | |
| | 30 | Filing Institution | | | | | | | |
| | 8 | Designated Contact Office | | | | | | | |
| | 18 | Law Enforcement Agency | | | | | | | |
| | 19 | Law Enforcement Name | w Enforcement Name | | | | | | |
| | 34 | Financial Institution Where | Activity Occurre | d | | | | | |

| Element Name: | ActivityPar | tyTypeCode | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|--|---|-------------------|-------|------------|---|
| | 33 | Subject | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is recorded but with no value (i.e. the value is null). The element contains an invalid value. | | | | | |
| Example: | <fc2:activit< th=""><th>:yPartyTypeCode>30<th>ctivityPartyTypeC</th><th>Code></th><th></th><th></th></th></fc2:activit<> | :yPartyTypeCode>30 <th>ctivityPartyTypeC</th> <th>Code></th> <th></th> <th></th> | ctivityPartyTypeC | Code> | | |

| Element Name: | AdmissionConfessionNoIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|--|--------------------|-------------------|---------------|--|--|
| Description: | Corroborative statement to filer: No (indicator). This element declares that the subject individual has made no corroborative statement to the filer. This element corresponds with the following item(s): • 23b. Corroborative statement to filer (No) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | and the subject made no corroborative | Record this element when the party type is associated with the Subject (33), the subject is an individual, and the subject made no corroborative statement to the filer admitting to involvement in or otherwise substantiating the suspicious activity; otherwise, do not record this element. Do not record this element if the subject is an entity | | | | | |
| Value Restriction(s): | The value provided must adhere to the statement to filer) | following require | ements: "Y" (to ir | ndicate "No" to C | Corroborative | | |
| Remarks: | The batch submission will be <u>rejected</u> if The element is recorded for a Restrictions for more informa The value recorded is not equ | party type that ation). | is not applicable | | Element | | |
| Example: | <fc2:admissionconfessionnoindicator></fc2:admissionconfessionnoindicator> | Y <td>on Confession NoI</td> <td>ndicator></td> <td></td> | on Confession NoI | ndicator> | | | |

| Element Name: | AdmissionConfessionYesIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|---|--------------------|-------------------|---------------|--|--|--|
| Description: | Corroborative statement to filer: Yes (indicator). This element declares that the subject individual has made a statement to the filer admitting to involvement in or otherwise substantiating the suspicious activity. This element corresponds with the following item(s): • 23c. Corroborative statement to filer (Yes) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Party | Party | | | | | | |
| Element Restriction(s): | and the subject has made a statement t | Record this element when the party type is associated with the Subject (33), the subject is an individual, and the subject has made a statement to the filer admitting to involvement in or otherwise substantiating the suspicious activity; otherwise, do not record this element. Do not record this element if the subject is an entity | | | | | | |
| Value Restriction(s): | The value provided must adhere to the statement to filer) | following require | ements: "Y" (to in | dicate "Yes" to C | Corroborative | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:admissionconfessionyesindicator< td=""><td>>Y<td>on Confession Yes</td><td>Indicator></td><td></td></td></fc2:admissionconfessionyesindicator<> | >Y <td>on Confession Yes</td> <td>Indicator></td> <td></td> | on Confession Yes | Indicator> | | | | |

| Element Name: | AllCriticalSubjectInformationUnavailableIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|---|----------------|-------------------|------------|--|--|--|
| Description: | All critical subject information unavailable (indicator). This element declares that all critical subject information is unavailable. This element corresponds with the following item(s): • 3b. Check if all critical* subject information is unavailable (does not include item *27) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Party | Party | | | | | | |
| Element Restriction(s): | information is unavailable with the exception of Ite number(s) affected that are related to the subject"; | Record this element when the party type is associated with the Subject (33) and all critical* subject information is unavailable with the exception of Item 27 "Financial Institution TIN and account number(s) affected that are related to the subject"; otherwise, do not record this element. *Refer to Attachment C (Item Instructions) to identify all critical items associated with the subject. | | | | | | |
| Value Restriction(s): | The value provided must adhere to the following re information unavailable") | equirements: "Y | " (to indicate | "All critical sub | ject | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:allcriticalsubjectinformationunavailableindicandicator></fc2:allcriticalsubjectinformationunavailableindicandicator> | itor>Y <td>CriticalSubjec</td> <td>tInformationUn</td> <td>availablel</td> | CriticalSubjec | tInformationUn | availablel | | | |

| Element Name: | BirthDateUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|--|--------------------|-------------------|--------------|--|--|--|
| Description: | Date of birth (date). This element identifies the date of birth associated with the subject. This element corresponds with the following item(s): • 19a. Date of birth (unknown) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Party | Party | | | | | | |
| Element Restriction(s): | and the date of birth is unknown*; othe *If the subject is an individual and the d | Record this element when the party type is associated with the Subject (33), the subject is an individual, and the date of birth is unknown*; otherwise, do not record this element. *If the subject is an individual and the date of birth is known, record the <individualbirthdatetext> element with the birth date and do not record the <birthdateunknownindicator> element.</birthdateunknownindicator></individualbirthdatetext> | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate date of bi | rth unknown) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:birthdateunknownindicator>Y<td>:2:BirthDateUnkr</td><td>ownIndicator></td><td></td><td></td></fc2:birthdateunknownindicator> | :2:BirthDateUnkr | ownIndicator> | | | | | |

| Element Name: | BothPurchaserSenderPayeeReceiveIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|-----------------|---|--|---|--|---------|
| Description: | This element declares that the subject was borproduct(s) involved in the suspicious activity a involved in the suspicious activity. This element 28c. Subject's role in suspicious activity. Please refer to Attachment C for additional info | ind payee/receint corresponds vity (both Purch | ver of the instr with the follow naser/Sender a | rument(s) or proc ving item(s): and Payee/Receiv | duct(s) |
| Attribute(s) | n/a | | | | |
| Parent Element: | Party | | | | |

| Element Name: | BothPurchaserSenderPayeeReceiveIndicator minOccurs: 0 maxOccurs: 1 | | | | | |
|-------------------------|--|--|--|--|--|--|
| Element Restriction(s): | ecord this element when the party type is associated with the Subject (33) and the subject was both ne payee/receiver and purchaser/sender of the instrument(s) or product(s) involved in the suspicious ctivity; otherwise, do not record this element. | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: "Y" (to indicate both Purchaser/Sender and Payee/Receiver) | | | | | |
| Remarks: | and Payee/Receiver) The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warning if any of the following conditions are true: More than one role is recorded for the Subject. | | | | | |
| Example: | <pre><fc2:bothpurchasersenderpayeereceiveindicator>Y</fc2:bothpurchasersenderpayeereceiveindicator></pre> | | | | | |

| Element Name: | ContactDateText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|---|-------------------|---------------|---|--|--|--|
| Description: | Law enforcement contact date (date). This element identifies the most-recent date the law enforcement agency was contacted about the suspicious activity. This element corresponds with the following item(s): • 92. LE contact date Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | Tat information re | egarating the abo | ve tterri(3). | | | | |
| Parent Element: | Party | | | | | | | |
| Element Restriction(s): | | Record this element when the party type is associated with the LE Contact Name (19) and the most-recent date the law enforcement agency was contacted about the suspicious activity is available; otherwise, do not record this element | | | | | | |
| Value Restriction(s): | · | The value provided must adhere to the following requirements: 8 numeric characters in the format YYYYMMDD where YYYY = year, MM = month, and DD = day. Single digit days or months must be | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded for the element is not in the required format (YYYYMMDD). | | | | | | | |
| Example: | <fc2:contactdatetext>20171105<td>ContactDateText</td><td>></td><td></td><td></td></fc2:contactdatetext> | ContactDateText | > | | | | | |

| Element Name: | FemaleGenderIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|---------------------|--------------------|-------------------|---------|--|--|--|
| Description: | Gender: Female (indicator). This element declares that the gender of the subject is female. This element corresponds with the following item(s): | | | | | | | |
| | 8b. Gender (female) | 8b. Gender (female) | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Party | Party | | | | | | |
| Element Restriction(s): | Record this element when the party typ and subject's gender is female; if the su not record this element. | | , | ,. | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate female ge | nder) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | wing conditions a | re true: | | | | |
| | The element is recorded for a Restrictions for more information. | . , ,, | is not applicable | to this data (see | Element | | | |
| | The value recorded is not equ | ual to "Y" or not | equal to null. | | | | | |

| Element Name: | FemaleGenderIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|---------------|---|----------------|--------|------------|---|--|--|
| | The batch submission will be <u>accepted with warnings</u> if any of the following conditions are true: | | | | | | |
| | More than one gender is recorded for the Subject. | | | | | | |
| | The gender is specified for the entity Subject. | | | | | | |
| Example: | <fc2:femalegenderindicator>Y<th>maleGenderIndi</th><th>cator></th><th></th><th></th></fc2:femalegenderindicator> | maleGenderIndi | cator> | | | | |

| Element Name: | IndividualBirthDateText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|--|---------------------------------------|-------------------------------------|------------------------------|--|--|--|
| Description: | subject is unknown. This element corres • 19. Date of birth | | | | | | | |
| Attribute(s) | Please refer to Attachment C for addition | nai information r | egaraing the abo | ve item(s). | | | | |
| Parent Element: | Party | | | | | | | |
| Element Restriction(s): | and the date of birth is known*; otherw *If the subject is an individual and the d | Record this element when the party type is associated with the Subject (33), the subject is an individual, and the date of birth is known*; otherwise, do not record this element. *If the subject is an individual and the date of birth is unknown, record the <birthdateunknownindicator> element with a "Y" value and do not record the</birthdateunknownindicator> | | | | | | |
| Value Restriction(s): | The value provided must adhere to the YYYYMMDD where YYYY = year, MM = prefaced by a zero. If the birth day and, For example, a date of birth with an unknot enter zeros for the year if the year is | month, and DD or month is unk onown day in Feb | = day. Single dig nown, enter "00" | it days or month for the unknowr | s must be n day or month. | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The batch submission will be accepted with warning if any of the following conditions are true: The value recorded for the element is not in the required format (YYYYMMDD). The element is not recorded for the individual Subject and both AllCriticalSubjectInformationUnavailableIndicator or BirthDateUnknownIndicator do not contain a "Y" value. The date of birth recorded is less than January 1, 1900. | | | | | | | |
| Example: | <fc2:individualbirthdatetext>19801025</fc2:individualbirthdatetext> | | | | | | | |

| Element Name: | LossToFinancial Amount Text | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|---|------------------|-------------|---|--|--|--|
| Description: | Loss to financial institution (amount). This element identifies the dollar amount loss to the financial institution because of the suspicious activity. This element corresponds with the following item(s): | | | | | | | |
| | 67. Loss to financial institutio | 67. Loss to financial institution (if applicable) | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | n/a | | | | | | |
| Parent Element: | Party | | | | | | | |
| Element Restriction(s): | Record this element when the party typ occurred (34) and the institution has su not record this element. | | | | • | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: 1-15 numeric characters (without leading zeros) denominated in whole U.S. Dollars. The amount entered in this element cannot be zero and cannot be greater than the amount recorded in the <totalsuspiciousamounttext> element. Do not include non-numeric characters.</totalsuspiciousamounttext> | | | | | | | |

| Element Name: | LossToFinancialAmountText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|---------------|---|--|-------------------|------------|---|--|--|--|
| | NOTE: If some losses are known and other losses unknown, enter the total of known losses as of the date of filing. If the FinCEN SAR is a continuing activity report, enter in the <losstofinancialamounttext> element the loss amount for the current FinCEN SAR and record in the narrative the total aggregated losses for all FinCEN SARs filed on the suspicious activity.</losstofinancialamounttext> | | | | | | | |
| Remarks: | The element is recorded for a Restrictions for more information. | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | | | |
| | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: The amount recorded contains one or more non-numeric characters. The amount recorded is equal to zero. The amount recorded is greater than the amount involved in the report. | | | | | | | |
| Example: | <pre><fc2:losstofinancialamounttext>1500</fc2:losstofinancialamounttext></pre> | 0 <td>nancial Amount Te</td> <td>xt></td> <td></td> | nancial Amount Te | xt> | | | | |

| Element Name: | MaleGenderIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|-------------------|--------------------|------------------|------|--|--|--|
| Description: | Gender: Male (indicator). This element declares that the gender of the subject is male. This element corresponds with the following item(s): • 8a. Gender (male) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | · | <u> </u> | | | | | |
| Parent Element: | Party | Party | | | | | | |
| Element Restriction(s): | Record this element when the party type is associated with the Subject (33), the subject is an individual, and subject's gender is male; if the subject's gender is female or unknown, or the subject is an entity, do not record this element. | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate male gend | der) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. The batch submission will be <u>accepted with warnings</u> if any of the following conditions are true: • More than one gender is recorded for the Subject. • The gender is not specified for the individual Subject. • The gender "male" is specified for the entity Subject. | | | | | | | |
| Example: | <fc2:malegenderindicator>Y<td>eGenderIndicator</td><td>·></td><td></td><th></th></fc2:malegenderindicator> | eGenderIndicator | ·> | | | | | |

| Element Name: | NoBranchActivityInvolvedIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|-------------------|--------------------|-------------------|-------------|--|--|
| Description: | No branch involved (indicator). This element declares that there is no branch location involved in the suspicious activity for the associated financial institution where activity occurred. This element corresponds with the following item(s): • 69a. No branch activity involved Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | Record this element when the party type is associated with the Financial Institution Where Activity Occurred (34) and no branch was involved in the suspicious activity (or the branch country is unknown); otherwise, do not record this element. If this element is recorded, do not record a party type associated with the Branch Where Activity Occurred (46) for the associated Financial Institution (34). | | | | | | |
| Value Restriction(s): | The value provided must adhere to the involved") | following require | ements: "Y" (to in | ndicate "No brand | ch activity | | |

| Element Name: | NoBranchActivityInvolvedIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|---|--|--|---|------------------------|
| Remarks: | The batch submission will be rejected if The element is recorded for a Restrictions for more informa The value recorded is not equal to the batch submission will be accepted with Branch (46) party type location. The party type associated with branch activity involved is not rejected. | a party type that intion). ual to "Y" or not entitle with warnings if an a "Y" value for the property and the branch when the | is not applicable equal to null. any of the follow he Financial insti ded. | to this data (see ing conditions ar tution (34) but o | re true: ne or more |
| Example: | <fc2:nobranchactivityinvolvedindicator< td=""><td>r>Y<td>chActivityInvolve</td><td>dIndicator></td><td></td></td></fc2:nobranchactivityinvolvedindicator<> | r>Y <td>chActivityInvolve</td> <td>dIndicator></td> <td></td> | chActivityInvolve | dIndicator> | |

| Element Name: | NoKnownAccountInvolvedIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|----------------------------|--------------------|------------------|-----------|--|--|--|
| Description: | No known account involved (indicator). This element declares that no account related to the subject is involved in the suspicious activity. This element corresponds with the following item(s): • 27a. No known account involved | | | | | | | |
| A () () | Please refer to Attachment C for addition | nal information re | egarding the abo | ve ıtem(s). | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Party | | | | | | | |
| Element Restriction(s): | Record this element when the party type is associated with the Subject (33) and no account related to the subject is involved in the suspicious activity; otherwise, do not record this element. | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the involved") | following require | ements: "Y" (to in | idicate "No know | n account | | | |
| Remarks: | The batch submission will be <u>rejected</u> if The element is recorded for a Restrictions for more informa The value recorded is not equ | a party type that intion). | s not applicable | | Element | | | |
| | The batch submission will be accepted with warning if any of the following conditions are true: • The element is recorded with a "Y" value and the <partyaccountassociation> element recorded. • The element is not recorded and the <partyaccountassociation also="" element="" is="" not="" re<="" td=""></partyaccountassociation></partyaccountassociation> | | | | | | | |
| Example: | <fc2:noknownaccountinvolvedindicate< td=""><td></td><td></td><td></td><th></th></fc2:noknownaccountinvolvedindicate<> | | | | | | | |

| Element Name: | PartyAsEntityOrganizationIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|-------------------------|--|--|--------------------|-------------------|-------------------|--|--|--|--|
| Description: | Entity (indicator). This element declares that the subject is an entity. This element corresponds with the following item(s): | | | | | | | | |
| | 3a. Check if entity | 3a. Check if entity | | | | | | | |
| | Please refer to Attachment C for addition | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | /a | | | | | | | |
| Parent Element: | Party | Party | | | | | | | |
| Element Restriction(s): | Record this element when the party typ otherwise, do not record this element. | e is associated w | ith the Subject (3 | 33) and the subje | ect is an entity; | | | | |
| Value Restriction(s): | The value provided must adhere to the entity) | following require | ements: "Y" (to in | dicate that the s | ubject is an | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | , | 9 | | | | | | |
| | The element is recorded for a Restrictions for more informa | | is not applicable | to this data (see | Element | | | | |
| | The value recorded is not equ | * | equal to null. | | | | | | |
| Example: | <fc2:partyasentityorganizationindicato< td=""><td>r>Y<td>EntityOrganizati</td><td>onIndicator></td><td></td></td></fc2:partyasentityorganizationindicato<> | r>Y <td>EntityOrganizati</td> <td>onIndicator></td> <td></td> | EntityOrganizati | onIndicator> | | | | | |

| Element Name: | PayeeReceiverIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|-------------------------|---|-------------------|--------------------|------------------|---------|--|--|--|--|
| Description: | Payee/Receiver (indicator). This element declares that the subject was the payee or receiver of the instrument(s) or product(s). This element corresponds with the following item(s): • 28b. Subject's role in suspicious activity (Payee/Receiver) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | | |
| Attribute(s) | n/a | | | | | | | | |
| Parent Element: | Party | arty | | | | | | | |
| Element Restriction(s): | Record this element when the party typ payee or receiver of the instrument(s) o record this element. | | • | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate Payee/Red | ceiver) | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warning if any of the following conditions are true: More than one role is recorded for the Subject. | | | | | | | | |
| Example: | <fc2:payeereceiverindicator>Y<td>yeeReceiverIndic</td><td>ator></td><td></td><th></th></fc2:payeereceiverindicator> | yeeReceiverIndic | ator> | | | | | | |

| Element Name: | PayLocationIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|-------------------|--------------------|-------------------|----------|--|--|
| Description: | Paying location (indicator). This element declares that the customer received payment from the financial institution where activity occurred for the products or instruments recorded in the FinCEN SAR. This element corresponds with the following item(s): • 56b. Financial institution's role in transaction (Paying location) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | Record this element when the party typ Occurred (34) and the customer receive products or instruments; otherwise, do | ed payment from | the Financial Ins | | • | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate "Paying Ic | cation") | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | |
| Example: | <fc2:paylocationindicator>Y<td>ocationIndicator</td><td>></td><td></td><td></td></fc2:paylocationindicator> | ocationIndicator | > | | | | |

| Element Name: | PrimaryRegulatorTypeCode | minOccurs: | 0 | maxOccurs: | 1 | | | | | |
|-----------------|---|--|--|--------------------|---|--|--|--|--|--|
| Description: | Primary regulator type (code). This elem the financial institution where activity o with the following item(s): • Financial Institution Where Are Filing Institution: 75. Primary Please refer to Attachment C for addition | ccurred as well a ctivity Occurred: Federal Regulato | s the filing institu 52. Primary Fede or | ntion. This elemen | | | | | | |
| Attribute(s) | n/a | n/a | | | | | | | | |
| Parent Element: | Party | Party | | | | | | | | |

| Element Name: | PrimaryReg | gulatorTypeCode | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|--|---|--------------|------------|---|--|--|
| Element Restriction(s): | record this | tionally Required. This element must be recorded for the following party types; otherwise, do not I this element: Financial Institution Where Activity Occurred (34) Filing Institution (30) | | | | | | |
| Value Restriction(s): | The value p | provided must adhere to the | following require | ements: | | | | |
| | Code | Description | | | | | | |
| | 9 | CFTC (Commodities Future | s Trading Comm | ission) | | | | |
| | 1 | Federal Reserve | | | | | | |
| | 2 | FDIC (Federal Deposit Insu | DIC (Federal Deposit Insurance Corporation) | | | | | |
| | 13 | FHFA (Federal Housing Finance Agency) | | | | | | |
| | 7 | IRS (Internal Revenue Service) | | | | | | |
| | 3 | NCUA (National Credit Union Administration) | | | | | | |
| | 4 | OCC (Office of the Comptr | OCC (Office of the Comptroller of the Currency) | | | | | |
| | 6 | SEC (Securities and Exchan | ge Commission) | | | | | |
| | 99 | Not Applicable | | | | | | |
| Remarks: | • 1 • 1 • 1 | Restrictions for more information). | | | | | | |
| Example: | <fc2:prima< td=""><td>ryRegulatorTypeCode>4<td>2:PrimaryRegula</td><td>torTypeCode></td><td></td><td></td></td></fc2:prima<> | ryRegulatorTypeCode>4 <td>2:PrimaryRegula</td> <td>torTypeCode></td> <td></td> <td></td> | 2:PrimaryRegula | torTypeCode> | | | | |

| Element Name: | PurchaserSenderIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|-------------------------|---|------------|---|------------|---|
| Description: | Purchaser/Sender (indicator). This element declares that the subject purchased or sent the financial instrument(s) or product(s) involved in the suspicious activity. This element corresponds with the following item(s): • 28a. Subject's role in suspicious activity (Purchaser/Sender) Please refer to Attachment C for additional information regarding the above item(s). | | | | |
| | | | | | |
| | | | | | |
| Attribute(s) | n/a | | | | |
| Parent Element: | Party | | | | |
| Element Restriction(s): | Record this element when the party type is associated with the Subject (33) and the subject purchased or sent the financial instrument(s) or product(s) involved in the suspicious activity; otherwise, do not record this element. | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: "Y" (to indicate Purchaser/Sender) | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | |
| | The value recorded is not equal to "Y" or not equal to null. | | | | |
| | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • More than one role is recorded for the Subject. | | | | |
| Example: | <fc2:purchasersenderindicator>Y</fc2:purchasersenderindicator> | | | | |

| Element Name: | SellingLocationIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|-------------------|--------------------|--------------------|-----------|--|
| Description: | Selling location (indicator). This element declares that the customer purchased at the financial institution where activity occurred the products or instruments recorded in the FinCEN SAR. This element corresponds with the following item(s): | | | | | |
| | 56a. Financial Institution's rol | | J | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Party | | | | | |
| Element Restriction(s): | Record this element when the party typ Occurred (34) and the customer purcha instruments; otherwise, do not record tl | sed at the financ | | | • | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate "Selling lo | ocation") | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | |
| Example: | <fc2:sellinglocationindicator>Y</fc2:sellinglocationindicator> YYYYYYYYYYYYYYYYYYYYYYYYY | | | | | |

| Element Name: | SellingPayingLocationIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|--|--------------------|---------------------|---------------|--|
| Description: | Selling and Paying location (indicator). This element declares that the financial institution where activity occurred was both a paying and selling location for the products or instruments recorded in the FinCEN SAR. This element corresponds with the following item(s): • 56c. Financial Institution's role in transaction: Both Selling and Paying location Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Party | | | | | |
| Element Restriction(s): | Record this element when the party typ Occurred (34) and the financial institution products or instruments; otherwise, do | on was both the | selling and payin | | • | |
| Value Restriction(s): | The value provided must adhere to the location) | following require | ements: "Y" (to in | idicate both Sellii | ng and Paying | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. | | | | | |
| Example: | <fc2:sellingpayinglocationindicator>Y<</fc2:sellingpayinglocationindicator> | <td>ngLocationIndica</td> <td>tor></td> <td></td> | ngLocationIndica | tor> | | |

| Element Name: | UnknownGenderIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|---|------------|---|--|--|
| Description: | Gender: Unknown (indicator). This element declares that the gender of the subject is unknown. This element corresponds with the following item(s): • 8c. Gender (unknown) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | | ecord this element when the party type is associated with the Subject (33), the subject is an individual and subject's gender is unknown; if the subject's gender is known, or the subject is an entity, do not | | | | | |

| Element Name: | UnknownGenderIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|-----------------------|---|---|--|-------------------|---|--|--|--|--|
| Value Restriction(s): | The value provided must adhere to the | The value provided must adhere to the following requirements: "Y" (to indicate unknown gender) | | | | | | | |
| Remarks: | The batch submission will be rejected if The element is recorded for a Restrictions for more information. The value recorded is not equal to the batch submission will be accepted. More than one gender is recorded in the gender is not specified for the gender "unknown" is specified. | a party type that ition). ual to "Y" or not o with warnings if a orded for the Sub or the individual ! | is not applicable equal to null. any of the follow oject. Subject. | to this data (see | | | | | |
| Example: | <fc2:unknowngenderindicator>Y<th>:UnknownGende</th><th>rIndicator></th><td></td><td></td></fc2:unknowngenderindicator> | :UnknownGende | rIndicator> | | | | | | |

| Element Name: | PartyName | See PartyName Elements for details. |
|------------------|--|--|
| | | |
| Element Name: | Address | See Address Elements for details. |
| | | |
| Element Name: | PhoneNumber | See PhoneNumber Elements for details. |
| | | |
| Element Name: | Partyldentification | See PartyIdentification Elements for details. |
| - L | | |
| Element Name: | OrganizationClassificationTypeSubty | pe See OrganizationClassificationTypeSubtype Elements for details. |
| | | |
| Element Name: | | |
| ciement name: | PartyOccupationBusiness | See PartyOccupationBusiness Elements for details. |
| сівінені іматів: | PartyOccupationBusiness | See PartyOccupationBusiness Elements for details. |
| Element Name: | PartyOccupationBusiness ElectronicAddress | See PartyOccupationBusiness Elements for details. See ElectronicAddress Elements for details. |
| | | |
| | | |
| Element Name: | ElectronicAddress | See ElectronicAddress Elements for details. |

4.6.1. PartyName Elements

| Element Name: | PartyName | minOccurs: | 0 | maxOccurs: | 100 |
|---------------|--|------------|---|------------|-----|
| Description: | Party name (header). This is the contain can be a legal name, doing business as party type identified. | | | . , | ' ' |

| Element Name: | PartyName | minOccurs: | 0 | maxOccurs: | 100 | | | |
|---------------|--|--|---------------------|-------------|---------|--|--|--|
| | The following sub-element is associated with this element: | | | | | | | |
| | Activity party type code definitions 35 = Transmitter 37 = Transmitter Contact 30 = Filing Institution 8 = Contact Office 18 = LE Contact Agency 19 = LE Contact Name 34 = Financial Institution Where Activity Occurred 33 = Subject | | | | | | | |
| | Transmitter Information: Le | Transmitter Information: Legal name (Required) | | | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | |
| | PartyNameTypeCode (Code L) | | 1 | 1 | Simple | | | |
| | RawPartyFullName | | 1 | 1 | Simple | | | |
| | 2. Transmitter Contact Inform | ation: Legal name (l | Required) | | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | |
| | PartyNameTypeCode (Code L) | | 1 | 1 | Simple | | | |
| | RawPartyFullName | | 1 | 1 | Simple | | | |
| | 3. Filing Institution Informatio | n: | | | | | | |
| | a. Legal name (Req | uired FinCEN SAR | Part IV, Items 76) | | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | |
| | PartyNameTypeCode (Code L) | | 1 | 1 | Simple | | | |
| | RawPartyFullName (Item 76) | | 1 | 1 | Simple | | | |
| | b. Alternate name (i | if applicable FinCE | N SAR Part IV, Ite | n 87) | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | |
| | PartyNameTypeCode (Code AKA or | DBA) | 1 | 1 | Simple | | | |
| | RawPartyFullName (Item 87) | | 1 | 1 | Simple | | | |
| | 4. Contact Office: Legal name | (Required FinCEN | SAR Part IV, Item | 5 93) | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | |
| | PartyNameTypeCode (Code L) | | 1 | 1 | Simple | | | |
| | RawPartyFullName (Item 93) | | 1 | 1 | Simple | | | |
| | 5. LE Contact Agency: Legal n | ame (if applicable | FinCEN SAR Part | V, Item 89) | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | |
| | PartyNameTypeCode (Code L) | | 1 | 1 | Simple | | | |
| | RawPartyFullName (Item 89) | | 1 | 1 | Simple | | | |
| | 6. LE Contact Name: Legal na | me (if applicable Fi | inCEN SAR Part IV | , Items 90) | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | |
| | PartyNameTypeCode (Code L) | | 1 | 1 | Simple | | | |
| | RawPartyFullName (Item 90) | | 1 | 1 | Simple | | | |
| | 7. Financial Institution Where | Activity Occurred: | CENI CAD Dowt III | Itam E7) | | | | |
| | a. Legal name/unkr | iowii (nequired Fif | ICLIN SAK PAIL III, | | | | | |

| Element Name: | PartyName | | minOccurs: | 0 | | maxOccurs: | 100 | | |
|-------------------------|--|---|--|-------------------|-----------------------------------|---|---------------|--|--|
| | Name | | | | minOccurs | maxOccurs | Content | | |
| | EntityLastNar | meUnknownIndicator ((| Code Y) | | 0 | 1 | Simple | | |
| | PartyNameTy | /peCode (Code L) | | | 1 | 1 | Simple | | |
| | RawPartyFull | Name (Item 57) | | | 0 | 1 | Simple | | |
| | | *If unknown is indicated, the corresponding element whose value is unknown shotherwise, the unknown indicator element should not be recorded. b. Alternate name (if applicable FinCEN SAR Part III, Item 58) | | | | | | | |
| | Name minOccurs maxOccurs | | | | | | | | |
| | | una Cada (Cada AVA au | D.D.A.) | | | | Content | | |
| | | /peCode (Code AKA or | DBA) | | 1 | 1 | Simple | | |
| | RawPartyFull | Name (Item 58) | | | 1 | 1 | Simple | | |
| | 8. Subj | | own (Conditionall | y Reqı | uired FinCEI | N SAR Part I, Ite | ms 4-7) | | |
| | Name | | | | minOccur | maxOccurs | Content | | |
| | EntityLastNar | meUnknownIndicator (I | tem 4a) | | 0 | 1 | Simple | | |
| | FirstNameUn | stNameUnknownIndicator (Item 5a) | | | 0 | 1 | Simple | | |
| | PartyNameTy | /peCode (Code L) | | | 1 | 1 | Simple | | |
| | RawEntityInd | ntityIndividualLastName (Item 4) | | | 0 | 1 | Simple | | |
| | RawIndividua | alFirstName (Item 5) | | | 0 | 1 | Simple | | |
| | RawIndividua | dualMiddleName (Item 6) | | | 0 | 1 | Simple | | |
| | RawIndividua | awIndividualNameSuffixText (Item 7) | | | 0 | 1 | Simple | | |
| | otherwise, the i | indicated, the correspondunknown indicator elem unavailable, do not reco ternative name (if known b. Alternate name (i | nent should not be ord the <partynam< td=""><td>record ne> ele</td><td>led. In the even ement for the</td><td>ent that all critic Subject (33) unl</td><td>al subject</td></partynam<> | record ne> ele | led. In the even ement for the | ent that all critic Subject (33) unl | al subject | | |
| | Name | | | | minOccurs | maxOccurs | Content | | |
| | PartyNameTy | /peCode (Code AKA or | DBA) | | 1 | 1 | Simple | | |
| | RawPartyFull | Name (Item 58) | | | 1 | 1 | Simple | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | | | |
| | Name | Description | | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | | | |
| Parent Element: | Party | | | | | | | | |
| Element Restriction(s): | Required. This | element must be recor | ded for all party ty | pes (A | Activity Level | with the follow | ing exception | | |
| | | ne event that all critical : Subject (33) unless reco | • | | | | element for | | |
| | the Subject (33) unless recording the subject's alternative name (if known). The following table describes the minimum and maximum reporting requirements per party type (at the activity level): | | | | | | | | |

| Element Name: | PartyName | minOccurs: | 0 | | maxOccurs: | 100 | |
|-----------------------|---|--|---|--|--|---------------|--|
| | Party type | (n | Legal nin-max) | Alter (min- | | | |
| | Transmitter | | 1-1 | n, | /a | | |
| | Transmitter Contact | | 1-1 | n, | /a | | |
| | Filing Institution | | 1-1 | 0- | -1 | | |
| | Filing Institution Contact Office | | 1-1 | n, | /a | | |
| | Law Enforcement Agency | | 0-1 | n, | /a | | |
| | Law Enforcement Name | | 0-1 | n, | /a | | |
| | Financial Institution Where Activity O | ccurred | 1-1 | 0- | 99 | | |
| | Subject* | | 0-1 | 0- | 99 | | |
| | *In the event that all critical subject info for the Subject (33) unless recording the | | | | | Name> element | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. The batch submission will be accepted with warning if any of the following conditions are true: The element is not recorded for the Subject (33) legal name and <ali>AllCriticalSubjectInformationUnavailableIndicator> does not contain a "Y" value.</ali> More than one legal name is recorded for a party within a single FinCEN SAR Activity. | | | | | | |
| Example: | <pre><fc2:partyname seqnum="62"></fc2:partyname></pre> | icator>Y_:Name>Mann< ame>Randy <td>FirstNameU meTypeCoo <td>Inknown de> ntityIndiv vidualMi</td><td>Indicator> ridualLastNam ddleName></td><td>2></td></td> | FirstNameU meTypeCoo <td>Inknown de> ntityIndiv vidualMi</td> <td>Indicator> ridualLastNam ddleName></td> <td>2></td> | Inknown de> ntityIndiv vidualMi | Indicator> ridualLastNam ddleName> | 2> | |

| Element Name: | EntityLastNameUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|---|--------------------|--------------------|--------------|--|--|
| Description: | Entity name or Individual last name unknown (indicator). This element declares that the person legal name (if entity) or last name (if individual) is unknown. This element corresponds with the following item(s): | | | | | | |
| | Financial Institution Where A- (unknown) | Subject: 4a. Individual's last name or entity's legal name (unknown) Financial Institution Where Activity Occurred: 57a. Legal name of Financial Institution (unknown) e refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PartyName | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this element for the following party types and conditions; otherwise, do not record this element: | | | | | | |
| | Subject (33), the <partynametypecode> is "L" (legal), and the legal entity/last name of the subject is unknown.</partynametypecode> | | | | | | |
| | Financial institution where ac and the institution legal nam | | | | "L" (legal), | | |
| Value Restriction(s): | The value provided must adhere to the unknown) | following require | ements: "Y" (to in | dicate entity/last | name | | |

| Element Name: | EntityLastNameUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|---------------|--|--|---------------|-------------------|---------|--|--|--|
| Remarks: | The batch submission will be rejected if | he batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | | | |
| | The element is recorded for a Restrictions for more informa The value recorded is not equ | ition). | | to this data (see | Element | | | |
| Example: | <fc2:entitylastnameunknownindicator< th=""><th>>Y<th>stNameUnknown</th><th>Indicator></th><th></th></th></fc2:entitylastnameunknownindicator<> | >Y <th>stNameUnknown</th> <th>Indicator></th> <th></th> | stNameUnknown | Indicator> | | | | |

| Element Name: | FirstNameUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|-------------------|---|-------------------|--------------|--|--|--|
| Description: | Individual first name unknown (indicator). This element declares that the first name of the subject is unknown. This element corresponds with the following item(s): | | | | | | | |
| | 5a. First name (unknown) | | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | PartyName | PartyName | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler <partynametypecode> is "L" (legal) ar record this element.</partynametypecode> | | , | | vise, do not | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate first name | unknown) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:firstnameunknownindicator>Y<td>fc2:FirstNameUnl</td><td>knownIndicator></td><td></td><td></td></fc2:firstnameunknownindicator> | fc2:FirstNameUnl | knownIndicator> | | | | | |

| Element Name: | PartyNameTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|--|--|---|--------------------|--------|--|--|
| Description: | Party name type (code). This element ic legal name, doing business as (DBA) na with the following item(s): • Transmitter • Name (legal) • Transmitter Contact • Name (legal) • Filing Institution • 76. Filer name (legal) • 87. Alternate name • 89. LE contact ager • 90. LE contact nam • 93. Designated cor • Financial Institution Where Area of the second of | al) e (dba/aka) ncy (legal) ne (legal) ntact office (legal ctivity Occurred financial institution e (dba/aka) name or entity's l | n as (AKA) name on (legal) egal name (legal | e. This element co | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PartyName | | | | | | |
| Element Restriction(s): | Required. This element must be recorde | Required. This element must be recorded. | | | | | |
| Value Restriction(s): | The value provided must adhere to the recording the appropriate code from the | J 1 | ements: Identify t | the party name t | ype by | | |

| Element Name: | PartyName | TypeCode | minOccurs: | 1 | maxOccurs: | 1 | |
|---------------|--|--|--|----|------------|---|--|
| | Code | Description | | | | | |
| | L | Legal | | | | | |
| | DBA | Doing Business As* | | | | | |
| | AKA | Also Known As* | | | | | |
| | • F | NKA name types may only be iling Institution (30) inancial Institution Where A subject (33) | pe used for the following party types: Activity Occurred (34) | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is recorded but with no value (i.e. the value is null). The element contains an invalid value. The element is recorded with a value that is not approved for the associated party type (see Value Restrictions for more information). | | | | | | |
| Example: | <fc2:partyn< td=""><td>lameTypeCode>L<td>/NameTypeCode</td><td>;></td><td></td><th></th></td></fc2:partyn<> | lameTypeCode>L <td>/NameTypeCode</td> <td>;></td> <td></td> <th></th> | /NameTypeCode | ;> | | | |

| Element Name: | RawEntityIndividualLastName | RawEntityIndividualLastName minOccurs: 0 maxOccurs: 1 | | | | | | | | | | |
|-------------------------|---|---|-------------------|-------------------------------------|---------------|--|--|--|--|--|--|--|
| Description: | the legal name of the entity or the last of following item(s): • 4. Individual's last name or er | | | | | | | | | | | |
| Attribute(s) | n/a | | | | | | | | | | | |
| Parent Element: | PartyName | | | | | | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler <partynametypecode> is "L" (legal), and record this element. *If the entity/last name of the subject is element with the value "Y" and do not record this element with the value "Y".</partynametypecode> | nd the entity/last | name of the sub | oject is known*; c NameUnknownIr | otherwise, do | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 150 char | acters or less | | | | | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The batch submission will be accepted with warning if any of the following conditions are true: • The element is not recorded or does not contain a value for the Subject and unknown is not indicated. | | | | | | | | | | | |
| Example: | <fc2:rawentityindividuallastname>Ma</fc2:rawentityindividuallastname> | nn <td>tyIndividualLastN</td> <td>lame></td> <th></th> | tyIndividualLastN | lame> | | | | | | | | |

| Element Name: | RawIndividualFirstName | minOccurs: | Occurs: 0 maxOccurs: 1 | | | | | | |
|-----------------|--|-------------------|------------------------|-------------|-----|--|--|--|--|
| Description: | Individual first name (text). This elemen corresponds with the following item(s): • 5. First name | | | , | ent | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | | |
| Attribute(s) | n/a | | | | | | | | |
| Parent Element: | PartyName | | | | | | | | |

| Element Name: | RawIndividualFirstName | awIndividualFirstName minOccurs: 0 maxOccurs: 1 | | | | | | | | | | |
|-------------------------|--|---|------------------|---------------|--|--|--|--|--|--|--|--|
| Element Restriction(s): | Conditionally Required. Record this element when the party type is associated with the Subject (33), the <partynametypecode> is "L" (legal), the subject is an individual, and the first name is known*; otherwise, do not record this element. *If the subject is an individual and the first name is unknown, record the <firstnameunknownindicator> with the value "Y" and do not record the following elements: • <rawindividualfirstname> • <partyasentityorganizationindicator></partyasentityorganizationindicator></rawindividualfirstname></firstnameunknownindicator></partynametypecode> | | | | | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 35 chara | cters or less | | | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • The element is not recorded or does not contain a value for an individual Subject and unknown is not indicated. | | | | | | | | | | | |
| Example: | <fc2:rawindividualfirstname>Will<td>2:RawIndividualFi</td><td>rstName></td><td></td><td></td></fc2:rawindividualfirstname> | 2:RawIndividualFi | rstName> | | | | | | | | | |

| Element Name: | RawIndividualMiddleName | awIndividualMiddleName minOccurs: 0 maxOccurs: 1 | | | | | | | | |
|-------------------------|--|---|--------------------|------------------|--|--|--|--|--|--|
| Description: | Individual middle name (text). This element identifies the middle name of the subject. This element corresponds with the following item(s): • 6. Middle name Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | | | |
| Attribute(s) | n/a | | | | | | | | | |
| Parent Element: | PartyName | PartyName | | | | | | | | |
| Element Restriction(s): | Record this element when the party typ <partynametypecode> is "L" (legal), the otherwise, do not record this element. *If the subject is an individual and the record <partyasentityorganizationindicator> e</partyasentityorganizationindicator></partynametypecode> | ne subject is an ir niddle name is ui | ndividual, and the | e middle name is | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 35 chara | cters or less | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | | | | | | |
| Example: | <fc2:rawindividualmiddlename>Randy</fc2:rawindividualmiddlename> | / <td>lualMiddleName</td> <td>></td> <th></th> | lualMiddleName | > | | | | | | |

| Element Name: | RawIndividualNameSuffixText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|------------------|--------------------|--------|--|--|
| Description: | Individual suffix name (text). This eleme corresponds with the following item(s): | ndividual suffix name (text). This element identifies the suffix name of the subject. This element orresponds with the following item(s): | | | | | |
| | • 7. Suffix | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PartyName | | | | | | |
| Element Restriction(s): | Record this element when the party typ <partynametypecode> is "L" (legal), the otherwise, do not record this element.</partynametypecode> | | , | * . | nown*; | | |
| | *If the subject is an individual and the s <partyasentityorganizationindicator> e</partyasentityorganizationindicator> | | | ent (along with th | ne | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 35 chara | cters or less | | | |

| Element Name: | RawIndividualNameSuffixText | minOccurs: | Occurs: 0 maxOccurs: 1 | | | | | |
|---------------|--|---|------------------------|-------------------|---------|--|--|--|
| Remarks: | The batch submission will be <u>rejected</u> if | e batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | | | |
| | The element is recorded for a | party type that | is not applicable | to this data (see | Element | | | |
| | Restrictions for more informa | ition). | | | | | | |
| Example: | <fc2:rawindividualnamesuffixtext>Jun</fc2:rawindividualnamesuffixtext> | ior <th>ividualNameSuffi</th> <td>xText></td> <th></th> | ividualNameSuffi | xText> | | | | |

| Element Name: | RawPartyFullName | minOccurs: | 0 | maxOccurs: | 1 |
|-------------------------|--|--|--|---|--|
| Description: | Party full name (text). This element ident the institution, or DBA/AKA name of the following item(s): • Transmitter • Name (legal) • Transmitter Contact • Name (legal) • Filing Institution • 76. Filer name (legal) • 87. Alternate name • 89. LE contact ager • 90. LE contact nam • 93. Designated cor • Financial Institution Where Are • 57. Legal name of the subject: • 9. Alternate name (see the subject: | al) (dba/aka) ncy (legal) e (legal) htact office (legal) ctivity Occurred financial institutio | dividual. This ele | | - |
| | Please refer to Attachment C for addition | nal information re | garding the abo | ve item(s). | |
| Attribute(s) | n/a | | | | |
| Parent Element: | PartyName | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler The PartyNameTypeCode is " Transmitter (35) Transmitter Contactindividual to be consame for all FinCEN Filing Institution (3) Designated Contactindividual information additional information of LE Contact Agency LE Contact Name (3) Financial Institution the Financial Institution the Financial Institution the Financial Institution the RawPartyFullification of Filing institution* (3) Filing institution* (3) Filing institution* (3) Filing institution* (3) Financial Institution* (3) Financial Institution* (4) Subject* (33) | L" (legal) and the at (37) (NOTE: The intacted on issues I SARs in the bate 0) to Office (8) (NOTe (such as Comption about the Fire (18) 19) a Where Activity (18) and the interpretation (34) legal nanknownlndicator (Name > element. DBA" or "AKA" at 30) a Where Activity (18) and the interpretation (18) and the | e value recorded involving the bach file.) E: This value recolliance Office) than CEN SAR.) Occurred (34) an ame is unknown, > element with the party type Occurred* (34) | must be the nare atch file. This enter orded must be the legal name record the he value "Y" and e is associated w | ne of the ry must be the se title of the tacted for se is known. If do not record ith: |
| Value Restriction(s): | associated with the legal name. The value provided must adhere to the | following require | ements: 150 char | acters or less | |
| Value Restriction(s): | · | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if The element is recorded for a Restrictions for more informa | party type that i | - | | Element |

| Element Name: | RawPartyFullName | minOccurs: | 0 | maxOccurs: | 1 | | |
|---------------|--|--|---|-------------------------------------|-------|--|--|
| | The element is not recorded and unknown is not indicated. The element is not recorded. The batch submission will be accepted. The element is recorded with name and unknown is indicated. The element is not recorded. | d. with a value for t with warning if a a value for the f ted. | he designated co ny of the followin inancial institutio | ontact office. ng conditions are | true: | | |
| Example: | , , , , , | <fc2:partynametypecode>L</fc2:partynametypecode> <fc2:rawpartyfullname>Union Bank of California</fc2:rawpartyfullname> | | | | | |

4.6.2. Address Elements

| Element Name: | Address | minOccurs: |) | maxOccurs: | 99 | | | | |
|---------------|---|--|-----------------|------------|---------|--|--|--|--|
| Description: | Address (header). This is the container for information about the address of the party. | | | | | | | | |
| | The following sub-element is associate | The following sub-element is associated with this element: | | | | | | | |
| | | ty party type code ansmitter 30 = Fil ution Where Activi | ing Institution | = Subject | | | | | |
| | Transmitter Information: Add | ress (Required) | | | | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | | |
| | RawCityText | | 1 | 1 | Simple | | | | |
| | RawCountryCodeText | RawCountryCodeText | | | | | | | |
| | RawStateCodeText | 1 | 1 | Simple | | | | | |
| | RawStreetAddress1Text | 1 | 1 | Simple | | | | | |
| | RawZIPCode | RawZIPCode 1 1 | | | | | | | |
| | 2. Filing Institution Information: | Filing Institution Information: Address (Required FinCEN SAR Part IV, Items 82-86) | | | | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | | |
| | RawCityText (Item 83) | | 1 | 1 | Simple | | | | |
| | RawCountryCodeText (Item 86) | | 1 | 1 | Simple | | | | |
| | RawStateCodeText (Item 84) | | 1 | 1 | Simple | | | | |
| | RawStreetAddress1Text (Item 82) | | 1 | 1 | Simple | | | | |
| | RawZIPCode (Item 85) | | 1 | 1 | Simple | | | | |
| | 3. Financial Institution Where Ad III, Items 61-65) | 7 | | | | | | | |
| | Name | | minOccurs | maxOccurs | Content | | | | |
| | CityUnknownIndicator (Item 62a) | | 0 | 1 | Simple | | | | |
| | CountryCodeUnknownIndicator (Item | 65a) | 0 | 1 | Simple | | | | |
| | RawCityText (Item 62) | 0 | 1 | Simple | | | | | |

| Element Name: | Address | | minOcc | urs: | 0 | | ma | axOccurs: | 99 |
|-------------------------|---|---|--|---------------------|-----------------|---------------|-------|---------------|-------------|
| | RawCountryC | odeText (Item 65) | | | | 0 | | 1 | Simple |
| | RawStateCod | eText (Item 63) | | | | 0 | | 1 | Simple |
| | RawStreetAdo | dress1Text (Item 61) | | | | 0 | | 1 | Simple |
| | RawZIPCode | (Item 64) | | | | 0 | | 1 | Simple |
| | StreetAddress | sUnknownIndicator (Iter | n 61a) | | | 0 | | 1 | Simple |
| | ZIPCodeUnkr | nownIndicator (Item 64a) |) | | | 0 | | 1 | Simple |
| | otherwise, the u | *If unknown is indicated, the corresponding element whose value is unknown should not be recorded, otherwise, the unknown indicator element should not be recorded. 4. Subject: Address/Unknown* (Conditionally Required FinCEN SAR Part I, Items 11-15) | | | | | | | |
| | Name | | | | | minOccu | rs | maxOccurs | Content |
| | CityUnknown | Indicator (Item 12a) | | | | 0 | | 1 | Simple |
| | | UnknownIndicator (Item | า 15a) | | | 0 | | 1 | Simple |
| | RawCityText (| | | | | 0 | | 1 | Simple |
| | | odeText (Item 15) | | | | 0 | | 1 | Simple |
| | | eText (Item 13) | | | | 0 | | 1 | Simple |
| | | dress1Text (Item 11) | | | | 0 | | 1 | Simple |
| | RawZIPCode | · · · · · · · · · · · · · · · · · · · | | | | 0 | | 1 | Simple |
| | | knownIndicator (Item 13 | За) | | | 0 | | 1 | Simple |
| | | sUnknownIndicator (Iter | | | | 0 | | 1 | Simple |
| | | nownIndicator (Item 14a | | | | 0 | | 1 | Simple |
| Attribute(s) | information is a | unknown indicator eleme unavailable, do not recor | d the <ad< th=""><th>dress></th><th>eleme</th><th></th><th></th><th></th><th>cal subject</th></ad<> | dress> | eleme | | | | cal subject |
| | Name | Description | | | | | | | |
| | SeqNum | The value recorded fo any numeric value up | | | | | nd u | nique. It may | contain |
| Parent Element: | Party | | | | | | | | |
| Element Restriction(s): | Required. This | element must be record | led for the | follow | ing pa | irty types (a | ctivi | ty level): | |
| | Party type | | | | dress ı-max) | | | | |
| | Transmitter | | | | -1 | | | | |
| | Filing Institut | ion | | | -1 | | | | |
| | | tution Where Activity O | ccurred | | -1 | | | | |
| | Subject* | | | | -99 | | | | |
| | *In the event that all critical subject information is unavailable, do not record the <address> element the Subject (33).</address> | | | | | > element for | | | |
| Value Restriction(s): | n/a | | | | | | | | |
| Remarks: | • The Rest | nission will be <u>rejected</u> i element is recorded for rictions for more informa element is missing a "Se element contains a "Seq | a party typa ation). eqNum" att | oe that tribute. | is not | applicable | to tl | nis data (see | Element |

| Element Name: | Address | minOccurs: | 0 | maxOccurs: | 99 | | |
|---------------|---|-------------------|---------------------------|---------------|----|--|--|
| | The batch submission will be accepted with warning if any of the following conditions are true: The element is not recorded for the subject address and AllCriticalSubjectInformationUnavailableIndicator > does not contain a "Y" value. The element is recorded for the subject address and AllCriticalSubjectInformationUnavailableIndicator > contains a "Y" value. | | | | | | |
| Example: | <fc2:address seqnum="48"> <fc2:cityunknownindicator> <fc2:rawcountrycodetext>U <fc2:rawstatecodetext>VA< <fc2:rawstreetaddress1text: <fc2:rawzipcode="">87598</fc2:rawstreetaddress1text:></fc2:rawstatecodetext></fc2:rawcountrycodetext></fc2:cityunknownindicator></fc2:address> | JS>987 Rocky Roac | ntryCodeText> odeText> | Address1Text> | | | |

| Element Name: | CityUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|-------------------------|--|--------------------|--------------------|--------------------|-----------|--|--|--|--|
| Description: | City unknown (indicator). This element declares that the city associated with the address of the party is unknown. This element corresponds with the following item(s): 12a. City (unknown): Subject 62a. City (unknown): Financial Institution Where Activity Occurred Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | | |
| Attribute(s) | n/a | | | | | | | | |
| Parent Element: | Address | Address | | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler Financial institution where ac Subject (33) *If the city is known, record the <rawci <cityunknownindicator=""> element.</rawci> | tivity occurred (3 | 4) | | , , , , , | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | ndicate city unkno | own) | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | | | |
| Example: | <fc2:cityunknownindicator>Y<td>/UnknownIndicat</td><td>or></td><td></td><td></td></fc2:cityunknownindicator> | /UnknownIndicat | or> | | | | | | |

| Element Name: | CountryCodeUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|---|--------------------|-------------------|----------------|--|--|
| Description: | ` ' | Country unknown (indicator). This element declares that country associated with the address of the party is unknown. This element corresponds with the following item(s): | | | | | |
| | 15a. Country Code (unknown): Subject 65a. Country Code (unknown): Financial Institution Where Activity Occurred Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | Tat trijorination i | egarating the abo | ve tterri(s). | | | |
| ., | Address | | | | | | |
| Parent Element: | Address | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler types: | ment when the c | ountry is unknow | n* for the follow | ing party | | |
| | Financial institution where activity occurred (34) Subject (33) | | | | | | |
| | *If the country is known, record the <ra and do not record the <countrycodeu< td=""><td>-</td><td></td><td>th the ISO 3166-7</td><td>2 country code</td></countrycodeu<></ra | - | | th the ISO 3166-7 | 2 country code | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate country u | nknown) | | |

| Element Name: | CountryCodeUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|---------------|--|--|---|-------------------|---------|--|--|--|
| Remarks: | The batch submission will be <u>rejected</u> if | he batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | | | |
| | The element is recorded for a Restrictions for more informa The value recorded is not equ | tion). | | to this data (see | Element | | | |
| Example: | <fc2:countrycodeunknownindicator>Y</fc2:countrycodeunknownindicator> | | | | | | | |

| Element Name: | RawCityText | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|-------------------|-------------------------|----------------|---|--|
| Description: | City (text). This element identifies the city associated with the address of the party. This element corresponds with the following item(s): • Transmitter: City • Subject: 12. City • Financial Institution Where Activity Occurred: 62. City • Filing Institution: 83. City Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | - | | | |
| Parent Element: | Address | | | | | |
| Element Restriction(s): | Required. This element must be recorded Transmitter (35) Filing institution (30) Conditionally Required. Record this element Subject (33) Financial institution where actify the city is unknown, record the <city <rawcitytext="" record="" the=""> element.</city> | ment when the ci | ity is known* for 4) | - | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less. | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: The element is not recorded or does not contain a value for the subject or the financial institution where activity occurred and unknown is not indicated. The element is not recorded or does not contain a value for the transmitter or filing institution. | | | | | |
| Example: | <fc2:rawcitytext>Tysons Corner<td>RawCityText></td><td></td><td></td><td></td></fc2:rawcitytext> | RawCityText> | | | | |

| Element Name: | RawCountryCodeText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|------------|---|------------|---|--|--|
| Description: | Country (code). This element identifies the country associated with the party. This element corresponds with the following item(s): • Transmitter: Country Code • Subject: 15. Country Code • Financial Institution Where Activity Occurred: 65. Country Code • Filing Institution: 86. Country Code **Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Address | | | | | | |
| Element Restriction(s): | Required. This element must be recorde | | | | | | |

| Element Name: | RawCountryCodeText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-----------------------|---|---|---|--|-------------------|--|--|
| | Conditionally Required. Record this element when the country is known* for the following party types: • Subject (33) • Financial institution where activity occurred (34) *If the country is unknown, record the <countrycodeunknownindicator> element with the value "Y" and do not record the <rawcountrycodetext> element.</rawcountrycodetext></countrycodeunknownindicator> | | | | | | |
| Value Restriction(s): | The value provided must adhere to the codes) must adhere to the two-letter co | | , | , | U.S. Territory | | |
| Remarks: | The batch submission will be rejected if The element is recorded for a Restrictions for more informa The value recorded is not a value recorded is not a value recorded is not a value recorded institution. The element is not recorded institution. The element is not recorded institution where activity occurs. State code and country code | any of the follow a party type that ation). alid country code with warning if a or does not cont or does not cont urred and unknow | ving conditions a is not applicable e. ny of the followir ain a value for th ains a value for th wn is not indicate | ne true: to this data (see ng conditions are e transmitter or the subject or the | e true: filing | | |
| Example: | <fc2:rawcountrycodetext>US<td>wCountryCodeTe</td><th>ext></th><td></td><th></th></fc2:rawcountrycodetext> | wCountryCodeTe | ext> | | | | |

| Element Name: | RawStateCodeText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|---|---|--------------|--|--|
| Description: | State/Territory/Province (code). This element identifies the state/territory/province associated with the address of the party when the corresponding country is equal to US (United States), CA (Canada), MX (Mexico), or a U.S. Territory. This element corresponds with the following item(s): Transmitter: State Subject: 13. State Financial Institution Where Activity Occurred: 63. State Filing Institution: 84. State Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | <u>, </u> | <u> </u> | ,, | | | |
| Parent Element: | Address | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this election country is US (United States), CA (Canada this element: Transmitter (35) Filing institution (30) Subject (33) and the state is keeping in the country is a U.S. Territory, record the subject's state is unknown, record and do not record the RawStateCommunication. | da), MX (Mexico), known** tivity occurred (3 I the same U.S. To rd the <statecoo odeText> elemen</statecoo | 4) erritory code for deUnknownIndicate. | ry*; otherwise, de the state. ator> element w | o not record | | |
| Value Restriction(s): | adhere to the two-letter codes used by or a U.S. Territory. If a U.S. Territory is re Canadian province/territory codes must Corporation when the country is equal | do not record the <rawstatecodetext> element. If the provided must adhere to the following requirements: United States state/territory codes must be to the two-letter codes used by the United States Postal Service when the country is equal to Us. S. Territory. If a U.S. Territory is recorded for the country, it must also be recorded for the state. ian province/territory codes must adhere to the two-letter codes used by the Canadian Post ration when the country is equal to CA. Mexican state/federal district codes must adhere to the ards of ISO 3166-2:MX when the country is equal to MX.</rawstatecodetext> | | | | | |
| Remarks: | The batch submission will be rejected if The element is recorded for a Restrictions for more information. The value recorded is not a value to the batch submission will be accepted. The element is not recorded institution when the country. | a party type that intion). alid state code. with warning if a cord on the control of the contr | is not applicable ny of the followir ain a value for th | to this data (see | e true: | | |

| Element Name: | RawStateCodeText | minOccurs: | 0 | maxOccurs: | 1 | | |
|---------------|---|-------------------------|---------------------------------------|--|------------|--|--|
| | The element is not recorded institution where activity occurred indicated. The element contains a value State code and country code | urred when the country | ountry is US, CA, is not US, CA, M | or MX, and unkr X, or a U.S. Territ | own is not | | |
| Example: | <fc2:rawstatecodetext>VA<td colspan="6">fc2:RawStateCodeText>VA</td></fc2:rawstatecodetext> | fc2:RawStateCodeText>VA | | | | | |

| Element Name: | RawStreetAddress1Text n | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|---|---|------------------|-------------|--|
| Description: | Street address (text). This element identified with the following item(s): | es the street ac | ddress of the par | ty. This element | corresponds | |
| | Transmitter: Street Address Subject: 11. Street Address Financial Institution Where Active Filing Institution: 82. Street Add | Iress | | | | |
| Attribute(s) | Please refer to Attachment C for additional | i information re | garaing the abo | ve item(s). | | |
| Parent Element: | Address | | | | | |
| | | | | | | |
| Element Restriction(s): | Required. This element must be recorded Transmitter (35) Filing institution (30) Conditionally Required. Record this eleme types: Subject (33) Financial institution where activities the street address is unknown, record to "Y" and do not record the <rawstreetadd< td=""><td>ent when the st rity occurred (3- the <streetadd< td=""><td>reet address is k 4) ressUnknownInd</td><td></td><th></th></streetadd<></td></rawstreetadd<> | ent when the st rity occurred (3- the <streetadd< td=""><td>reet address is k 4) ressUnknownInd</td><td></td><th></th></streetadd<> | reet address is k 4) ressUnknownInd | | | |
| Value Restriction(s): | The value provided must adhere to the fol | llowing require | ments: 100 char | acters or less | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: The element is not recorded or does not contain a value for the subject or the financial institution where activity occurred and unknown is not indicated. The element is not recorded or does not contain a value for the transmitter or filing institution. | | | | | |
| Example: | <fc2:rawstreetaddress1text>987 Rocky F</fc2:rawstreetaddress1text> | Road < /fc2:Raw | StreetAddress1T | ext> | | |

| Element Name: | RawZIPCode | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--------------------|-----------------|------------|---|--|--|
| Description: | address of the party. This element corre Transmitter: ZIP/Postal Code Subject: 14. ZIP/Postal Code Financial Institution Where A Filing Institution: 85. ZIP/Post | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Address | Address | | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed for the followi | ng party types: | | | | |

| Element Name: | RawZIPCode | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-----------------------|---|--|---|------------|---|--|--|--|
| | Transmitter (35) Filing institution (30) Conditionally Required. Record this element when the ZIP/Postal Code is known* for the following patypes: Subject (33) Financial institution where activity occurred (34) *If the ZIP/Postal Code is unknown, record the <zipcodeunknownindicator> element with the value and do not record the <rawzipcode> element.</rawzipcode></zipcodeunknownindicator> | | | | | | | |
| Value Restriction(s): | Territories): 5 or 9 numeric character en nines. For a non-U.S. address: 9 (or less | The value provided must adhere to the following requirements: For a U.S. address (including U.S. Territories): 5 or 9 numeric character entry; 9 numeric character entry cannot end with four zeros or four nines. For a non-U.S. address: 9 (or less) character entry. Do not include punctuation or formatting such as by thems, periods, and spaces within the value entry. | | | | | | |
| Remarks: | as hyphens, periods, and spaces within the value entry The batch submission will be rejected if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded contains punctuation or formatting. The batch submission will be accepted with warning if any of the following conditions are true: • The element is not recorded or does not contain a value for the subject or the financial institution where activity occurred and unknown is not indicated. • The element is not recorded or does not contain a value for the transmitter or filing institution. • The value recorded is not equal to 5 or 9 numeric characters, is a 9-digit value ending in four | | | | | | | |
| Example: | zeros or four nines, and the c <fc2:rawzipcode>87598<td></td><th>,</th><td></td><th>,</th></fc2:rawzipcode> | | , | | , | | | |

| Element Name: | StateCodeUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|--------------------|--------------------|--------------------|--------------|--|--|--|
| Description: | State unknown (indicator). This element declares that state associated with the address of the party is unknown when the corresponding country is equal to US (United States), CA (Canada), or MX (Mexico). This element corresponds with the following item(s): 13a. State (unknown) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Address | Address | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler and the corresponding country is US (U record this element. *If the subject's state is known, record t and do not record the <statecodeunkr< td=""><td>Inited States), CA</td><td>(Canada), or MX</td><td>(Mexico); otherv</td><td>vise, do not</td></statecodeunkr<> | Inited States), CA | (Canada), or MX | (Mexico); otherv | vise, do not | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | idicate state unki | nown) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:statecodeunknownindicator>Y<!--</td--><td>fc2:StateCodeUn</td><td>knownIndicator></td><td></td><td></td></fc2:statecodeunknownindicator> | fc2:StateCodeUn | knownIndicator> | | | | | |

| Element Name: | StreetAddressUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|---------------|---|------------|---|------------|---|--|
| Description: | Street address unknown (indicator). This element declares that the street address of the party is unknown. This element corresponds with the following item(s): | | | | | |
| | Subject: 11a. Address (unknown) | | | | | |

| Element Name: | StreetAddressUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|--|------------------------|------------------|----------------|--|--|--|
| | Financial Institution Where A | Financial Institution Where Activity Occurred: 61a. Address (unknown) | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Address | | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this element types: Subject (33) Financial institution where ace the street address is known, record the condition to the condition the condition the condition that the street address is known, record the condition the condition the condition that | tivity occurred (3 he <rawstreetao< td=""><td>4) ddress1Text> ele</td><td></td><td>_</td></rawstreetao<> | 4) ddress1Text> ele | | _ | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate street ad | dress unknown) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:streetaddressunknownindicator>`</fc2:streetaddressunknownindicator> | Y <td>ressUnknownInd</td> <td>licator></td> <td></td> | ressUnknownInd | licator> | | | | |

| Element Name: | ZIPCodeUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|---|--------------------|-------------------|--------|--|
| Description: | ZIP/Postal Code unknown (indicator). This element declares that the ZIP Code or foreign postal code associated with the address of the party is unknown. This element corresponds with the following item(s): Subject: 14a. ZIP/Postal Code (unknown) Financial Institution Where Activity Occurred: 64a. ZIP/Postal Code (unknown) Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Address | | | | | |
| Element Restriction(s): | Conditionally Required. Record this element types: Subject (33) Financial institution where ace *If the ZIP/Postal Code is known, record the <zipcodeunknownindicator> element to the subject to the sub</zipcodeunknownindicator> | tivity occurred (3 I the <rawzipco< td=""><td>4)</td><td></td><td>J</td></rawzipco<> | 4) | | J | |
| Value Restriction(s): | The value provided must adhere to the unknown) | following require | ements: "Y" (to in | idicate ZIP/Posta | l code | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | |
| Example: | <fc2:zipcodeunknownindicator>Y<td>2:ZIPCodeUnkno</td><td>wnIndicator></td><td></td><td></td></fc2:zipcodeunknownindicator> | 2:ZIPCodeUnkno | wnIndicator> | | | |

4.6.3. PhoneNumber Elements

| Element Name: | PhoneNumber | minOccurs: | 0 | maxOccurs: | 99 |
|---------------|---|-------------------|------------------|-----------------|-------------|
| Description: | Telephone number (header). This is the party. | container for inf | ormation about t | he telephone nu | mber of the |

| Element Name: | PhoneNumber | | minOccur | s: 0 | | maxOccurs: | 99 |
|-------------------------|--|--|----------------|--------------------|-----------------|-------------------|---------|
| | The following | sub-element is associate | ed with this e | element: | | | |
| | | Activity party type code definitions 35 = Transmitter 8 = Contact Office 19 = LE Contact Name 33 = Subject | | | | | |
| | 1. Trans | Transmitter Information: Telephone (Required) | | | | | |
| | Name | Name | | | | maxOccurs | Content |
| | PhoneNumbe | erText | | | 1 | 1 | Simple |
| | 2. Cont | act Office: Telephone (R | equired Fir | ncen sa | R Part IV, Item | 94) | |
| | Name | | | | minOccui | maxOccur | Content |
| | PhoneNumbe | erExtensionText (Item 94 | -a) | | 0 | 1 | Simple |
| | PhoneNumbe | erText (Item 94) | | | 1 | 1 | Simple |
| | 3. LE Co | ontact Name: Telephone | (If applicab | le FinCl | EN SAR Part I\ | /, Item 91) | |
| | Name | | | | minOccui | maxOccurs | Content |
| | PhoneNumbe | erExtensionText (Item 91 | a) | | 0 | 1 | Simple |
| | PhoneNumberText (Item 91) | | 0 | 1 | Simple | | |
| | 4. Subj | ect: Telephone (If availat | ole FinCEN | SAR Part | t I, Item 21) | | |
| | Name | | | | minOccui | maxOccur | Content |
| | PhoneNumbe | erExtensionText (Item 21 | a) | | 0 | 1 | Simple |
| | PhoneNumbe | erText (Item 21) | | | 0 | 1 | Simple |
| | PhoneNumbe | erTypeCode (Item 20) | | | 0 | 1 | Simple |
| | | | | | | | |
| Attribute(s) | | attributes must be record | ded for this e | element: | | | |
| | Name | Description | | | | | |
| | SeqNum | The value recorded for any numeric value up | | | | id unique. It may | contain |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | | element must be record | ed for the fo | ollowing | party types (a | ctivity level): | |
| | Party type | | | Telepho (min-ma | | | |
| | Transmitter | | | 1-1 | | | |
| | Contact Office 1-1 LE Contact Name 0-1 Subject 0-99 | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The element is missing a "SeqNum" attribute. | | | | | | |

| Element Name: | PhoneNumber | minOccurs: | 0 | maxOccurs: | 99 | | | |
|---------------|---|--|----------------|--------------|----|--|--|--|
| | The element contains a "Seq!" | The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | | |
| Example: | <fc2:phonenumber seqnum="67"></fc2:phonenumber> | <fc2:phonenumber seqnum="67"></fc2:phonenumber> | | | | | | |
| | <fc2:phonenumberextension< th=""><th>Text>5584<th>PhoneNumberEx</th><th>tensionText></th><th></th></th></fc2:phonenumberextension<> | Text>5584 <th>PhoneNumberEx</th> <th>tensionText></th> <th></th> | PhoneNumberEx | tensionText> | | | | |
| | <fc2:phonenumbertext>619</fc2:phonenumbertext> | 4760276 <th>noneNumberText</th> <td>></td> <td></td> | noneNumberText | > | | | | |
| | <fc2:phonenumbertypecode>R</fc2:phonenumbertypecode> | | | | | | | |
| | | | | | | | | |

| Element Name: | PhoneNumberExtensionText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|------------------|--------------------|------------|--|--|
| Description: | Telephone extension (text). This element identifies the telephone extension associated with the telephone number of the party (if known). This element corresponds with the following item(s): • Subject: 21a. Phone number extension (if any) • LE Contact Name: 91a. LE contact phone number extension (if any) • Contact Office: 94a. Designated contact office phone number extension (if any) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PhoneNumber | | | | | | |
| Element Restriction(s): | Record this element when the telephon otherwise, do not record this element: Subject (33) LE Contact Name (19) Contact Office (8) | e number extens | ion is known for | the following pa | rty types; | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 6 numeri | c characters or le | ess | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | | | |
| Example: | <pre><fc2:phonenumberextensiontext>5584</fc2:phonenumberextensiontext></pre> | 4 <td>nberExtensionTe</td> <td>xt></td> <td></td> | nberExtensionTe | xt> | | | |

| Element Name: | PhoneNumberText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|---------------------------|----|-------------------|------------|--|--|
| Description: | Telephone number (text). This element identifies the telephone number of the party. This element corresponds with the following item(s): Transmitter: Phone number Subject: 21. Phone number LE Contact Name: 91. LE contact phone number Contact Office: 94. Designated contact office phone number Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PhoneNumber | | | | | | |
| Element Restriction(s): | Record this element for the following p element: Transmitter (35)Contact Office Subject (33) and the telephore LE Contact Name (19) and the | e (8) ne number is kno | wn | erwise, do not re | ecord this | | |
| Value Restriction(s): | The value provided must adhere to the following requirements by party type: Transmitter (35) 10 numeric characters; not all same digit (such as all 0's or all 9's). NOTE: This number must be the same for all FinCEN SARs in the batch file. Contact Office (8) / Subject (3) / LE Contact Name (19) 16 numeric characters or less; not all same digit (such as all 0's or all 9's) | | | | | | |

| Element Name: | PhoneNumberText | minOccurs: | 0 | maxOccurs: | 1 | | |
|---------------|--|--|---|------------|---|--|--|
| | Do not include punctuation or formatting such as hyphens, periods, and spaces within the value entry regardless of party type. | | | | | | |
| Remarks: | The element is recorded for a | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | | |
| | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • The element is not recorded or does not contain a value for the designated contact office. | | | | | | |
| Example: | <fc2:phonenumbertext>6194760276</fc2:phonenumbertext> | | | | | | |

| Element Name: | PhoneNum | berTypeCode | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|-------------------------|---|---|-------------------|-------------------|--------------------|------------|--|--|--|--|
| Description: | subject. Th | Telephone number type (code). This element identifies the telephone number type associated with the subject. This element corresponds with the following item(s): | | | | | | | | |
| | • 2 | 20. Phone number – type a. Home | | | | | | | | |
| | | a. Homeb. Work | | | | | | | | |
| | | o c. Mobile | | | | | | | | |
| | | o d. Fax | | | | | | | | |
| | Please refe | r to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | | |
| Attribute(s) | n/a | | | | | | | | | |
| Parent Element: | PhoneNum | ber | | | | | | | | |
| Element Restriction(s): | | element for the Subject (33 mberText> element; otherwi | | • | er is recorded wit | th the | | | | |
| Value Restriction(s): | | provided must adhere to the the appropriate code from the | | ements: Identify | the phone numb | er type by | | | | |
| | Code | Description | | | | | | | | |
| | R | Residence (Home) | | | | | | | | |
| | W | Work | | | | | | | | |
| | М | Mobile | | | | | | | | |
| | F | Fax | | | | | | | | |
| | Th - h - + - h | | | | 4 | | | | | |
| Remarks: | | submission will be <u>rejected</u> if The element is recorded for a | • | - | | Flement | | | | |
| | | Restrictions for more informa | . , , , . | із посаррії саріе | to this data (see | LICITICIT | | | | |
| | • | The value recorded is an inva | lid code. | | | | | | | |
| Example: | <fc2:phone< td=""><td>eNumberTypeCode>R<td>PhoneNumberTy</td><td>peCode></td><td></td><td></td></td></fc2:phone<> | eNumberTypeCode>R <td>PhoneNumberTy</td> <td>peCode></td> <td></td> <td></td> | PhoneNumberTy | peCode> | | | | | | |

4.6.4. Partyldentification Elements

| Element Name: | Partyldentification | minOccurs: | 0 | maxOccurs: | 100 | | |
|---------------|--|------------|---|------------|-----|--|--|
| Description: | Party identification (header). This is the container for information about the identification associated with the party. The following sub-element is associated with this element: | | | | | | |
| | Activity party type code definitions 35 = Transmitter 30 = Filing Institution 34 = Financial Institution Where Activity Occurred 33 = Subject | | | | | | |

| tificationNumberText tificationNumberText tificationNumberText tificationNumberText tificationNumberText tificationTypeCode (Code 4) tificationTypeCode (Code 4) tificationTypeCode (Code 4) tificationTypeCode (Code 4) tificationTypeCode (Item 78) tificationTypeCode (Item 78) b. Filing institution ice Item 81) | 8) ation Number (TII) I, Foreign) (Require 77) | N) (Re | minOccurs 1 1 quired) minOccurs 1 1 inCEN SAR Par minOccurs 1 1 | maxOccurs 1 | Content Simple Simple |
|---|---|---|--|--|--|
| tificationNumberText tificationTypeCode (Code 2) b. Taxpayer IdentificationNumberText tificationTypeCode (Code 4) filing Institution a. TIN (EIN, SSN/ITIN tificationNumberText (Item tificationTypeCode (Item 78) b. Filing institution ice | 8) ation Number (TII) I, Foreign) (Require 77) | N) (Re | minOccurs 1 1 quired) minOccurs 1 1 inCEN SAR Par minOccurs 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Simple Simple Content Simple Simple Simple Simple Simple Simple Simple |
| tificationTypeCode (Code 28) b. Taxpayer IdentificationNumberText tificationTypeCode (Code 4) filing Institution a. TIN (EIN, SSN/ITIN) tificationNumberText (Item) tificationTypeCode (Item 78) b. Filing institution ice | I, Foreign) (Requirements) | red F | 1 1 quired) minOccurs 1 1 inCEN SAR Par minOccurs 1 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Simple Simple Content Simple Simple Simple Simple Simple Simple Simple |
| tificationTypeCode (Code 28) b. Taxpayer IdentificationNumberText tificationTypeCode (Code 4) filing Institution a. TIN (EIN, SSN/ITIN) tificationNumberText (Item) tificationTypeCode (Item 78) b. Filing institution ice | I, Foreign) (Requirements) | red F | 1 quired) minOccurs 1 1 inCEN SAR Par minOccurs 1 1 1 | maxOccurs 1 1 1 rt IV, Item 77-78 maxOccurs 1 1 | Simple Content Simple Simple Content Simple Simple Simple |
| b. Taxpayer IdentificationNumberText tificationTypeCode (Code 4) tiling Institution a. TIN (EIN, SSN/ITIN tificationNumberText (Item tificationTypeCode (Item 78) b. Filing institution ice | I, Foreign) (Requirements) | red F | quired) minOccurs 1 1 inCEN SAR Par minOccurs 1 1 | maxOccurs 1 1 1 rt IV, Item 77-78 maxOccurs 1 | Content Simple Simple 8) Content Simple Simple |
| tificationNumberText tificationTypeCode (Code 4) illing Institution a. TIN (EIN, SSN/ITIN tificationNumberText (Item tificationTypeCode (Item 78 |) I, Foreign) (Requii 77) | red F | minOccurs 1 1 inCEN SAR Par minOccurs 1 1 | 1 1 rt IV, Item 77-78 maxOccurs 1 | Simple Simple 8) Content Simple Simple |
| tificationTypeCode (Code 4) filing Institution a. TIN (EIN, SSN/ITIN tificationNumberText (Item tificationTypeCode (Item 78) b. Filing institution ice | I, Foreign) (Requii 77) | | 1 1 inCEN SAR Par minOccurs 1 1 | 1 1 rt IV, Item 77-78 maxOccurs 1 | Simple Simple 8) Content Simple Simple |
| tificationTypeCode (Code 4) filing Institution a. TIN (EIN, SSN/ITIN tificationNumberText (Item tificationTypeCode (Item 78) b. Filing institution ice | I, Foreign) (Requii 77) | | 1 rinCEN SAR Par minOccurs 1 1 | 1 Tt IV, Item 77-78 maxOccurs | Simple Simple Simple Simple |
| tificationTypeCode (Item 78 | I, Foreign) (Requii 77) | | inCEN SAR Par minOccurs 1 | maxOccurs | Content Simple Simple |
| a. TIN (EIN, SSN/ITIN tificationNumberText (Item tificationTypeCode (Item 78 b. Filing institution ic | 77) | | minOccurs 1 1 | maxOccurs 1 | Content Simple Simple |
| a. TIN (EIN, SSN/ITIN tificationNumberText (Item tificationTypeCode (Item 78 b. Filing institution ic | 77) | | minOccurs 1 1 | maxOccurs 1 | Content Simple Simple |
| tificationTypeCode (Item 78 b. Filing institution ic | 3) | , IARE | 1 | 1 | Simple Simple |
| tificationTypeCode (Item 78 b. Filing institution ic | 3) | , IARE | 1 | 1 | Simple |
| b. Filing institution ic | | , IARE | | | |
| | dentification (CRD | , IARE | | | ************************************** |
| | | |), etc.) (if appli | cable FinCEN S | oak Paπ IV, |
| | | | minOccurs | maxOccurs | Content |
| PartyldentificationNumberText (Item 81) | | | 1 | 1 | Simple |
| tificationTypeCode (Item 81 |) | | 1 | 1 | Simple |
| c. Internal control/fil | e number (if avail | able | FinCEN SAR P | art IV, Item 88) | |
| | | | minOccurs | maxOccurs | Content |
| PartyldentificationNumberText (Item 88) | | | | 1 | Simple |
| tificationTypeCode (Code 2 | 9) | | 1 | 1 | Simple |
| | • | | | | 2 |
| a. IIN (EIN, SSN/IIIN | I, Foreign) (Requii | red F | INCEN SAR Pai | rt III, Item 59-60 |)) |
| | | | | maxOccurs | Content |
| | | | 0 | 1 | Simple |
| |)) | | 1 | 1 | Simple |
| | din a alamantla | | | | Simple |
| he unknown indicator eleme | ent should not be | record | led. | | |
| | | | minOccurs | maxOccurs | Content |
| tificationNumberText (Item | 55) | | 1 | 1 | Simple |
| tificationTypeCode (Item 55 | 5) | | 1 | 1 | Simple |
| | c. Internal control/fil c. Internal control/fil tificationNumberText (Item tificationTypeCode (Code 2 Financial Institution Where A a. TIN (EIN, SSN/ITIN tificationTypeCode (Item 60 pownIndicator (Item 59a) in is indicated, the corresponding the unknown indicator elements b. Financial institution III, Item 55) tificationNumberText (Item tificationNumberText (Item tificationNumberText (Item tificationNumberText (Item tificationNumberText (Item | c. Internal control/file number (if avail tificationNumberText (Item 88) tificationTypeCode (Code 29) tinancial Institution Where Activity Occurred a. TIN (EIN, SSN/ITIN, Foreign) (Required tificationNumberText (Item 59) tificationTypeCode (Item 60) tificationTypeCode (Item 60) townIndicator (Item 59a) the unknown indicator element should not be the unknown indicator element should not be the unknown indicator tification (Company) tificationNumberText (Item 55) tificationNumberText (Item 55) tificationTypeCode (Item 55) | c. Internal control/file number (if available tificationNumberText (Item 88) tificationTypeCode (Code 29) financial Institution Where Activity Occurred a. TIN (EIN, SSN/ITIN, Foreign) (Required F tificationNumberText (Item 59) tificationTypeCode (Item 60) bownIndicator (Item 59a) in is indicated, the corresponding element whose value of the unknown indicator element should not be record b. Financial institution identification (CRD, In III, Item 55) tificationTypeCode (Item 55) tificationTypeCode (Item 55) | tificationNumberText (Item 81) 1 c. Internal control/file number (if available FinCEN SAR P minOccurs tificationTypeCode (Item 88) 1 tificationTypeCode (Code 29) 1 financial Institution Where Activity Occurred a. TIN (EIN, SSN/ITIN, Foreign) (Required FinCEN SAR PartificationNumberText (Item 59) 0 tificationTypeCode (Item 60) 1 fownIndicator (Item 59a) 0 for is indicated, the corresponding element whose value is unknown the unknown indicator element should not be recorded. b. Financial institution identification (CRD, IARD, etc.) (if applicationNumberText (Item 55) 1 tificationTypeCode (Item 55) 1 tificationTypeCode (Item 55) 1 | tificationNumberText (Item 81) 1 1 c. Internal control/file number (if available FinCEN SAR Part IV, Item 88) minOccurs maxOccurs tificationNumberText (Item 88) 1 1 1 tificationTypeCode (Code 29) 1 1 1 Financial Institution Where Activity Occurred a. TIN (EIN, SSN/ITIN, Foreign) (Required FinCEN SAR Part III, Item 59-60 minOccurs maxOccurs minOccurs maxOccurs tificationNumberText (Item 59) 0 1 tificationTypeCode (Item 60) 1 1 1 pownIndicator (Item 59a) 0 1 m is indicated, the corresponding element whose value is unknown should not be refree unknown indicator element should not be recorded. b. Financial institution identification (CRD, IARD, etc.) (if applicable FinCE III, Item 55) minOccurs maxOccurs minOccurs maxOccurs tificationNumberText (Item 55) 1 1 1 tificationTypeCode (Item 55) 1 1 |

| Element Name: | Partyldentificat | ion | minOccı | ırs: | 0 | 1 | maxOccurs: | 100 |
|-------------------------|---|---|--------------|----------------------------|---------------------------|------------------|----------------------|------------------|
| | Name | | | | | minOccurs | maxOccurs | Content |
| | Partyldentifica | ationNumberText (Item | 66) | | | 1 | 1 | Simple |
| | PartyldentificationTypeCode (Code 29) 1 1 Simple | | | | | | Simple | |
| | 4. Subje | a. TIN/Unknown* (Ell ltem 16-17) | N, SSN/ITII | N, Forei | ign) (C | Conditionally | Required FinC | EN SAR Part I |
| | Name | 110117 | | | | minOccurs | maxOccurs | Content |
| | Partyldentific | ationNumberText (Item | 16) | | | 0 | 1 | Simple |
| | Partyldentific | PartyldentificationTypeCode (Item 17) | | | | 1 | 1 | Simple |
| | | ndicator (Item 16a) | - | | | 0 | 1 | Simple |
| | otherwise, the ι | indicated, the correspond unknown indicator eleme b. Form of identificat Required FinCEN | ent should i | <i>not be r</i> own* (D | <i>recorde</i> river's | ed. | | |
| | Name | | | | minOccurs | maxOccurs | Content | |
| | IdentificationPresentUnknownIndicator (Item 18a) | | | | 0 | 1 | Simple | |
| | OtherlssuerCountryText (Item 18g) | | | 0 | 1 | Simple | | |
| | OtherlssuerStateText (Item 18f) | | | | 0 | 1 | Simple | |
| | OtherPartylde | entificationTypeText (Ite | m 18z) | | | 0 | 1 | Simple |
| | Partyldentifica | ationNumberText (Item | 18e) | | | 0 | 1 | Simple |
| | Partyldentifica | ationTypeCode (Item 18 | b-d,z) | | | 0 | 1 | Simple |
| | be recorded; Un | indicated for the subject aless all information rela ant should not be recorde | ted to the s | | | | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | | |
| | Name Description | | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | contain | | |
| Parent Element: | Party | | | | | | | |
| Element Restriction(s): | _ | element must be record | ed for the | followi | ng pai | ty types (act | vity level): | |
| | Party type | | | TC (min-ı | | TIN (min-max) | Form of ID (min-max) | ICN (min-max) |
| | Transmitter | | | 1- | 1 | 1-1 | n/a | n/a |
| | Filing Instituti | on | | n/ | a | 1-1 | 0-1 | 0-1 |
| | Financial Institution Where Activity Occurred n/a | | | a | 1-1 | 0-1 | 0-1 | |
| | Subject* | | | n/ | a | 0-1 | 0-99 | n/a |
| | *In the event that all critical subject information is unavailable, do not record the < Partyldentification > element for the Subject (33). | | | | | | | |
| Value Restriction(s): | n/a | - | | | | | | |
| Remarks: | • The | nission will be <u>rejected</u> in element is recorded for a dictions for more informa | a party typ | | - | | | lement |

| Element Name: | Partyldentification | minOccurs: | 0 | maxOccurs: | 100 | | | |
|---------------|---|--|--|--|-----|--|--|--|
| | The batch submission will be accepted: The element is not recorded < AllCriticalSubjectInformatio The element is not recorded and < AllCriticalSubjectInform More than one identification | The element contains a "SeqNum" attribute with a duplicate or invalid value. The batch submission will be accepted with warning if any of the following conditions are true: The element is not recorded or does not contain a value for the Subject TIN and <allcriticalsubjectinformationunavailableindicator> does not contain a "Y" value.</allcriticalsubjectinformationunavailableindicator> The element is not recorded or does not contain a value for the Subject Form of Identificati and <allcriticalsubjectinformationunavailableindicator> does not contain a "Y" value.</allcriticalsubjectinformationunavailableindicator> | | | | | | |
| Example: | <pre><fc2:partyldentification seqnum="69"> <fc2:otherlssuercountrytext <fc2:otherlssuerstatetext="">C <fc2:otherpartyldentification <="" <fc2:partyldentificationtypec="" fc2:partyldentification=""></fc2:otherpartyldentification></fc2:otherlssuercountrytext></fc2:partyldentification></pre> | >USATypeText>Stude perText>6606235 | ierStateText> nt ID559 <td>Partyldentificatic entificationNumb</td> <td>,,</td> | Partyldentificatic entificationNumb | ,, | | | |

| Element Name: | IdentificationPresentUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|---|---------------------|--------------------|------------|--|--|--|
| Description: | , , | entification unknown (indicator). This element declares that the form of identification used to verify e identity of the subject is unknown. This element corresponds with the following item(s): | | | | | | |
| | 18a. Form of identification for su | bject (unknown) | | | | | | |
| | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Partyldentification | Partyldentification | | | | | | |
| Element Restriction(s): | Record this element when all information re otherwise, do not record this element. | elated to the Sub | ject (33) form of | identification is | unknown; | | | |
| Value Restriction(s): | The value provided must adhere to the follo | owing requireme | nts: "Y" (to indica | ate Identification | n unknown) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | | |
| Example: | <fc2:identificationpresentunknownindicato< td=""><td>r>Y<td>cationPresentUn</td><td>knownIndicator</td><td>·></td></td></fc2:identificationpresentunknownindicato<> | r>Y <td>cationPresentUn</td> <td>knownIndicator</td> <td>·></td> | cationPresentUn | knownIndicator | ·> | | | |

| Element Name: | OtherIssuerCountryText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|---|--------------------|--------------------|---------------|--|--|--|
| Description: | , , , | entification issuing country (code). This element identifies the country where the identification was sued by (or in) associated with the subject. This element corresponds with the following item(s): | | | | | | |
| | 18g. Form of identification for subject – Issuing Country | | | | | | | |
| | Please refer to Attachment C for addition | lease refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | a | | | | | | |
| Parent Element: | Partyldentification | Partyldentification | | | | | | |
| Element Restriction(s): | Record this element for the Subject (33) do not record this element: |) party type wher | n the following co | onditions are true | e; otherwise, | | | |
| | The identification type is Pass | sport or Alien reg | istration | | | | | |
| | The identification type is Driver's license/state ID or Other, and the country the identification was issued in is known | | | | | | | |
| Value Restriction(s): | | The value provided must adhere to the following requirements: Country codes (including U.S. Territory codes) must adhere to the two-letter country codes found in ISO 3166-2. | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | ving conditions a | ire true: | | | | |

| Element Name: | OtherIssuerCountryText | minOccurs: | 0 | maxOccurs: | 1 | |
|---------------|--|-----------------|-------------------|-------------------|---------|--|
| | The element is recorded for a Restrictions for more information. | | is not applicable | to this data (see | Element | |
| | The batch submission will be accepted with warning if any of the following conditions are true: | | | | | |
| | The element is not recorded or does not contain a value for the Subject when the form identification is Passport or Alien registration. The element contains a value and identification unknown is indicated. | | | | | |
| | The element contains a value that is not a valid country code State code and country code mismatch when U.S. Territory is recorded | | | | | |
| Example: | <fc2:otherlssuercountrytext>US<td>OtherIssuerCoun</td><td>tryText></td><td></td><td></td></fc2:otherlssuercountrytext> | OtherIssuerCoun | tryText> | | | |

| Element Name: | OtherIssuerStateText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|---|---|---|--|--|--|--|
| Description: | Identification issuing state (code). This of by (or in) associated with the subject. The subject of the subject | his element corre | sponds with the | | | | | |
| | 18f. Form of identification for | subject – Issuing | g State | | | | | |
| | Please refer to Attachment C for addition | nal information re | garding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Partyldentification | | | | | | | |
| Element Restriction(s): | do not record this element: The identification type is Driv MX, or a U.S. Territory The identification type is Oth state/province/territory of the | The identification type is Driver's license/state ID and the corresponding country is US, CA, MX, or a U.S. Territory The identification type is Other and the identification was issued by or in a known state/province/territory of the U.S., a U.S. Territory, Canada, or Mexico. The identification type is Other and the identification was not issues by a national | | | | | | |
| Value Restriction(s): | The value provided must adhere to the adhere to the two-letter codes used by or a U.S. Territory. If a U.S. Territory is re Canadian province/territory codes must Corporation when the country is equal standards of ISO 3166-2:MX when the country is equal standards. | the United States ecorded for the co t adhere to the tw to CA. Mexican st country is equal to | s Postal Service vountry, it must al yo-letter codes u ate/federal distrion MX. | when the country so be recorded f sed by the Canad ict codes must ad | is equal to US or the state. dian Post | | | |
| Remarks: | The batch submission will be rejected if The element is recorded for a Restrictions for more information. The batch submission will be accepted. The element is not recorded identification is Driver's license. The element contains a value. The element contains a value. State code and country code. | a party type that intion). with warning if an or does not contained. se/State ID. and identification that is not a valid | s not applicable ny of the followir ain a value for th n unknown is inc d state code. | to this data (seeing conditions are e Subject when t | true: | | | |
| Example: | <fc2:otherlssuerstatetext>CA<td></td><td></td><td></td><td></td></fc2:otherlssuerstatetext> | | | | | | | |

| Element Name: | OtherPartyIdentificationTypeText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-----------------|--|--|-------------------------------------|------------|------|--|--|--|
| Description: | Identification type other description (t associated with the party. This elemen • 18z. Form of identification for the Please refer to Attachment C for additional to the property of the prop | t corresponds with or subject – Other | h the following it (description) | rem(s): | type | | | |
| Attribute(s) | n/a | n/a | | | | | | |
| Parent Element: | Partyldentification | Partyldentification | | | | | | |

| Element Name: | OtherPartyIdentificationTypeText | therPartyIdentificationTypeText minOccurs: 0 maxOccurs: 1 | | | | | | | | | |
|-------------------------|---|---|--|--|--|--|--|--|--|--|--|
| Element Restriction(s): | Record this element for the Subject (33) party type and "Other" is declared for the form of identification type; otherwise, do not record this element. | | | | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | he value provided must adhere to the following requirements: 50 characters or less | | | | | | | | | |
| Remarks: | The element is recorded for a Restrictions for more informa The batch submission will be accepted to The element is not recorded identification is Other. | The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The element is accepted with warning if any of the following conditions are true: The element is not recorded or does not contain a value for the Subject when the form of identification is Other. | | | | | | | | | |
| Example: | <pre><fc2:otherpartyidentificationtypetext></fc2:otherpartyidentificationtypetext></pre> | cfc2:OtherPartyIdentificationTypeText>Student ID | | | | | | | | | |

| Element Name: | PartyldentificationNumberText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|---|---|--------------------------|--|--|
| Description: | Identification number (text). This eleme the party. This element corresponds wit Transmitter Transmitter Transmitter Contro Taxpayer Identifica | th the following it | tem(s): nber | tion number asso | ociated with | | |
| | Filing Institution 77. TIN (EIN, SSN/I) 81. Filing institution 88. Internal control | n identification (C | CRD, IARD, etc.) r | number (if known |) | | |
| | Financial Institution Where A. 59. TIN (EIN, SSN/I) 55. Financial institution 66. Internal control | TIN, Foreign) nun ition identificatio | n (CRD, IARD, etc | c.) number (if kno | own) | | |
| | Subject | | | | | | |
| | Please refer to Attachment C for addition | nal information re | egarding the abo | ve item(s). | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Partyldentification | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler record this element. If unknown is indic the corresponding unknown element w Identification do not record this elemen unknown element with a "Y" when all Fe | ated for the Final ith a "Y" value an nt when unknown | ncial Institution T nd do not record n is indicated but | TIN or the Subjec this element. For only record the | t TIN, record Form of | | |
| Value Restriction(s): | The value provided must adhere to the Transmitter (35) TCC = 8 characters Test System) or "PE System) TIN = 25 character Filing institution (30) and Fina EIN/SSN/ITIN = 9 r Foreign TIN = 25 c Identification numl Internal Control Num Subject (33) EIN/SSN/ITIN = 9 r | s equal to "TBSAT 3SA8180" (when s s or less ancial institution numeric character haracters or less ber (CRD, IARD, e umber = 20 chara | EST" (when subm submitting in the where activity oc rs etc.) = 10 charact acters or less | nitting in the BSA BSA E-Filing Pro curred (34) | | | |

| Element Name: | PartyldentificationNumberText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|---------------|--|--|---|------------|---|--|--|--|
| | o Foreign TIN = 25 characters or less o Identification (Driver's license, Passport, etc.) = 24 characters or less All identification numbers must be entered as a single alpha/numeric text string without formatting or special characters such as, for example, spaces, hyphens, or periods; however, asterisks within the identification number are accepted for the subject's form of identification. Cannot be consecutive string of the same number or an incremental string such as 123456789. | | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if • The element is recorded for a Restrictions for more informa | batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | | | |
| | The element is not recorded or does not contain a value for the filing institution TIN. The element is not recorded or does not contain a value for the financial institution wh activity occurred TIN and unknown is not indicated. The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: The value recorded for the EIN or SSN/ITIN is an invalid number string. The element contains a value for the subject form of identification and unknown is ind | | | | | | | |
| Example: | <fc2:partyldentificationnumbertext>66</fc2:partyldentificationnumbertext> | | | | | | | |

| Element Name: | Partylder | ntificationTypeCode | minOccurs: | 0 | maxOccui | rs: | 1 | |
|-------------------------------|-----------|--|--|----------------------|---------------|----------|---------|--------|
| Description: | | ntion type (code). This element nent corresponds with the follo | | pe of identification | n associate | d with | the pa | rty. |
| | • | Transmitter o Transmitter Contro o Taxpayer Identifica | | | | | | |
| | • | Filing Institution o 78. TIN (EIN, SSN/I o 81. Filing institution o 88. Internal control | n identification (0 | CRD, IARD, etc.) t | ype | | | |
| | • | Financial Institution Where Ado 60. TIN (EIN, SSN/I) 55. Financial institution 66. Internal control | TIN, Foreign) typ ition identificatio | n (CRD, IARD, et | c.) type | | | |
| | • | Subject o 17. TIN (EIN, SSN/I o 18. Form of identifi | | | Passport, etc | c.) type | ė | |
| A 11 | | fer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | |
| Attribute(s) Parent Element: | n/a | | | | | | | |
| Element Restriction(s): | - | ntification I. This element must be recorde ent. | ed for the above | party types/cond | ditions; othe | rwise, | do not | record |
| Value Restriction(s): | | e provided must adhere to the g the appropriate code from th | | | | | type by | |
| | Code | Description | | | Pa | rty Ty | pe (Cod | le) |
| | | | | | 35 | 30 | 34 | 33 |
| | 4 | Taxpayer Identification Numb | oer (TIN) | | • | | | |
| | 28 | Transmitter Control Code (TC | CC) | | • | | | |
| | 2 | Employer Identification Numl | ber (EIN) | | | • | • | • |
| | 1 | Social Security Number (SSN) Number (ITIN) |)/Individual Taxp | ayer Identificatio | n | • | • | • |

| Element Name: | Partylde | ntificationTypeCode | minOccurs: | 0 | maxOcc | urs: | 1 | |
|---------------|---|---|---|---|--------|---------|--------|----|
| | 9 | Foreign Taxpayer Identificati | on Number (TIN) | | | • | • | • |
| | 10 | Central Registration Deposit | Central Registration Depository (CRD) number | | | | | |
| | 11 | Investment Adviser Registrat | nvestment Adviser Registration (IARD) number | | | | | |
| | 12 | National Futures Association | National Futures Association (NFA ID) number | | | | | |
| | 14 | Research, Statistics, Supervis | Research, Statistics, Supervision, and Discount (RSSD) number | | | | | |
| | 13 | Securities and Exchange Con | Securities and Exchange Commission (SEC) number | | | | | |
| | 32 | National Association of Insur | National Association of Insurance Commissioners (NAIC) number | | | | • | |
| | 33 | National Mortgage Licensing | National Mortgage Licensing System (NMLS) number | | | | • | |
| | 29 | Internal control/file number | Internal control/file number | | | | • | |
| | 5 | Driver's license/State ID | | | | | | • |
| | 6 | Passport | | | | | | • |
| | 7 | Alien registration | | | | | | • |
| | 999 | Other Identification | | | | | | • |
| | | | | | | | | |
| Remarks: | The batc | th submission will be <u>rejected</u> in The element is not recorded | • | - | | ontains | a valu | e. |
| | • | The element contains a value not equal to one of the approved codes listed above. | | | | | | |
| | • | The element is recorded but | | | | | | |
| Example: | <fc2:par< td=""><td>The element contains a value tyldentificationTypeCode>999</td><td></td><td></td><td></td><td>oe.</td><td></td><td></td></fc2:par<> | The element contains a value tyldentificationTypeCode>999 | | | | oe. | | |

| Element Name: | TINUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|-------------------|--------------------|-------------------|-----------------|--|--|
| Description: | TIN unknown (indicator). This element declares that the TIN associated with the party is unknown. This element corresponds with the following item(s): Subject: 16a. TIN (unknown) Financial Institution Where Activity Occurred: 59a. TIN (unknown) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Partyldentification | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler Subject (33) part types when the TIN is | | | , | curred (34) and | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | ndicate TIN unkno | own) | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. | | | | | | |
| Example: | <fc2:partyldentification seqnum="69"></fc2:partyldentification> | | wnIndicator> | | | | |

4.6.5. OrganizationClassificationTypeSubtype Elements

| Element Name: | Organization Classification Type Subtype | minOccurs: | 0 | maxOccurs: | 15 |
|---------------|--|------------------|----------------|------------------|------------|
| Description: | Institution type/subtype (header). This is th institution associated with the party. | e container form | information ab | out the type and | subtype of |

| Element Name: | OrganizationC | assificationTypeSubtype | minOccurs: | 0 | maxOccurs: | 15 | |
|-------------------------|---|---|---|--------------------|-------------------|-------------|--|
| | The following | sub-element is associated w | rith this element | : | | | |
| | | Activity party type code definitions 30 = Filing Institution 34 = Financial Institution Where Activity Occurred 1. Filing Institution Information: Type of financial institution (Required FinCEN SAR Part IV, Items 79-80) | | | | | |
| | 1 | | | | | | |
| | Name | | minOccurs | maxOccurs | Content | | |
| | Organization | SubtypelD (Item 80a-n, z) | 0 | 1 | Simple | | |
| | Organization | TypelD (Item 79a-g, z) | | 1 | 1 | Simple | |
| | OtherOrganiz | zationSubTypeText (Item 80z | <u>r</u>) | 0 | 1 | Simple | |
| | OtherOrganiz | zationTypeText (Item 79z) | | 0 | 1 | Simple | |
| | | ncial Institution Where Activi Part III, Items 51, 53-54) | ity Occurred: Ty | pe of financial in | stitution (Requir | ed FinCEN | |
| | Name | | | minOccurs | maxOccurs | Content | |
| | Organization | SubtypeID (Items 53a-c, z / ! | 54a-k, z) | 0 | 1 | Simple | |
| | Organization | TypelD (ltem 51a-g, z) | | 1 | 1 | Simple | |
| | OtherOrganiz | zationSubTypeText (Items 53 | z / 54z) | 0 | 1 | Simple | |
| | OtherOrganiz | zationTypeText (Item 51z) | | 0 | 1 | Simple | |
| | | | | | | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | |
| | Name Description | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | , | element must be recorded f | or the following | party types (acti | vity level): | | |
| | Party type | | Ins | titution | | | |
| | . 5. 5) 5) [5] | | | /subtype | | | |
| | | | (m | in-max) | | | |
| | Filing Institut | ion | | 1-15 | | | |
| | | itution Where Activity Occur | | 1-12 | | | |
| | *If the Filing institution (30) and/or Financial institution where activity occurred (34) is a Securities and Futures institution (or individual) and the institution/individual can be classified as more than one type of Securities and Futures institution, the <organizationclassificationtypesubtype> element may be recorded multiple times in order to identify all of the associated Securities and Futures subtypes (in which case each occurrence would identify the same type of institution with the applicable subtype); however, if the type of institution is not equal to Securities and Futures, then the <organizationclassificationtypesubtype> should only be recorded once per these party types.</organizationclassificationtypesubtype></organizationclassificationtypesubtype> | | | | | | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | • The Rest | mission will be <u>rejected</u> if ang element is recorded for a pa rictions for more information element is missing a "SeqNu element contains a "SeqNun | rty type that is เ า). เm" attribute. | not applicable to | this data (see El | ement | |

| Element Name: | OrganizationClassificationTypeSubtype | minOccurs: | 0 | maxOccurs: | 15 | | |
|---------------|---|--|---------------|------------|----|--|--|
| | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: | | | | | | |
| | The element is not recorded for the Financial institution where activity occurred and/or the Filing institution. | | | | | | |
| Example: | <pre><fc2:organizationclassificationtypesubtype< th=""><th>3 < /fc2:Organizat :OrganizationTy_l</th><th>ionSubtypeID></th><th></th><th></th></fc2:organizationclassificationtypesubtype<></pre> | 3 < /fc2:Organizat :OrganizationTy _l | ionSubtypeID> | | | | |

| Element Name: | Organiza | ationSubtypeID | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|--|-----------------|---|--------------------|-----------|--|
| Description: | | on subtype (code). This elemen on. This element corresponds v | | | ming or securities | /futures | |
| | • • Please re | Filing institution 80a-n, z. Type of Securities and Futures institution or individual Financial institution where activity occurred 53a-c, z. Type of Gaming institution 54a-k, z. Type of Securities and Futures institution or individual Fease refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Organiza | ation Classification Type Subtype | 2 | | | | |
| Element Restriction(s): | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: If the party type is associated with the Filing institution (30) or Filing institution wher occurred (34) and the type of institution is Securities/Futures (5), then select from the codes to describe the institution subtype: | | | | | • | |
| | Code | Description | | | Party Ty | pe (Code) | |
| | | | | | 30 | 34 | |
| | 535 | Clearing broker-securities | | | • | • | |
| | 534 | CPO/CTA | | | • | | |
| | 541 | Execution-only broker securi | ties | | • | • | |
| | 508 | Futures Commission Mercha | nt | | • | • | |
| | 504 | Holding Company | | | • | • | |
| | 513 | Introducing broker-commod | lity | | • | • | |
| | 540 | Introducing broker-securitie | S | | • | • | |
| | 514 | Investment adviser | | | • | • | |
| | 539 | Investment company | | | • | • | |
| | 533 | Retail foreign exchange deal | er | | • | • | |
| | 542 | Self-clearing broker-securitie | es | | • | • | |
| | 528 | SRO futures | | | • | | |
| | 529 | SRO securities | | | • | | |
| | 503 | Subsidiary of financial/bank | holding company | / | • | • | |
| | 5999 | Other | | | • | • | |

| Element Name: | OrganizationSubtypeID | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|---|--|---|---|---|
| | If the party type is assoc the type of institution is the institution subtype: | | | | |
| | Code Description | | | | |
| | 101 State casino | | | | |
| | 102 Tribal casino | | | | |
| | 103 Card club | | | | |
| | 1999 Other | | | | |
| Remarks: | The batch submission will be reject The element is recorded The element contains a value of the element contains a value recorded confusion and securities and Futures in the element is not record securities and Futures. The element is not record institution type is equal to the element is not record institution. | but without a value ralue not equal to or ralue but the instituti icts with the instituti stitution) ded for the filing institution Casino/Card club or the filing control of th | (i.e. the value is note of the approve on type is not equence on type recorded titution and the institution where or Securities and | ull). d codes listed ab lual to Casino/Ca l (e.g. State Casin nstitution type is activity occurred Futures. | rd club or to recorded for equal to |
| Example: | The element contains a v <fc2:organizationsubtypeid>103</fc2:organizationsubtypeid> | | | ioi the Activity. | |

| Element Name: | Organizatio | onTypeID | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|-------------|--|---|-------------------|--------------------|----|--|--|
| Description: | | nstitution type (code). This element identifies the type of institution. This element corresponds with the bllowing item(s): | | | | | | |
| | | 9a-g, z. Type of financial ins 1a-g, z. Type of financial ins | - | | re activity occurr | ed | | |
| | Please refe | to Attachment C for additio | to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Organizatio | on Classification Type Subtype | | | | | | |
| Element Restriction(s): | Required. T | his element must be record | ed when the pare | ent element is re | corded. | | | |
| Value Restriction(s): | | provided must adhere to the institution type by recording | | | list below: | | | |
| | Code | Description | | | | | | |
| | 1 | Casino/Card club | | | | | | |
| | 2 | Depository institution | | | | | | |
| | 3 | Insurance company | | | | | | |
| | 4 | MSB (Money Service Busin | ness) | | | | | |
| | 5 | Securities/Futures | | | | | | |
| | 11 | Loan or Finance Company | / | | | | | |
| | 12 | Housing GSE (Governmen | it Sponsored Ente | erprise) | | | | |
| | 999 | Other | | | | | | |
| Remarks: | The batch s | submission will be rejected i | f any of the follow | ving conditions | are true: | | | |

| Element Name: | OrganizationTypeID | minOccurs: | 1 | maxOccurs: | 1 | |
|---------------|--|--|---|------------|---|--|
| | | The element is recorded but without a value (i.e. the value is null). The element contains a value not equal to one of the approved codes listed above. | | | | |
| Example: | <fc2:organizationtypeid>1<td>nizationTypeID></td><th></th><td></td><th></th></fc2:organizationtypeid> | nizationTypeID> | | | | |

| Element Name: | OtherOrganizationSubTypeText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|--|--|------------------------------|-------|--|--|--|
| Description: | Institution subtype other (description). This element identifies the other type of gaming or securities/futures institution. This element corresponds with the following item(s): • Filing institution • 80z. Type of Securities and Futures institution or individual (other description) • Financial institution where activity occurred • 53z. Type of Gaming institution (other description) • 54z. Type of Securities and Futures institution or individual (other description) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | OrganizationClassificationTypeSubtype | OrganizationClassificationTypeSubtype | | | | | | |
| Element Restriction(s): | not record this element: • Filing institution (30), the type constitution (30), the type constitution where according to the type of institution where the type of type of the type of the type of the type of type of type of the type of ty | Conditionally Required. Record this element for the following party types and conditions; otherwise, do not record this element: • Filing institution (30), the type of institution is Securities/Futures (5), and the <organizationsubtypeid> element contains the value "5999" (Other) • Financial institution where activity occurred (34) and: • The type of institution is Casino/Card club (1) and the <organizationsubtypeid> element contains the value "1999" (Other) • The type of institution is Securities/Futures (5) and the <organizationsubtypeid></organizationsubtypeid></organizationsubtypeid></organizationsubtypeid> | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less. | | | | |
| Remarks: | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: The element is not recorded or does not contain a value and the institution subtype is equal to Other. The element is recorded with a value but the institution subtype is not equal to Other. | | | | | | | |
| Example: | <fc2:otherorganizationsubtypetext>o</fc2:otherorganizationsubtypetext> | ther description | <td>nizationSubType⁻</td> <td>Text></td> | nizationSubType ⁻ | Text> | | | |

| Element Name: | OtherOrganizationTypeText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|--------------------|-------------------|-------|--|--|
| Description: | nstitution type other (description). This element identifies the description of the other gaming or securities/futures institution. This element corresponds with the following item(s): 79z. Type of financial institution: Filing institution (other description) 51z. Type of financial institution: Financial institution where activity occurred (other description) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | OrganizationClassificationTypeSubtype | | | | | | |
| Element Restriction(s): | not record this element: • Filing institution (30) and the | Filing institution (30) and the <organizationtypeid> element contains the value "999" (Other)</organizationtypeid> Financial institution where activity occurred (34) and the <organizationtypeid> element</organizationtypeid> | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less. | | | |
| Remarks: | The batch submission will be accepted | with warning if a | ny of the followir | ng conditions are | true: | | |

| Element Name: | OtherOrganizationTypeText | minOccurs: | 0 | maxOccurs: | 1 | | |
|---------------|---|---|---------------------|------------------|------|--|--|
| | Other. | The element is not recorded or does not contain a value and the institution type is equal to Other. | | | | | |
| | The element is recorded with | n a value but the i | institution type is | not equal to Oth | ner. | | |
| Example: | <fc2:otherorganizationtypetext>othe</fc2:otherorganizationtypetext> | fc2:OtherOrganizationTypeText>other description | | | | | |

4.6.6. PartyOccupationBusiness Elements

| Element Name: | PartyOccupation | onBusiness | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|--------------------------------|-------------------|--------------------|----------------|--|--|
| Description: | Occupation or type of business (header). This is the container for information about the occupation or type of business of the subject. | | | | | | | |
| | The following s | ub-element is associated | d with this eleme | nt: | | | | |
| | | Activi | ty party type co 33 = Subje | | | | | |
| | 1. Subj | ect: Occupation or type o | of business (if ava | ilable FinCEN S | AR Part I, Item 10 | /10a) | | |
| | Name | | | minOccu | rs maxOccurs | Content | | |
| | NAICSCode (I | tem 10a) | | 0 | 1 | Simple | | |
| | _ · | usinessText (Item 10 | | 0 | 1 | Simple | | |
| | *If the <partyoccupationbusiness> element is recorded for the Subject (33), then at least one of the above elements should be recorded with a valid value.</partyoccupationbusiness> | | | | | | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | | |
| | Name | Description | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | | |
| Parent Element: | Party | | | | | | | |
| Element Restriction(s): | | ment when the occupati otherwise, do not recor | • • | ess and/or NAICS | Code is known f | or the Subject | | |
| Value Restriction(s): | n/a | | | | | | | |
| Remarks: | • The e Resti • The e | Restrictions for more information). | | | | | | |
| Example: | <fc2 <fc2< td=""><td>pationBusiness SeqNum: NAICSCode>7548OccupationBusinessText upationBusiness></td><td>NAICSCode></td><td>:OccupationBusi</td><td>nessText></td><td></td></fc2<></fc2 | pationBusiness SeqNum: NAICSCode>7548OccupationBusinessText upationBusiness> | NAICSCode> | :OccupationBusi | nessText> | | | |

| Element Name: | NAICSCode | minOccurs: | 0 | maxOccurs: | 1 | | | |
|---------------|--|------------|---|------------|-----|--|--|--|
| Description: | NAICS Code (text). This element identific code for the occupation or type of businitem(s): | | , | , | ` ' | | | |
| | 10a. NAICS Code: Subject Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |

| Element Name: | NAICSCode | minOccurs: | 0 | maxOccurs: | 1 | | | | | |
|-------------------------|---|---|---|------------|---|--|--|--|--|--|
| Attribute(s) | n/a | | | | | | | | | |
| Parent Element: | PartyOccupationBusiness | | | | | | | | | |
| Element Restriction(s): | Record this element when known and the party type is associated with the Subject (33); otherwise, do not record this element. | | | | | | | | | |
| Value Restriction(s): | of NAICS Codes authorized for use in the (http://bsaefiling.fincen.treas.gov) or from | The value provided must adhere to the following requirements: 3-6 digit numeric characters. Use the list of NAICS Codes authorized for use in the FinCEN SAR located on the BSA E-Filing Web Site (http://bsaefiling.fincen.treas.gov) or from the U.S. Census Bureau NAICS list. Select a code that most-closely relates to the occupation or type of business recorded for the subject in the | | | | | | | | |
| Remarks: | n/a | | | | | | | | | |
| Example: | <fc2:naicscode>7548</fc2:naicscode> | | | | | | | | | |

| Element Name: | OccupationBusinessText | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|-------------------------|---|---|------------------|---------------|---|--|--|--|--|
| Description: | Occupation or type of business (description). This element identifies the description of the occupation, profession, or type of business of the subject. This element corresponds with the following item(s): | | | | | | | | |
| | 10. Occupation or type of but | 10. Occupation or type of business: Subject | | | | | | | |
| | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | | |
| Attribute(s) | n/a | n/a | | | | | | | |
| Parent Element: | PartyOccupationBusiness | PartyOccupationBusiness | | | | | | | |
| Element Restriction(s): | Record this element when the party typ occupation, profession, or type of busin | | , | , | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less | | | | | |
| Remarks: | n/a | | | | | | | | |
| Example: | <fc2:occupationbusinesstext>Mechanic</fc2:occupationbusinesstext> | | | | | | | | |

4.6.7. ElectronicAddress Elements

| Element Name: | ElectronicAddress | minOccurs: | 0 | maxOccurs: | 198 | | | |
|---------------|--|--|------------------|--------------|---------|--|--|--|
| Description: | Electronic address (header). This is the container for information about the subject's e-mail address of website URL (Uniform Resource Locator). The following sub-element is associated with this element: | | | | | | | |
| | | | | | | | | |
| | Activity | Activity party type code definitions 33 = Subject | | | | | | |
| | 1. Subject: | | | | | | | |
| | a. E-mail address (if ava | ailable FinCEN S | SAR Part I, Item | 22) | | | | |
| | Name | | minOccur | s maxOccurs | Content | | | |
| | ElectronicAddressText (Item 22) | | 1 | 1 | Simple | | | |
| | ElectronicAddressTypeCode (Code E) | | 1 | 1 | Simple | | | |
| | *If the <electronicaddress> element is recorded for the Subject's (33) e-mail address, then the above elements should be recorded with a valid value for each.</electronicaddress> | | | | | | | |
| | b. Website (URL) addre | ess (if available F | inCEN SAR Part | I, Item 22a) | | | | |
| | Name | | minOccur | s maxOccurs | Content | | | |
| | ElectronicAddressText (Item 22a) | | 1 | 1 | Simple | | | |

| Element Name: | ElectronicAdo | dress | minOccurs: | 0 | 1 | maxOccurs: | 198 | | |
|-------------------------|--|---|------------------|-------------------|---------------|---------------|-----------|--|--|
| | ElectronicAdo | ElectronicAddressTypeCode (Code U) 1 1 Sim | | | | | | | |
| | *If the <electronicaddress> element is recorded for the Subject's (33) website URL address, then the above elements should be recorded with a valid value for each.</electronicaddress> | | | | | | | | |
| Attribute(s) | The following a | attributes must be record | ded for this ele | ment: | | | | | |
| | Name | Description | | | | | | | |
| | SeqNum | The value recorded for any numeric value up | | | | unique. It ma | y contain | | |
| Parent Element: | Party | | | | | | | | |
| Element Restriction(s): | Record this element for the Subject (33) party type when the e-mail address and/or website URL address is known; otherwise, do not record this element. The following table describes the minimum and maximum reporting requirements for this element: | | | | | | | | |
| | Party type | | • | E-mail in-max) | URL (min-m | | | | |
| | Subject | | | 0-99 | 0-99 | | | | |
| Value Restriction(s): | n/a | | | | | | | | |
| Remarks: | • The Rest | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The element is missing a "SeqNum" attribute. | | | | | | | |
| Example: | <fc2 <fc2 <fc2:electronic <fc2< td=""><td colspan="7">• The element contains a "SeqNum" attribute with a duplicate or invalid value. <fc2:electronicaddress seqnum="74"> <fc2:electronicaddresstext>will.mann@gmail.com</fc2:electronicaddresstext> <fc2:electronicaddresstypecode>E</fc2:electronicaddresstypecode> <fc2:electronicaddressseqnum="75"> <fc2:electronicaddresstext>https://www.will_mann.org/</fc2:electronicaddresstext>U</fc2:electronicaddressseqnum="75"></fc2:electronicaddress></td></fc2<></fc2:electronic </fc2 </fc2 | • The element contains a "SeqNum" attribute with a duplicate or invalid value. <fc2:electronicaddress seqnum="74"> <fc2:electronicaddresstext>will.mann@gmail.com</fc2:electronicaddresstext> <fc2:electronicaddresstypecode>E</fc2:electronicaddresstypecode> <fc2:electronicaddressseqnum="75"> <fc2:electronicaddresstext>https://www.will_mann.org/</fc2:electronicaddresstext>U</fc2:electronicaddressseqnum="75"></fc2:electronicaddress> | | | | | | | |

| Element Name: | ElectronicAddressText | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|---|-------------------|-----|------------|-------|--|--|
| Description: | Electronic address (text). This element identifies the subject's email address or website URL (Uniform Resource Locator) address. This element corresponds with the following item(s): • Subject • 22. E-mail address (if available) • 22a. Website (URL) address (if available) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | ElectronicAddress | | | | | | |
| Element Restriction(s): | Record this element when the parent e | lement is recorde | ed. | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: • E-mail address: 50 characters or less; the value must contain the "@" sign followed by at least one period (e.g. richardroephd@college.edu) • Website (URL) address: 517 characters or less; the values should contain at least one period. | | | | | | |
| Remarks: | The batch submission will be <u>accepted</u> • The value recorded for the el | | , | 9 | true: | | |

| Element Name: | ElectronicAddressText | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|--|--|--|-----------------------------|---|
| Example: | <pre><fc2:electronicaddress seqnum="74"></fc2:electronicaddress></pre> | ichardroephd@c ode>Enttps://www.will_ | tronicAddressTyp mann.org/ <td>eCode> ElectronicAddres:</td> <th></th> | eCode> ElectronicAddres: | |

| Element Name: | Electronic | AddressTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|---|--|--------------------|------------------|-------------------|----|--|--|--|
| Description: | subject; spe This elemer | Electronic address type (code). This element identifies the type of electronic address recorded for the subject; specifically whether it is an email address or a website URL (Uniform Resource Locator) address. This element corresponds with the following item(s): Subject 22. E-mail address type 22a. Website (URL) type | | | | | | | |
| | • 3 | | | | | | | | |
| | Please refer | to Attachment C for addition | nal information re | egarding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | | | | | | | | |
| Parent Element: | ElectronicA | ddress | | | | | | | |
| Element Restriction(s): | Record this | element when the parent el | ement is recorde | d. | | | | | |
| Value Restriction(s): | | rovided must adhere to the electronic address type by | | | om the list belov | v: | | | |
| | Code | Description | | | | | | | |
| | E | E-mail address | | | | | | | |
| | U | Website (URL) address | | | | | | | |
| Remarks: | • T | | or does not conta | - | | | | | |
| Example: | <fc2:electro< li=""></fc2:electro<> | The element is not recorded or does not contain a value (i.e. the value is null). The value recorded is an invalid code. <pre></pre> <pre></pre> <pre><!--</td--></pre> | | | | | | | |

4.6.8. PartyAssociation Elements

| Element Name: | PartyAssociation | minOccurs: | 0 | maxOccurs: | 99 |
|---------------|---|---------------------------------------|------------------|------------------|----|
| Description: | Party association (header). This is the coinstitution recorded in the FinCEN SAR, The following tables describe all possible | as well as inform | nation about the | branch where act | • |
| | Activi : 33 = Subject 34 = | ty party type co Financial institu | | ty occurred | |

| Element Name: | PartyAssociat | tion | minOccurs: | 0 | n | naxOccurs: | 99 | | |
|-------------------------|--|---|---------------------|-----------|----------------|----------------|---------|--|--|
| | Subject: Relationship of subject to an institution recorded in Part III or IV (FinCEN SAR Pallterns 24-26) | | | | | | | | |
| | Name | | | minOccurs | maxOccurs | Content | | | |
| | Accountantin | dicator (Item 24b) | | | 0 | 1 | Simple | | |
| | ActionTaken | DateText (Item 26) | | | 0 | 1 | Simple | | |
| | AgentIndicator (Item 24c) AppraiserIndicator (Item 24d) AttorneyIndicator (Item 24e) | | | | 0 | 1 | Simple | | |
| | | | | | 0 | 1 | Simple | | |
| | | | | | 0 | 1 | Simple | | |
| | BorrowerIndi | cator (Item 24f) | | | 0 | 1 | Simple | | |
| | CustomerInd | icator (Item 24g) | | | 0 | 1 | Simple | | |
| | DirectorIndic | ator (Item 24h) | | | 0 | 1 | Simple | | |
| | EmployeeInd | icator (Item 24i) | | | 0 | 1 | Simple | | |
| | NoRelationsh | nip To Institution Indicato | r (Item 24j) | | 0 | 1 | Simple | | |
| | OfficerIndica | tor (Item 24k) | | | 0 | 1 | Simple | | |
| | OtherPartyAs | sociationTypeText (Iten | n 24z) | | 0 | 1 | Simple | | |
| | OtherRelation | nshipIndicator (Item 24: | z) | | 0 | 1 | Simple | | |
| | OwnerShareh | nolderIndicator (Item 24 | ·I) | | 0 | 1 | Simple | | |
| | Relationship(| ContinuesIndicator (Iten | n 25a) | | 0 | 1 | Simple | | |
| | ResignedIndi | cator (Item 25d) | | | 0 | 1 | Simple | | |
| | SubjectRelati | onshipFinancialInstituti | onTINText (Item 24 | la) | 0 | 1 | Simple | | |
| | SuspendedBa | arredIndicator (Item 24c | :) | | 0 | 1 | Simple | | |
| | TerminatedIn | dicator (Item 25b) | | | 0 | 1 | Simple | | |
| | *If the <partyassociation> element is recorded for the Subject (33), then at least one of the above relationship indicator elements should be recorded with a valid value. 2. Financial institution where activity occurred: Branch location (FinCEN SAR Part III, Items 68, 69, 70-74)</partyassociation> | | | | | | | | |
| | Name | | | | minOccurs | maxOccurs | Content | | |
| | Party (Items 6 | 58, 69, 70-74) | | | 0 | 99 | Complex | | |
| | | | | | | | | | |
| Attribute(s) | The following a | attributes must be reco | rded for this eleme | nt: | | | | | |
| | Name | Description | | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | contain | | | |
| Parent Element: | Party | | | | | | | | |
| Element Restriction(s): | , | ment under the followi | ng circumstances; | other | wise do not re | cord this elem | ent:" | | |
| | the f | party recorded is associ illing institution and/or rded | • | | | • | • | | |
| | NOTE: If the subject does not have a relationship with any of the recorded institutions in Part III or IV, record a single <partyassociation> element for the subject where the element <norelationshiptoinstitutionindicator> is recorded with a "Y" value and the TIN of the filing institution is recorded for the <subjectrelationshipfinancialinstitutiontintext> element. The</subjectrelationshipfinancialinstitutiontintext></norelationshiptoinstitutionindicator></partyassociation> | | | | | | | | |

| Element Name: | PartyAssociation minOccurs: 0 maxOccurs: 99 | | | | | | | |
|-----------------------|---|--|--|--|--|--|--|--|
| | <norelationshiptoinstitutionindicator> element should not be recorded for the subject if a relationship exists with any institution recorded in Part III or IV, even when there is no relationship with other institutions.</norelationshiptoinstitutionindicator> The party recorded is associated with the financial institution where activity occurred (34) and activity occurred at a branch location. | | | | | | | |
| Value Restriction(s): | n/a | | | | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The element is missing a "SeqNum" attribute. • The element contains a "SeqNum" attribute with a duplicate or invalid value. The batch submission will be accepted with warning if any of the following conditions are true: • The element is recorded but at least one indicator identifying the type of relationship is not recorded with a "Y" value. | | | | | | | |
| Example: | Relationship of subject to an institution: <fc2:partyassociation seqnum="77"> <fc2:accountantindicator>Y</fc2:accountantindicator> <fc2:actiontakendatetext>20170905</fc2:actiontakendatetext> <fc2:resignedindicator>Y</fc2:resignedindicator> <fc2:subjectrelationshipfinancialinstitutiontintext>458789856</fc2:subjectrelationshipfinancialinstitutiontintext> </fc2:partyassociation> | | | | | | | |
| | Branch where activity occurred: <fc2:partyassociation seqnum="38"> <fc2:party seqnum="39"> <fc2:activitypartytypecode>46</fc2:activitypartytypecode> <fc2:sellinglocationindicator>Y</fc2:sellinglocationindicator> <fc2:address seqnum="40"> <fc2:rawcitytext> Cityville</fc2:rawcitytext> <fc2:rawcountrycodetext>US</fc2:rawcountrycodetext> <fc2:rawstatecodetext>VA</fc2:rawstatecodetext> <fc2:rawstreetaddress1text>123 Road</fc2:rawstreetaddress1text> <fc2:rawzipcode>547898856</fc2:rawzipcode> <fc2:partyidentificationnumbertext>154879885 14</fc2:partyidentificationnumbertext></fc2:address></fc2:party></fc2:partyassociation> | | | | | | | |

| Element Name: | AccountantIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-----------------|--|--|---|------------|---|--|
| Description: | described as "Accountant." This element co • 24b. Relationship of subject to ir | Accountant (indicator). This element declares that the subject's relationship to the institution can be described as "Accountant." This element corresponds with the following item(s): • 24b. Relationship of subject to institution: Accountant Please refer to Attachment C for additional information regarding the above item(s). | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | PartyAssociation | | | | | |

| Element Name: | AccountantIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|--|---|------------|---|--|--|
| Element Restriction(s): | Record this element when it describes the relationship of the subject (33) to the institution TIN recorded in the <subjectrelationshipfinancialinstitutiontintext> element; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | | | |
| Value Restriction(s): | The value provided must adhere to the follo | The value provided must adhere to the following requirements: "Y" (to indicate Accountant) | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. | | | | | | |
| Example: | <fc2:accountantindicator>Y</fc2:accountantindicator> | | | | | | |

| Element Name: | ActionTakenDateText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|---|--|---------------------|--|--|
| Description: | Action date (date). This element identifies the date on which the action was taken in the event that the relationship no longer continues between the subject and the institution. This element corresponds with the following item(s): • 26. Relationship of subject to institution: Action date Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | an pormutation regul | dirig the above to | (3). | | | |
| Parent Element: | PartyAssociation | | | | | | |
| Element Restriction(s): | relationship to the institution TIN recorded | Record this element when the party type is associated with the Subject (33) and the status of the subject relationship to the institution TIN recorded for the <subjectrelationshipfinancialinstitutiontintext> element has be identified as Terminated, Suspended/barred, or Resigned; otherwise, do not record this</subjectrelationshipfinancialinstitutiontintext> | | | | | |
| Value Restriction(s): | The value provided must adhere to the foll YYYYMMDD where YYYY = year, MM = mo prefaced by a zero. | | | | | | |
| Remarks: | The batch submission will be rejected if any and the element is recorded for a path of the element is recorded for a path of the batch submission will be accepted with a reminated, Suspended/barred, and the element is recorded with a value recorded for the element is recorded. | rty type that is non). n warning if any cloes not contain or Resigned. alid value but the or Resigned. | ot applicable to to of the following c a value and the s e status of the rel | his data (see Ele onditions are tr tatus of the rela ationship is not | ue: ationship is | | |
| Example: | <fc2:actiontakendatetext>20170905<td></td><td>-</td><td></td><th></th></fc2:actiontakendatetext> | | - | | | | |

| Element Name: | AgentIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|---|---------------------|-------------------|-------|--|--|
| Description: | , , | Agent (indicator). This element declares that the subject's relationship to the institution can be described as "Agent." This element corresponds with the following item(s): | | | | | |
| | 24c. Relationship of subject to in: | 24c. Relationship of subject to institution: Agent | | | | | |
| | Please refer to Attachment C for additional i | Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PartyAssociation | | | | | | |
| Element Restriction(s): | Record this element when it describes the r in the <subjectrelationshipfinancialinstitut< td=""><td></td><td>• • •</td><td></td><td></td></subjectrelationshipfinancialinstitut<> | | • • • | | | | |
| Value Restriction(s): | The value provided must adhere to the follo | owing requireme | nts: "Y" (to indica | ate Agent) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any | of the following | conditions are t | rue: | | | |
| | The element is recorded for a paragraph Restrictions for more information. | , ,, | ot applicable to t | his data (see Ele | ement | | |

| Element Name: | AgentIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|---------------|---|------------|---|------------|---|--|
| | The value recorded is not equal to "Y" or not equal to null. | | | | | |
| Example: | <fc2:agentindicator>Y<th>r></th><td></td><td></td><td></td></fc2:agentindicator> | r> | | | | |

| Element Name: | AppraiserIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|---------------------|----------------|---|--|--|
| Description: | Appraiser (indicator). This element declares that the subject's relationship to the institution can be described as "Appraiser." This element corresponds with the following item(s): | | | | | | |
| | 24d. Relationship of subject to in | stitution: Apprais | ser | | | | |
| | Please refer to Attachment C for additional i | information regai | ding the above it | tem(s). | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PartyAssociation | | | | | | |
| Element Restriction(s): | | Record this element when it describes the relationship of the subject (33) to the institution TIN recorded in the <subjectrelationshipfinancialinstitutiontintext> element; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | | |
| Value Restriction(s): | The value provided must adhere to the follo | owing requireme | nts: "Y" (to indica | ate Appraiser) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | |
| Example: | fc2:AppraiserIndicator>Y | | | | | | |

| Element Name: | AttorneyIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|---------------------|---------------|---|--|--|
| Description: | Attorney (indicator). This element declares that the subject's relationship to the institution can be described as "Attorney." This element corresponds with the following item(s): • 24e. Relationship of subject to institution: Attorney | | | | | | |
| | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PartyAssociation | | | | | | |
| Element Restriction(s): | | Record this element when it describes the relationship of the subject (33) to the institution TIN recorded in the <subjectrelationshipfinancialinstitutiontintext> element; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | | |
| Value Restriction(s): | The value provided must adhere to the follow | owing requireme | nts: "Y" (to indica | ate Attorney) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | |
| Example: | <fc2:attorneyindicator>Y<td>licator></td><td></td><td></td><td></td></fc2:attorneyindicator> | licator> | | | | | |

| Element Name: | BorrowerIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|------------------|-------|------------|---|--|--|
| Description: | Borrower (indicator). This element declares that the subject's relationship to the institution can be described as "Borrower." This element corresponds with the following item(s): • 24f. Relationship of subject to institution: Borrower Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | PartyAssociation | PartyAssociation | | | | | |
| Element Restriction(s): | Record this element when it describes the r in the <subjectrelationshipfinancialinstitut< td=""><td>•</td><td>• • •</td><td></td><td></td></subjectrelationshipfinancialinstitut<> | • | • • • | | | | |

| Element Name: | BorrowerIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-----------------------|--|--|---|------------|---|--|--|
| Value Restriction(s): | The value provided must adhere to the follo | The value provided must adhere to the following requirements: "Y" (to indicate Borrower) | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. | | | | | | |
| Example: | <fc2:borrowerindicator>Y<td>dicator></td><td></td><td></td><td></td></fc2:borrowerindicator> | dicator> | | | | | |

| Element Name: | CustomerIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|-------------------|---------------------|---------------|---|--|
| Description: | Customer (indicator). This element declares that the subject's relationship to the institution can be described as "Customer." This element corresponds with the following item(s): | | | | | |
| | 24g. Relationship of subject to in | stitution: Custon | ner | | | |
| | Please refer to Attachment C for additional (| information regai | ding the above it | em(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | PartyAssociation | | | | | |
| Element Restriction(s): | Record this element when it describes the rin the <subjectrelationshipfinancialinstitut< td=""><td></td><td>-</td><td></td><td></td></subjectrelationshipfinancialinstitut<> | | - | | | |
| Value Restriction(s): | The value provided must adhere to the follow | owing requireme | nts: "Y" (to indica | ite Customer) | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. | | | | | |
| Example: | <fc2:customerindicator>Y</fc2:customerindicator> Y | ndicator> | | | | |

| Element Name: | DirectorIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|---------------------|---------------|---|--|--|
| Description: | Director (indicator). This element declares that the subject's relationship to the institution can be described as "Director." This element corresponds with the following item(s): • 24h. Relationship of subject to institution: Director Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | - | - | | | | |
| Parent Element: | PartyAssociation | | | | | | |
| Element Restriction(s): | | Record this element when it describes the relationship of the subject (33) to the institution TIN recorded in the <subjectrelationshipfinancialinstitutiontintext> element; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | | |
| Value Restriction(s): | The value provided must adhere to the follow | owing requireme | nts: "Y" (to indica | ate Director) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • The element is recorded with a "Y" value for the subject and <jointreportindicator> contains a "Y" value.</jointreportindicator> | | | | | | |
| Example: | <fc2:directorindicator>Y</fc2:directorindicator> Y | cator> | | | | | |

| Element Name: | EmployeeIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|---------------|--|--|-------------------|------------|---|--|--|--|
| Description: | Employee (indicator). This element declare | pployee (indicator). This element declares that the subject's relationship to the institution can be | | | | | | |
| | described as "Employee." This element cor | responds with the | e following item(| s): | | | | |

| Element Name: | EmployeeIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|--|---|----------------------|---------------|---|--|--|--|
| | , , | 24i. Relationship of subject to institution: Employee Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | PartyAssociation | artyAssociation | | | | | | |
| Element Restriction(s): | Record this element when it describes the relationship of the subject (33) to the institution TIN recorded in the <subjectrelationshipfinancialinstitutiontintext> element; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the follo | owing requireme | ents: "Y" (to indica | ite Employee) | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warning if any of the following conditions are true: The element is recorded with a "Y" value for the subject and <jointreportindicator> contains a "Y" value.</jointreportindicator> | | | | | | | |
| Example: | <fc2:employeeindicator>Y</fc2:employeeindicator> | | | | | | | |

| Element Name: | NoRelationshipToInstitutionIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|-------------------------|--|--|---------------------|-------------------|------------|
| Description: | No relationship to institution (indicator). This element declares that the subject has no relationship with any of the financial institutions recorded in the FinCEN SAR. This element corresponds with the following item(s): | | | | |
| | 24j. Relationship of subject to ins | stitution: No relat | cionship to institu | ition | |
| | Please refer to Attachment C for additional i | information regal | rding the above it | tem(s). | |
| Attribute(s) | n/a | | | | |
| Parent Element: | PartyAssociation | | | | |
| Element Restriction(s): | Record this element when the party type is have a relationship with filing institution or not record this element. | | • | • | |
| Value Restriction(s): | The value provided must adhere to the folloinstitution") | owing requireme | nts: "Y" (to indica | ate "No relation | ship to an |
| Remarks: | The batch submission will be rejected if any | of the following | conditions are t | rue: | |
| | The element is recorded for a pai Restrictions for more information | n). | | his data (see Ele | ement |
| | The value recorded is not equal t | · · · · · · · · · · · · · · · · · · · | | | |
| Example: | <pre><fc2:norelationshiptoinstitutionindicator></fc2:norelationshiptoinstitutionindicator></pre> | ·Y <td>onshipToInstituti</td> <td>onIndicator></td> <td></td> | onshipToInstituti | onIndicator> | |

| Element Name: | OfficerIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|--|-------------------|------------|---|--|
| Description: | Officer (indicator). This element declares that the subject's relationship to the institution can be described as "Officer." This element corresponds with the following item(s): • 24k Relationship of subject to institution: Officer Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| | Please refer to Attachment C for additional t | njormation regar | uing the above it | erri(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | PartyAssociation | | | | | |
| Element Restriction(s): | | Record this element when it describes the relationship of the subject (33) to the institution TIN recorded n the <subjectrelationshipfinancialinstitutiontintext> element; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | |
| Value Restriction(s): | The value provided must adhere to the follo | The value provided must adhere to the following requirements: "Y" (to indicate Officer) | | | | |
| Remarks: | he batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | | |

| Element Name: | OfficerIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|---|---|-----------------------------------|------------------|-----|
| | The element is recorded for a pa Restrictions for more information The value recorded is not equal the patch submission will be accepted with The element is recorded with a "Y" value. | n). o "Y" or not equa <u>r warning</u> if any c | al to null. If the following c | onditions are tr | ue: |
| Example: | <fc2:officerindicator>Y<th>or></th><th></th><th></th><th></th></fc2:officerindicator> | or> | | | |

| Element Name: | OtherPartyAssociationTypeText | minOccurs: | 0 | maxOccurs: | 1 |
|-------------------------|---|---------------------------|--------------------|------------------|--------|
| Description: | Other relationship (description). This element declares that the subject's relationship to the institution is not covered by any of pre-defined options. This element corresponds with the following item(s): | | | | |
| | 24z. Relationship of subject to in | | • | | |
| | Please refer to Attachment C for additional | information regai | ding the above it | em(s). | |
| Attribute(s) | n/a | | | | |
| Parent Element: | PartyAssociation | | | | |
| Element Restriction(s): | Record this element when the party type is <otherrelationshipindicator> element con</otherrelationshipindicator> | | • | | ement. |
| Value Restriction(s): | The value provided must adhere to the following | owing requireme | nts: 50 character | s or less. | |
| Remarks: | The batch submission will be rejected if any | y of the following | conditions are t | rue: | |
| | The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | |
| | The batch submission will be accepted with | <u>n warning</u> if any c | of the following c | onditions are tr | ue: |
| | The element is not recorded or does not contain a value and Other is indicated. The element is recorded with a value and Other is not indicated. | | | | |
| Example: | <fc2:otherpartyassociationtypetext>Othe</fc2:otherpartyassociationtypetext> | | | ociationTypeTex | t> |

| Element Name: | OtherRelationshipIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|--|--|-------------------------------------|------------|--|
| Description: | Other relationship (indicator). This element describes the other type of relationship between the subject and the institution. This element corresponds with the following item(s): • 24z. Relationship of subject to institution: Other (indicator) Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | PartyAssociation | | | | | |
| Element Restriction(s): | Record this element when it describes the rin the <subjectrelationshipfinancialinstitut "y"="" <otherpartyassociationtypetext="" a="" brief="" description="" elements;="" ensure="" indicator="" otherwise,="" please="" pre-defined="" value,=""> element</subjectrelationshipfinancialinstitut> | tionTINText> eler do not record th of the relationsh | ment cannot be one of this is element. If this | categorized by o element is reco | one of the | |
| Value Restriction(s): | The value provided must adhere to the follo | owing requireme | nts: "Y" (to indica | ate "Other relati | onship") | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. | | | | ement | |
| Example: | <fc2:otherrelationshipindicator>Y<td>therRelationshipl</td><td>ndicator></td><td></td><th></th></fc2:otherrelationshipindicator> | therRelationshipl | ndicator> | | | |

| Element Name: | OwnerShareholderIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|---|---------------------|------------------|------------|--|
| Description: | Owner or controlling shareholder (indicator). This element declares that the subject's relationship to the institution can be described as "Owner or controlling shareholder." This element corresponds with the following item(s): | | | | | |
| | 24l. Relationship of subject to ins | 24l. Relationship of subject to institution: Owner or Controlling Shareholder | | | | |
| | Please refer to Attachment C for additional i | information regar | ding the above it | em(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | PartyAssociation | | | | | |
| Element Restriction(s): | Record this element when it describes the r in the <subjectrelationshipfinancialinstitut< td=""><td></td><td></td><td></td><td></td></subjectrelationshipfinancialinstitut<> | | | | | |
| Value Restriction(s): | The value provided must adhere to the follo shareholder") | owing requireme | nts: "Y" (to indica | ate "Owner or co | ontrolling | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). • The value recorded is not equal to "Y" or not equal to null. The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • The element is recorded with a "Y" value for the subject and <jointreportindicator> contains a "Y" value.</jointreportindicator> | | | | | |
| Example: | <fc2:ownershareholderindicator>Y<td>wnerShareholde</td><td>Indicator></td><td></td><td></td></fc2:ownershareholderindicator> | wnerShareholde | Indicator> | | | |

| Element Name: | Relationship Continues Indicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|--|---------------------|-------------------|---|--|
| Description: | Relationship continues (indicator). This element declares that the status of the subject's relationship to the institution can be described as "Relationship continues." This element corresponds with the following item(s): • 25a. Relationship status of subject to institution: Relationship continues Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | - | | | |
| Parent Element: | PartyAssociation | | | | | |
| Element Restriction(s): | when the subject's relationship to the instit <subjectrelationshipfinancialinstitutiontin< td=""><td colspan="5">Record this element for the Subject (33) party type when it best describes the status of the relationship when the subject's relationship to the institution TIN recorded for the <subjectrelationshipfinancialinstitutiontintext> element has been identified as Director, Employee, Officer, or Owner/Controlling Shareholder; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext></td></subjectrelationshipfinancialinstitutiontin<> | Record this element for the Subject (33) party type when it best describes the status of the relationship when the subject's relationship to the institution TIN recorded for the <subjectrelationshipfinancialinstitutiontintext> element has been identified as Director, Employee, Officer, or Owner/Controlling Shareholder; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | |
| Value Restriction(s): | The value provided must adhere to the follo continues") | owing requireme | nts: "Y" (to indica | ate "Relationship | p | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warning if any of the following conditions are true: The element is recorded with a valid value but the type of relationship is not equal to Director, Employee, Officer, or Owner/Controlling Shareholder. The element is not recorded or does not contain a value and the type of relationship is equal to Director, Employee, Officer, and/or Owner/Controlling Shareholder. | | | | | |
| Example: | <fc2:relationshipcontinuesindicator>Y<td>2:RelationshipCo</td><td>ontinues Indicator</td><td>></td><th></th></fc2:relationshipcontinuesindicator> | 2:RelationshipCo | ontinues Indicator | > | | |

| Element Name: | ResignedIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|---------------|---|---|--------------------|------------|---|--|--|--|
| Description: | Resigned (indicator). This element declares | esigned (indicator). This element declares that the status of the subject's relationship to the institution | | | | | | |
| | can be described as "Resigned." This eleme | ent corresponds v | with the following | a item(s): | | | | |

| Element Name: | ResignedIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|--|---------------------|---------------|---|--|--|--|
| | 25d. Relationship status of subjections | 25d. Relationship status of subject to institution: Resigned | | | | | | |
| | Please refer to Attachment C for additional (| information regai | ding the above it | rem(s). | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | PartyAssociation | | | | | | | |
| Element Restriction(s): | when the subject's relationship to the instit <subjectrelationshipfinancialinstitutiontin< td=""><td colspan="5">Record this element for the Subject (33) party type when it best describes the status of the relationship when the subject's relationship to the institution TIN recorded for the <subjectrelationshipfinancialinstitutiontintext> element has been identified as Director, Employee, Officer, or Owner/Controlling Shareholder; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext></td></subjectrelationshipfinancialinstitutiontin<> | Record this element for the Subject (33) party type when it best describes the status of the relationship when the subject's relationship to the institution TIN recorded for the <subjectrelationshipfinancialinstitutiontintext> element has been identified as Director, Employee, Officer, or Owner/Controlling Shareholder; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | | | |
| Value Restriction(s): | The value provided must adhere to the follow | owing requireme | nts: "Y" (to indica | ate Resigned) | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warning if any of the following conditions are true: The element is recorded with a valid value but the type of relationship is not equal to Director, Employee, Officer, or Owner/Controlling Shareholder. The element is not recorded or does not contain a value and the type of relationship is equal to Director, Employee, Officer, and/or Owner/Controlling Shareholder. | | | | | | | |
| Example: | <fc2:resignedindicator>Y<td></td><td><u> </u></td><td></td><td></td></fc2:resignedindicator> | | <u> </u> | | | | | |

| Element Name: | SubjectRelationshipFinancialInstitutionTINText | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|--|------------------|------------|---|--|
| Description: | Institution TIN (text). This element identifies the TIN of the institution recorded in the FinCEN SAR that the subject has a relationship with. This element corresponds with the following item(s): • 24a. Relationship of subject to institution: Institution TIN | | | | | |
| | Please refer to Attachment C for additional inform | nation regarding | g the above ite | m(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | PartyAssociation | | | | | |
| Element Restriction(s): | with the filing institution or financial institution or relationship with; otherwise, do not record this e | Record this element for the Subject (33) party type in order to identify the TIN (if known) associated with the filing institution or financial institution where activity occurred in which the subject has a relationship with; otherwise, do not record this element. If the subject has no relationship with any of these institutions, record the TIN of the filing institution for this element and record a "Y" value for the | | | | |
| Value Restriction(s): | The value provided must adhere to the following recorded must match the TIN recorded for the foccurred. | | | | | |
| Remarks: | The batch submission will be rejected if any of the | ne following co | nditions are tru | ıe: | | |
| | The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | | |
| | The value recorded does not match the TIN for the Filing institution or the Financial institution where the activity occurred. | | | | | |
| Example: | <fc2:subjectrelationshipfinancialinstitutiontint utiontintext=""></fc2:subjectrelationshipfinancialinstitutiontint> | <fc2:subjectrelationshipfinancialinstitutiontintext>458789856</fc2:subjectrelationshipfinancialinstitutiontintext> | | | | |

| Element Name: | SuspendedBarredIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|--|---------------------|-----------------|------------|---|
| Description: | Suspended/Barred (indicator). This element institution can be described as "Suspended item(s): | | | , | • |
| | 25c. Relationship status of subjections | t to institution: S | suspended/barre | d | |

| Element Name: | SuspendedBarredIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|-------------------|-------------------|------------|---|--|
| | Please refer to Attachment C for additional t | information regai | ding the above it | tem(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | PartyAssociation | | | | | |
| Element Restriction(s): | Record this element for the Subject (33) party type when it best describes the status of the relationship when the subject's relationship to the institution TIN recorded for the <subjectrelationshipfinancialinstitutiontintext> element has been identified as Director, Employee, Officer, or Owner/Controlling Shareholder; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: "Y" (to indicate Suspended/Barred) | | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warning if any of the following conditions are true: The element is recorded with a valid value but the type of relationship is not equal to Director, Employee, Officer, or Owner/Controlling Shareholder. The element is not recorded or does not contain a value and the type of relationship is equal to Director, Employee, Officer, and/or Owner/Controlling Shareholder. | | | | | |
| Example: | <fc2:suspendedbarredindicator>Y<td>spendedBarredIn</td><td>dicator></td><td></td><td></td></fc2:suspendedbarredindicator> | spendedBarredIn | dicator> | | | |

| Element Name: | TerminatedIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|-------------------------|---|--------------|---|------------|---|
| Description: | Terminated (indicator). This element declares that the status of the subject's relationship to the institution can be described as "Terminated." This element corresponds with the following item(s): • 25d. Relationship status of subject to institution: Terminated Please refer to Attachment C for additional information regarding the above item(s). | | | | |
| Attribute(s) | n/a | | | | |
| Parent Element: | PartyAssociation | | | | |
| Element Restriction(s): | Record this element for the Subject (33) party type when it best describes the status of the relationship when the subject's relationship to the institution TIN recorded for the <subjectrelationshipfinancialinstitutiontintext> element has been identified as Director, Employee, Officer, or Owner/Controlling Shareholder; otherwise, do not record this element.</subjectrelationshipfinancialinstitutiontintext> | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: "Y" (to indicate Terminated) | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warning if any of the following conditions are true: The element is recorded with a valid value but the type of relationship is not equal to Director, Employee, Officer, or Owner/Controlling Shareholder. The element is not recorded or does not contain a value and the type of relationship is equal to Director, Employee, Officer, and/or Owner/Controlling Shareholder. | | | | |
| Example: | <fc2:terminatedindicator>Y<td>edIndicator></td><td></td><td></td><th></th></fc2:terminatedindicator> | edIndicator> | | | |

| Element Name: Party | See Party Elements (below) for details. |
|---------------------|---|
|---------------------|---|

4.6.8.1. Party Elements

The following Party element (and associated sub-elements) corresponds with the Part III Branch location where activity occurred. In the event that the FinCEN SAR involves branch locations, up to 99 branch locations may be reported; otherwise, this Party element should not be recorded.

| Element Name: | Party | | minOccurs: | 0 | maxOccurs: | 99 |
|-------------------------|--|--|--|--|---------------------|-----------------|
| Description: | | This is the container for ecifically, the branch loc | | | or entity associate | d with the |
| | The following t | ables describe all possib | le sub-elements | for the Branch (4 | 6) party type: | |
| | | | ity party type co anch location wer | ode definitions re activity occurre | ed | |
| | 1. Finar | ncial institution where ac 4) | ctivity occurred: B | Branch location (F | inCEN SAR Part III | , Items 68, 69, |
| | Name | | | minOccu | rs maxOccurs | Content |
| | ActivityPartyT | ypeCode (Code 46) | | 1 | 1 | Simple |
| | PayLocationIr | ndicator (Item 68b) | | 0 | 1 | Simple |
| | SellingLocationIndicator (Item 68a) | | 0 | 1 | Simple | |
| | SellingPayingLocationIndicator (Item 68c) | | 0 | 1 | Simple | |
| | Address (Items 69, 71-74) | | 1 | 1 | Complex | |
| | Partyldentification (Item 70) | | 0 | 1 | Complex | |
| Attribute(s) | The following a | ttributes must be record | ded for this eleme | ent: | | |
| | Name | Description | | | | |
| | SeqNum | The value recorded for any numeric value up | | | nd unique. It may | contain |
| Parent Element: | PartyAssociatio | n | | | | |
| Element Restriction(s): | Record this element if the associated financial institution has a branch involved in the suspicious activity; otherwise, do not record this element. A branch is a location (such as an office or ATM) owned by the financial institution but located separately from the financial institution's headquarters. Generally, a branch operates under the same TIN as the financial institution. Up to 99 branches may be recorded for a single FinCEN SAR. | | | | | |
| Value Restriction(s): | n/a | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. More than 99 branches are recorded for the FinCEN SAR. | | | | | |
| Example: | See Part Eleme | nts by Party Type for a d | letailed example. | | | |

| Element Name: | ActivityPar | tyTypeCode | minOccurs: | 1 | maxOccurs: | 1 |
|-------------------------|-------------|--|------------|---|------------|---|
| Description: | | Party type (code). This element identifies the type of party associated with the FinCEN SAR; specifically, the branch where activity occurred. | | | | |
| Attribute(s) | n/a | n/a | | | | |
| Parent Element: | Party | Party | | | | |
| Element Restriction(s): | Required. 1 | Required. This element must be recorded for each <party> element regardless of party type.</party> | | | | |
| Value Restriction(s): | The value p | The value provided must adhere to the following requirements: | | | | |
| | Code | Description | | | | |
| | 46 | Branch where activity occu | rred | | | |
| | | | | | | |

| Element Name: | ActivityPartyTypeCode | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|--|------------------------------|---|------------|---|
| Remarks: | he batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | |
| | The element is not recorded. | The element is not recorded. | | | |
| | The element is recorded but with no value (i.e. the value is null). | | | | |
| | The element contains a value not equal to "46". | | | | |
| Example: | <fc2:activitypartytypecode>46</fc2:activitypartytypecode> | | | | |

| Element Name: | PayLocationIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|-------------------|-------------------|------------|---|--|
| Description: | Paying location (indicator). This element declares that the customer received payment from the branch for the products or instruments recorded in the FinCEN SAR. This element corresponds with the following item(s): | | | | | |
| | 68b. Branch's role in transaction (Paying location) | | | | | |
| | Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Party | Party | | | | |
| Element Restriction(s): | Record this element when the party type is associated with the Branch Where Activity Occurred (46) and the customer received payment from the branch (46) for the recorded products or instruments; otherwise, do not record this element. | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: "Y" (to indicate "Paying location") | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | ving conditions a | are true: | | |
| | The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | | |
| | The value recorded is not equal to "Y" or not equal to null. | | | | | |
| | The batch submission will be <u>accepted with warnings</u> if any of the following conditions are true: • More than one role is recorded for the branch's role in the transaction. | | | | | |
| | | | | | | |
| Example: | <fc2:paylocationindicator>Y<td>ocationIndicator</td><td>></td><td></td><td></td></fc2:paylocationindicator> | ocationIndicator | > | | | |

| Element Name: | SellingLocationIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|--|----------|------------|---------|--|
| Description: | Selling location (indicator). This element declares that the branch sold the products or instruments recorded in the FinCEN SAR. This element corresponds with the following item(s): • 68a. Branch's role in transaction (Selling location) Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Party | Party | | | | |
| Element Restriction(s): | Record this element when the party type is associated with the Branch Where Activity Occurred (46) and the branch sold the recorded products or instruments; otherwise, do not record this element. | | | | | |
| Value Restriction(s): | The value provided must adhere to the | The value provided must adhere to the following requirements: "Y" (to indicate "Selling location") | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | The batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | |
| | The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). | | | | Element | |
| | The value recorded is not equal to "Y" or not equal to null. | | | | | |
| | The batch submission will be <u>accepted with warnings</u> if any of the following conditions are true: | | | | | |
| | More than one role is recorded for the branch's role in the transaction. | | | | | |
| Example: | <fc2:sellinglocationindicator>Y<td>ellingLocationInc</td><td>dicator></td><td></td><td></td></fc2:sellinglocationindicator> | ellingLocationInc | dicator> | | | |

| Element Name: | SellingPayingLocationIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|--|------------------|-------------|---|--|
| Description: | Selling and Paying location (indicator). This element declares that the branch was both a paying and selling location for the products or instruments recorded in the FinCEN SAR. This element corresponds with the following item(s): • 68c. Branch's role in transaction (both Selling and Paying location) | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Party | Party | | | | |
| Element Restriction(s): | Record this element when the party type is associated with the Branch Where Activity Occurred (46) and the branch was both the selling and paying location for the recorded products or instruments; otherwise, do not record this element. | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: "Y" (to indicate both Selling and Paying location) | | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The value recorded is not equal to "Y" or not equal to null. The batch submission will be accepted with warnings if any of the following conditions are true: More than one role is recorded for the branch's role in the transaction. | | | | | |
| Example: | <fc2:sellingpayinglocationindicator>Y</fc2:sellingpayinglocationindicator> | <td>ngLocationIndica</td> <td>tor></td> <td></td> | ngLocationIndica | tor> | | |

| | Element Name: | Address | See Address Elements (below) for details. |
|--|---------------|---------|---|
|--|---------------|---------|---|

| Element Name: | Partyldentification | See Partyldentification Elements (below) for details. |
|---------------|---------------------|---|
| | | |

4.6.8.1.1. Address Elements

| Element Name: | Address | | minOccurs: | 1 | maxOccurs: | 99 | | |
|-----------------|--|---|--------------------|------|---|------------|--|--|
| Description: | branch where a (46) party type: | | | | | | | |
| | Name minOccurs maxOccurs Co | | | | | | | |
| | RawCityText | | | 0 | 1 | Simple | | |
| | RawCountryCodeText | | | 1 | 1 | Simple | | |
| | RawStateCodeText | | | 0 | 1 | Simple | | |
| | RawStreetAdo | dress1Text | | 0 | 1 | Simple | | |
| | RawZIPCode | | | 0 | 1 | Simple | | |
| | | ss> element is recorded f value in addition to any | | | the <rawcountr< td=""><td>yCodeText></td></rawcountr<> | yCodeText> | | |
| Attribute(s) | The following a | ttributes must be record | led for this eleme | ent: | | | | |
| | Name | Description | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may co any numeric value up to 19 characters in length. | | | | | | | |
| Parent Element: | Party | | | | | | | |

| Element Name: | Address | minOccurs: | 1 | maxOccurs: | 99 | | | | |
|-------------------------|---|---|---|------------|----|--|--|--|--|
| Element Restriction(s): | Required. This element must be recorde | Required. This element must be recorded when the parent element is recorded for the branch location. | | | | | | | |
| Value Restriction(s): | n/a | | | | | | | | |
| Remarks: | The element is missing a "SeqThe element contains a "Seq | | | | | | | | |
| | - | - | - | | | | | | |
| Example: | <fc2:rawcountrycodetext>L <fc2:rawstatecodetext>VA< <fc2:rawstreetaddress1text:< td=""><td colspan="6">The element is not recorded for the branch location. <fc2:address seqnum="59"> <fc2:rawcitytext>Cityville</fc2:rawcitytext> <fc2:rawcountrycodetext>US</fc2:rawcountrycodetext> <fc2:rawstatecodetext>VA</fc2:rawstatecodetext> <fc2:rawstreetaddress1text>123 Address Way</fc2:rawstreetaddress1text> <fc2:rawzipcode>547898856</fc2:rawzipcode></fc2:address></td></fc2:rawstreetaddress1text:<></fc2:rawstatecodetext></fc2:rawcountrycodetext> | The element is not recorded for the branch location. <fc2:address seqnum="59"> <fc2:rawcitytext>Cityville</fc2:rawcitytext> <fc2:rawcountrycodetext>US</fc2:rawcountrycodetext> <fc2:rawstatecodetext>VA</fc2:rawstatecodetext> <fc2:rawstreetaddress1text>123 Address Way</fc2:rawstreetaddress1text> <fc2:rawzipcode>547898856</fc2:rawzipcode></fc2:address> | | | | | | | |

| Element Name: | RawCityText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|---|------------------|---------------|------------|--|--|--|
| Description: | City (text). This element identifies the ci corresponds with the following item(s): | City (text). This element identifies the city associated with the address of the branch. This element corresponds with the following item(s): | | | | | | |
| | Branch: 71. City | Branch: 71. City | | | | | | |
| | Please refer to Attachment C for addition | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Address | | | | | | | |
| Element Restriction(s): | Record this element for the Branch (46 with the branch address is known; othe | | . , , , | , | associated | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less | | | | |
| Remarks: | None | | | | | | | |
| Example: | <fc2:rawcitytext>Rockville</fc2:rawcitytext> | | | | | | | |

| Element Name: | RawCountryCodeText | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|---|--|--------------------|-------------------|----------------|--|--|--|
| Description: | Country (code). This element identifies corresponds with the following item(s): | Country (code). This element identifies the country associated with the branch. This element corresponds with the following item(s): | | | | | | |
| | Branch: 74. Country | | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Address | Address | | | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed if the parent e | lement is record | ed. | | | | |
| Value Restriction(s): | The value provided must adhere to the codes) must adhere to the two-letter co | | , | , , | U.S. Territory | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | wing conditions a | ire true: | | | | |
| | The value recorded is not a value. | alid country code | Э. | | | | | |
| | The batch submission will be accepted | <u>with warning</u> if a | ny of the followir | ng conditions are | true: | | | |
| | The element is not recorded. | or does not cont | ain a value. | | | | | |
| | State code and country code | State code and country code mismatch when U.S. Territory is recorded. | | | | | | |
| Example: | <fc2:rawcountrycodetext>US<td>wCountryCodeT</td><td>ext></td><td></td><td></td></fc2:rawcountrycodetext> | wCountryCodeT | ext> | | | | | |

| Element Name: | RawStateCodeText | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|---|---|---|--|--|--|--|
| Description: | State/Territory/Province (code). This element identifies the state/territory/province associated with the address of the branch when the corresponding country is equal to US (United States), CA (Canada), MX (Mexico), or a U.S. Territory. This element corresponds with the following item(s): Branch: 72. State Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | nat injoinnation is | egarating the abo | ve tterri(3). | | | | |
| Parent Element: | Address | | | | | | | |
| Element Restriction(s): | Record this element for the Branch (46) country is US (United States), CA (Canathis element. *If the country is a U.S. Territory, record | da), MX (Mexico) | , or a U.S. Territo | ry*; otherwise, d | | | | |
| Value Restriction(s): | The value provided must adhere to the adhere to the two-letter codes used by or a U.S. Territory. If a U.S. Territory is re Canadian province/territory codes must Corporation when the country is equal standards of ISO 3166-2:MX when the country is equal standards. | the United State ecorded for the c t adhere to the to to CA. Mexican s | s Postal Service vountry, it must a wo-letter codes utate/federal distr | when the country Iso be recorded Ised by the Cana | y is equal to US for the state. Idian Post | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The value recorded is not a valid country code. The batch submission will be accepted with warning if any of the following conditions are true: The element contains a value and the country is not US, CA, MX, or a U.S. Territory. The element is not recorded or does not contain a value when the country is US, CA, MX, or a U.S. Territory. State code and country code mismatch when U.S. Territory is recorded. | | | | | | | |
| Example: | <fc2:rawstatecodetext>VA<td></td><td></td><td></td><th></th></fc2:rawstatecodetext> | | | | | | | |

| Element Name: | RawStreetAddress1Text | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|-------------------------|---|--|--------|------------|-----------|--|--|--|--|
| Description: | Street address (text). This element identifies the street address of the branch. This element corresponds with the following item(s): | | | | | | | | |
| | Branch: 69. Street Address | Branch: 69. Street Address | | | | | | | |
| | Please refer to Attachment C for addition | lease refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | | |
| Parent Element: | Address | | | | | | | | |
| Element Restriction(s): | Record this element for the Branch (46) associated with the branch address is ki | , | . , ,, | | t address | | | | |
| Value Restriction(s): | The value provided must adhere to the | The value provided must adhere to the following requirements: 100 characters or less | | | | | | | |
| Remarks: | • None | | | | | | | | |
| Example: | <fc2:rawstreetaddress1text>123 Addr</fc2:rawstreetaddress1text> | <fc2:rawstreetaddress1text>123 Address Way</fc2:rawstreetaddress1text> | | | | | | | |

| Element Name: | RawZIPCode | minOccurs: | 0 | maxOccurs: | 1 | | |
|-----------------|---|--|------------------|-------------|---|--|--|
| Description: | address of the branch. This element corBranch: 73. ZIP/Postal Code | ZIP/Postal Code (text). This element identifies the ZIP Code or foreign postal code associated with the address of the branch. This element corresponds with the following item(s): Branch: 73. ZIP/Postal Code | | | | | |
| | Please refer to Attachment C for addition | nal information re | egarding the abo | ve item(s). | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Address | | | | | | |

| Element Name: | RawZIPCode | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|---|---|------------|---|--|--|
| Element Restriction(s): | Record this element for the Branch (46) where activity occurred party type when the ZIP/Postal Code associated with the branch address is known; otherwise, do not record this element. | | | | | | |
| Value Restriction(s): | Territories): 5 or 9 numeric character en | The value provided must adhere to the following requirements: For a U.S. address (including U.S. Territories): 5 or 9 numeric character entry; 9 numeric character entry cannot end with four zeros or four nines. For a non-U.S. address: 9 (or less) character entry. Do not include punctuation or formatting such | | | | | |
| Remarks: | • None | | | | | | |
| Example: | <fc2:rawzipcode>547898856<td colspan="6">rfc2:RawZIPCode>547898856</td></fc2:rawzipcode> | rfc2:RawZIPCode>547898856 | | | | | |

4.6.8.1.2. Partyldentification Elements

| Element Name: | Partyldentificat | ion | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|--------------------|-------------------|--------------------|--------------|--|--|
| Description: | with the branch The following t | Party identification (header). This is the container for information about the identification associated with the branch, specifically, the Research, Statistics, Supervision, and Discount (RSSD) number. The following tables describe all possible sub-elements for the Branch (46) party type: 2. Branch: RSSD number (FinCEN SAR Part III, Item 70) | | | | | | |
| | Name | | | minOccu | rs maxOccurs | Content | | |
| | Partyldentifica | ationNumberText (Item 7 | 70) | 1 | 1 | Simple | | |
| | Partyldentifica | ationTypeCode (Item 70) | ı | 1 | 1 | Simple | | |
| | | dentification> element is valid value for each. | recorded for the E | Branch (46) party | type, then the ab | ove elements | | |
| Attribute(s) | The following a | ttributes must be record | led for this eleme | nt: | | | | |
| | Name | Description | | | | | | |
| | SeqNum | The value recorded for any numeric value up t | | | nd unique. It may | contain | | |
| Parent Element: | Party | | | | | | | |
| Element Restriction(s): | Record this element record this element | ment if the RSSD numbe | r is known for the | e Branch (46) pa | ty type; otherwise | , do not | | |
| Value Restriction(s): | n/a | | | | | | | |
| Remarks: | • The e | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | | |
| Example: | | ification SeqNum="60"> PartyldentificationNumb PartyldentificationTypeO tification> | erText>4455646 | | • | nberText> | | |

| Element Name: | PartyldentificationNumberText | minOccurs: | 1 | maxOccurs: | 1 | | |
|-----------------|---|------------|---|------------|--------------|--|--|
| Description: | Identification number (text). This eleme element corresponds with the following Branch: 70. RSSD number Please refer to Attachment C for addition | g item(s): | | | branch. This | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Partyldentification | | | | | | |

| Element Name: | PartyldentificationNumberText | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|--|--|--------------------|-------------------|-------|--|--|
| Element Restriction(s): | Required. This element must be recorde | equired. This element must be recorded if the parent element is recorded. | | | | | |
| Value Restriction(s): | The value provided must adhere to the | he value provided must adhere to the following requirements: 20 numeric characters or less | | | | | |
| Remarks: | The batch submission will be accepted | <u>with warning</u> if a | ny of the followir | ng conditions are | true: | | |
| | The element is not recorded of | The element is not recorded or does not contain a value. | | | | | |
| Example: | <pre><fc2:partyidentificationnumbertext>44</fc2:partyidentificationnumbertext></pre> | fc2:PartyldentificationNumberText>445564615654 | | | | | |

| Element Name: | PartyldentificationTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|--|--|--------------------|------------------|--------------|--|--|--|
| Description: | | dentification type (code). This element identifies the type of identification number associated with the branch as an "RSSD" number. This element corresponds with the following item(s): Branch: 70. RSSD number | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | | |
| Attribute(s) | n/a | ı/a | | | | | | |
| Parent Element: | Partyldentification | | | | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed if the parent e | lement is record | ed. | | | | |
| Value Restriction(s): | The value provided must adhere to the as the RSSD number) | following require | ements: "14" (to i | dentify the numl | ber recorded | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | ving conditions a | ire true: | | | | |
| | The element is not recordedThe value recorded is not equ | | ain a value | | | | | |
| Example: | <fc2:partyldentificationtypecode>14<!--</td--><td>/fc2:Partyldentific</td><td>cationTypeCode></td><td>•</td><td></td></fc2:partyldentificationtypecode> | /fc2:Partyldentific | cationTypeCode> | • | | | | |

ALERT: This is the end of the elements associated with the Part III Branch location where activity occurred. The following PartyAccountAssociation element corresponds with the Subject party type only.

4.6.9. PartyAccountAssociation Elements

The following PartyAccountAssociation element (and associated sub-elements) corresponds with the Part I Item 27 Financial institution TIN and account number(s) affected that are related to the subject. This element should not be recorded for the subject in the event that there are no known accounts involved related to the subject (in which case the NoKnownAccountInvolvedIndicator element would be recorded with a "Y" value for the subject). Please refer to the Item 27 Item Instructions (Attachment C) for additional information.

| Element Name: | PartyAccountAssociation | minOccurs: | 0 | maxOccurs: | 1 | |
|---------------|--|------------|----------|-------------|---------|--|
| Description: | Party account association (header). This is the container element for information about the financial institution and account(s) related to the subject. The following sub-element is associated with this element: Activity party type code definitions 33 = Subject | | | | | |
| | | | | | | |
| | Subject: Financial institution TIN and account number(s) affected that are related to the subject (if any) (FinCEN SAR Part I, Item 27b-e) | | | | | |
| | Name | | minOccui | s maxOccurs | Content | |
| | PartyAccountAssociationTypeCode (Co | ode 7) | 1 | 1 | Simple | |
| | Party (Items 27b-e) | | 1 | 99 | Complex | |

| Element Name: | PartyAccountA | ssociation | minOccurs: | 0 | maxOccurs: | 1 |
|-------------------------|---|--|-------------------|------------------|--------------------|-----------------------|
| | *If the <partyaccountassociation> element is recorded for the Subject (33), then the above elements must be recorded.</partyaccountassociation> | | | | | |
| Attribute(s) | The following a | ttributes must be record | led for this elem | ent: | | |
| | Name | Description | | | | |
| | SeqNum | The value recorded for any numeric value up t | | | nd unique. It ma | y contain |
| Parent Element: | Party | | | | | |
| Element Restriction(s): | Conditionally Required. Record this element for the Subject (33) party type when information about account(s) involved in the suspicious activity (related to the subject) exist; otherwise do not record this element and record the <noknownaccountinvolvedindicator> element with a "Y" value. An account is related to a subject if the subject owns the account, has control over the account, or conducted activity in or through an account the subject does not own or control.</noknownaccountinvolvedindicator> | | | | | |
| Value Restriction(s): | n/a | | | | | |
| Remarks: | The batch submission will be rejected if any of the following conditions are true: The element is recorded for a party type that is not applicable to this data (see Element Restrictions for more information). The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. The batch submission will be accepted with warning if any of the following conditions are true: The element is recorded but the <noknownaccountinvolvedindicator> element is also recorded with a "Y" value.</noknownaccountinvolvedindicator> The element is not recorded and the <noknownaccountinvolvedindicator> element is not recorded with a "Y" value.</noknownaccountinvolvedindicator> | | | | | e true: nt is also |
| Example: | <fc2< td=""><td>untAssociation SeqNum PartyAccountAssociation Party SeqNum="80"></td><td></td><td>fc2:PartyAccount</td><td>Association Type (</td><th>Code></th></fc2<> | untAssociation SeqNum PartyAccountAssociation Party SeqNum="80"> | | fc2:PartyAccount | Association Type (| Code> |

| Element Name: | PartyAccountAssociationTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|--|--|----------------------|------------------|------------|--|--|--|
| Description: | Party account association type (code). This | Party account association type (code). This element is for FinCEN purposes only. | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | PartyAccountAssociation | | | | | | | |
| Element Restriction(s): | Required. This element must be recorded when the parent element is recorded. | | | | | | | |
| Value Restriction(s): | The value provided must adhere to the follow | owing requireme | nts: "7" (to link th | ne subject to th | e account) | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any | of the following | conditions are t | rue: | | | | |
| | The element is not recorded or d | The element is not recorded or does not contain a value. | | | | | | |
| | The value recorded is not equal to "7". | | | | | | | |
| Example: | <fc2:partyaccountassociationtypecode></fc2:partyaccountassociationtypecode> | | | | | | | |

| Element Name: Party | See Party Elements (below) for details. |
|---------------------|---|
|---------------------|---|

4.6.9.1. Party Elements

The following Party element (and associated sub-elements) corresponds with the Part I Item 27 Financial institution TIN and account number(s) affected that are related to the subject. Unless there are no known accounts involved related to a subject (in which case the NoKnownAccountInvolvedIndicator element is recorded with a "Y" value for the subject and, as a result, the PartyAccountAssociation element is not recorded), up to 99 financial institutions' where

account(s) are held may be reported for each subject. Please refer to the Item 27 Item Instructions (Attachment C) for additional information.

| Element Name: | Party | | minOccurs: | 1 | maxOccurs: | 99 |
|-------------------------|--|--|--------------------|-------------------|--------------|---------|
| Description: | related to the s | Party (header). This is the container for information about the financial institution in which the account related to the subject is held. The following sub-element is associated with this element: | | | | |
| | | Activity party type code definitions 41 = Financial institution where account is held | | | | |
| | 1. Subje | ect: Financial institution | TIN (FinCEN SAR | Part I, Item 27b- | c) | |
| | Name | | | minOccu | rs maxOccurs | Content |
| | ActivityPartyT | ypeCode (Code 41) | | 1 | 1 | Simple |
| | NonUSFinanc | ialInstitutionIndicator (It | tem 27b) | 0 | 1 | Simple |
| | Partyldentification (Item 27c) | | 0 | 1 | Complex | |
| | Account (Item 27 d-e) | | | 0 | 99 | Complex |
| Attribute(s) | The following a | ttributes must be record | ded for this eleme | ent: | | |
| | Name | Description | | | | |
| | SeqNum | The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | contain |
| Parent Element: | PartyAccountA: | ssociation | | | | |
| Element Restriction(s): | Required. This | element must be record | ed when the pare | ent element is re | corded. | |
| Value Restriction(s): | n/a | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. More than 99 Financial Institutions Where Account is Held are recorded for the FinCEN SAR. | | | | | |
| Example: | See Part Eleme | nts by Party Type for a c | letailed example | • | | |

| Element Name: | ActivityPart | yTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|--------------|--|-------------------|-------------------|------------|---|--|--|
| Description: | | Party type (code). This element identifies the type of party associated with the FinCEN SAR; specifically the financial institution where the account is held. | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Party | Party | | | | | | |
| Element Restriction(s): | Required. T | Required. This element must be recorded for each <party> element regardless of party type.</party> | | | | | | |
| Value Restriction(s): | The value p | The value provided must adhere to the following requirements: | | | | | | |
| | Code | Description | | | | | | |
| | 41 | Financial institution where | account is held | | | | | |
| | | | | <u></u> | | | | |
| Remarks: | | submission will be <u>rejected</u> if | any of the follow | wing conditions a | are true: | | | |
| | • 1 | The element is not recorded. | | | | | | |
| | • 1 | The element is recorded but with no value (i.e. the value is null). | | | | | | |
| | • 1 | The element contains a value not equal to "41". | | | | | | |

| Element Name: | ActivityPartyTypeCode | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|---|------------|---|------------|---|
| Example: | <fc2:activitypartytypecode>41</fc2:activitypartytypecode> | | | | |

| Element Name: | NonUSFinancialInstitutionIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|-------------------|-------------------|------------|---|--|--|
| Description: | Non-U.S. financial institution (indicator). This element declares that the account is located at a foreign financial institution. This element corresponds with the following item(s): | | | | | | |
| | 27b. Non-U.S. financial institution | | | | | | |
| | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | Record this element when the Financial institution where the account is held (41) party type and the location of the institution is not within the U.S. or a U.S. Territory; otherwise, do not record this element. | | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: "Y" (to indicate "Non U.S. financial institution) | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | wing conditions a | re true: | | | |
| | The value recorded is not equ | ual to "Y" or not | equal to null. | | | | |
| Example: | <fc2:nonusfinancialinstitutionindicator>Y</fc2:nonusfinancialinstitutionindicator> | | | | | | |

| Element Name: Partyldentificat | See Partyldentification Elements (below) for details. |
|--------------------------------|---|
|--------------------------------|---|

| Element Name: | Account | See Account Elements (below) for details. |
|---------------|---------|---|
|---------------|---------|---|

4.6.9.1.1. Partyldentification Elements

| Element Name: | Partyldentificat | ion | minOccurs: | 0 | maxOccurs: | 1 |
|-----------------|--|---|--------------------|---------|--------------|---------|
| Description: | Party identification (header). This is the container for information about the TIN associated with the financial institution in which the account is held. The following sub-element is associated with this element: Activity party type code definitions 41 = Financial institution where account is held | | | | | |
| | | | | | | |
| | 1. Subject: Financial institution TIN (FinCEN SAR Part I, Item 27c) | | | | | |
| | Name | | | minOccu | rs maxOccurs | Content |
| | Partyldentific | ationNumberText (Item 2 | 27c) | 1 | 1 | Simple |
| | Partyldentific | ationTypeCode (Code 4) | | 1 | 1 | Simple |
| Attribute(s) | The following a | attributes must be record | ded for this eleme | ent: | | |
| | Name | Description | | | | |
| | SeqNum | The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | |
| Parent Element: | Party | | | | | |

| Element Name: | Partyldentification | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|------------|---|------------|---|--|
| Element Restriction(s): | Record this element when the TIN of the financial institution where the account is held is known; otherwise, do not record this element. | | | | | |
| Value Restriction(s): | n/a | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | |
| Example: | <fc2:partyldentification seqnum="81"></fc2:partyldentification> | | | | | |

| Element Name: | PartyldentificationNumberText | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|--|---|--------------------|-------------|---|--|--|--|
| Description: | Identification number (text). This element identifies the Taxpayer Identification Number (TIN) associated with the financial institution in which the account is held. This element corresponds with the following item(s): • 27c. Financial Institution TIN related to subject Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | Partyldentification | | | | | | | |
| Element Restriction(s): | Required. Record this element if the par | rent element is re | ecorded. | | | | | |
| Value Restriction(s): | numbers must be entered as a single al | The value provided must adhere to the following requirements: 25 characters or less. Identification numbers must be entered as a single alpha/numeric text string without formatting or special characters such as, for example, spaces, hyphens, or periods. Cannot be consecutive string of the same number or an incremental string such as 123456789. | | | | | | |
| Remarks: | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • The element is not recorded or does not contain a value. | | | | | | | |
| Example: | <fc2:partyldentificationnumbertext>45</fc2:partyldentificationnumbertext> | 8789856 <td>artyldentification</td> <td>NumberText></td> <td></td> | artyldentification | NumberText> | | | | |

| Element Name: | PartyldentificationTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|---|--|--------------------|-------------|---|--|--|--|
| Description: | financial institution in which the accour item(s): | · · | | | | | | |
| | | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | • | | | | | |
| Parent Element: | Partyldentification | | | | | | | |
| Element Restriction(s): | Required. Record this element if the pa | rent element is r | ecorded. | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "4" (to in | dicate TIN) | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | wing conditions a | are true: | | | | |
| | The element is not recorded or does not contain a value. The value recorded does not equal "4". | | | | | | | |
| Example: | <fc2:partyldentificationtypecode>4<td>c2:Partyldentifica</td><td>ationTypeCode></td><td></td><td></td></fc2:partyldentificationtypecode> | c2:Partyldentifica | ationTypeCode> | | | | | |

4.6.9.1.2. Account Elements

| Element Name: | Account | | minOccurs: | 0 | maxOccurs: | 99 | |
|-------------------------|--|---|-------------------|-----------------|--------------|------------|--|
| Description: | Account (header). This is the container for information about the account (held at the corresponding financial institution) involved in the suspicious activity related to the recorded subject. The following sub-element is associated with this element: | | | | | | |
| | | | ity party type co | | | | |
| | 1. Subje | ect: Financial institution | TIN (FinCEN SAR | Part I, Item 27 | d-e) | | |
| | Name | | | minOco | curs maxOccu | rs Content | |
| | AccountNuml | berText (Item 27d) | | 1 | 1 | Simple | |
| | PartyAccount | Association (Item 27e) | | 1 | 1 | Complex | |
| Attribute(s) | The following a | ttributes must be record | ded for this elem | ent: | | | |
| | Name Description | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | |
| Parent Element: | Party | | | | | | |
| Element Restriction(s): | Record this element for the Financial institution where the account is held (41) party type when the account number involved in the suspicious activity (related to the subject*) is known**; otherwise do not record this element. | | | | | | |
| | *An account is related to a subject if the subject owns the account, has control over the account, or conducted activity in or through an account the subject does not own or control. | | | | | | |
| | **If the filer is aware that the subject has an account involved in the suspicious activity with the recorded financial institution but the account number is unknown, record the <partyldentificationnumbertext> element with the TIN of the financial institution (41) party type and do not record the <account> element. Provide an explanation for the missing account number in the narrative.</account></partyldentificationnumbertext> | | | | | | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | • The e | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | |
| Example: | <fc2:account s<="" td=""><td>•</td><td></td><td></td><td></td><td></td></fc2:account> | • | | | | | |
| | | PartyAccountAssociatio | , | | | | |

| Element Name: | AccountNumberText | minOccurs: | 1 | maxOccurs: | 1 | |
|-------------------------|---|-------------------|-------------------|------------|---|--|
| Description: | Account number (text). This element identifies the account number involved in the suspicious activity related to the recorded subject. This element corresponds with the following item(s): | | | | | |
| | 27d. Account number | | | | | |
| | Please refer to Attachment C for additional (| information regai | ding the above it | tem(s). | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | Account | | | | | |
| Element Restriction(s): | Required. This element must be recorded when the <account> parent element is recorded.</account> | | | | | |

| Element Name: | AccountNumberText | minOccurs: | 1 | maxOccurs: | 1 | | |
|-----------------------|--|---|---|------------|---|--|--|
| Value Restriction(s): | The value provided must adhere to the following | The value provided must adhere to the following requirements: 40 characters or less | | | | | |
| Remarks: | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • The element is not recorded or does not contain a value. | | | | | | |
| Example: | <fc2:accountnumbertext>1502417873<td></td><td></td><td></td><td></td></fc2:accountnumbertext> | | | | | | |

| Element Name: Pa | artyAccountAssociation | See PartyAccountAssociation Elements (below) for details. |
|------------------|------------------------|---|
|------------------|------------------------|---|

4.6.9.1.3. PartyAccountAssociation Elements

| Element Name: | PartyAccountA | ssociation | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|---|--|--|------------------|--------------------|----------|--|--|
| Description: | Party account association (header). This is the container for creating the association of the account to the Financial institution where the account is held, as well as indicating whether or not the account is closed. | | | | | | | |
| | The following | sub-element is associate | ed with this elemer | nt: | | | | |
| | | | ty party type cod cial institution whe | | ld | | | |
| | | ect: Financial institution ect (if any) (FinCEN SAR I | | umber(s) affecte | d that are related | d to the | | |
| | Name | | | minOccur | s maxOccurs | Content | | |
| | AccountClose | dIndicator | | 0 | 1 | Simple | | |
| | PartyAccountAssociationTypeCode (Code 5) | | 1 | 1 | Simple | | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | | |
| | SeqNum | Name Description SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | |
| Parent Element: | Account | | | | | | | |
| Element Restriction(s): | Required. This | element must be record | ed when the parer | t element is rec | orded. | | | |
| Value Restriction(s): | n/a | | | | | | | |
| Remarks: | • The e | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is missing a "SeqNum" attribute. | | | | | | |
| Example: | <fc2 <fc2< td=""><td>untAssociation SeqNum AccountClosedIndicator PartyAccountAssociation puntAssociation></td><td>>Y<td></td><td>.ssociationTypeCo</td><td>ode></td></td></fc2<></fc2 | untAssociation SeqNum AccountClosedIndicator PartyAccountAssociation puntAssociation> | >Y <td></td> <td>.ssociationTypeCo</td> <td>ode></td> | | .ssociationTypeCo | ode> | | |

| Element Name: | AccountClosedIndicator | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|---|--------------------|------------------|-------------------|--------|
| Description: | Account closed (indicator). This element de corresponds with the following item(s): | clares that the re | corded account i | is closed. This e | lement |

| Element Name: | AccountClosedIndicator | minOccurs: | 0 | maxOccurs: | 1 | | | |
|-------------------------|---|--|---------------------|------------------|---------|--|--|--|
| | 27e. Account closed | | | | | | | |
| | Please refer to Attachment C for additional i | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | PartyAccountAssociation | PartyAccountAssociation | | | | | | |
| Element Restriction(s): | Record this element for the Financial institu associated account is closed; otherwise, do | | , | 1) party type wł | nen the | | | |
| Value Restriction(s): | The value provided must adhere to the follo | owing requireme | nts: "Y" (to indica | ate "Account clo | osed") | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element contains a value not equal to "Y" or null. | | | | | | | |
| Example: | <fc2:accountclosedindicator>Y</fc2:accountclosedindicator> | | | | | | | |

| Element Name: | PartyAccountAssociationTypeCode | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|---|---|----------------------|-------------------|------------|--|--|
| Description: | Party account association type (code). This element is for FinCEN purposes only. | | | | | | |
| Attribute(s) | n/a | n/a | | | | | |
| Parent Element: | PartyAccountAssociation | | | | | | |
| Element Restriction(s): | Required. This element must be recorded w | hen the parent e | element is record | ed. | | | |
| Value Restriction(s): | The value provided must adhere to the follothe account) | owing requireme | nts: "5" (to link tl | ne Financial inst | itution to | | |
| Remarks: | The batch submission will be <u>rejected</u> if any | of the following | conditions are t | rue: | | | |
| | The element is not recorded or d The value recorded is not equal t | The element is not recorded or does not contain a value. The value recorded is not equal to "F". | | | | | |
| Example: | <pre><fc2:partyaccountassociationtypecode></fc2:partyaccountassociationtypecode></pre> | | | | | | |

ALERT: This is the end of the elements associated with the Part I Item 27 Financial institution TIN and account number(s) affected that are related to the subject. The following SuspiciousActivity element corresponds with the FinCEN SAR activity.

4.7. SuspiciousActivity Elements

| Element Name: | SuspiciousActivity | minOccurs: | 1 | maxOccurs | : 1 | | |
|---------------|--|--|-----------------|---------------|---------|--|--|
| Description: | Suspicious Activity (header). This element is the container for information about the suspicious activity such as the total amount involved and the type of suspicious activity. The following sub-element is associated with this element: | | | | | | |
| | Name minOccurs maxOccurs Cat | | | | | | |
| | AmountUnknownIndicator (Ite | em 29a) | 0 | 1 | Simple | | |
| | CumulativeTotalViolationAmo | untText (Item 31) | 0 | 1 | Simple | | |
| | NoAmountInvolvedIndicator (| Item 29b) | 0 | 1 | Simple | | |
| | SuspiciousActivityFromDateTe | ext (Item 30a) | 1 | 1 | Simple | | |
| | SuspiciousActivityToDateText | (Item 30b) | 0 | 1 | Simple | | |
| | TotalSuspiciousAmountText (Item 29) | | | 1 | Simple | | |
| | SuspiciousActivityClassificatio | SuspiciousActivityClassification (Items 32-42) | | | Complex | | |
| | Please refer to Attachment C for | additional information r | egarding the al | bove item(s). | | | |
| Attribute(s) | The following attributes must b | e recorded for this eleme | ent: | | | | |
| | Name Description | | | | | | |

| Element Name: | SuspiciousActiv | vity | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|--|--|---|---|------------|---|--|--|--|
| | SeqNum | | The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | |
| Parent Element: | Activity | Activity | | | | | | | |
| Element Restriction(s): | Required. This | element must be recorde | ed. | | | | | | |
| Value Restriction(s): | n/a | | | | | | | | |
| Remarks: | • The 6 | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | | | |
| Example: | <fc2: <fc2: <fc2: <fc2: description<td colspan="7">• The element contains a "SeqNum" attribute with a duplicate or invalid value. <fc2:suspiciousactivity seqnum="123"> <fc2:suspiciousactivityfromdatetext>20171001</fc2:suspiciousactivityfromdatetext> <fc2:suspiciousactivitytodatetext>20171030</fc2:suspiciousactivitytodatetext> <fc2:totalsuspiciousamounttext>20000</fc2:totalsuspiciousamounttext> <fc2:suspiciousactivityclassification seqnum="124"> <fc2:othersuspiciousactivitytypetext> other type of suspicious activity description <fc2:suspiciousactivitytypetext> <fc2:suspiciousactivitysubtypeid>915</fc2:suspiciousactivitysubtypeid> <fc2:suspiciousactivitytypeid>9</fc2:suspiciousactivitytypeid> </fc2:suspiciousactivitytypetext></fc2:othersuspiciousactivitytypetext></fc2:suspiciousactivityclassification></fc2:suspiciousactivity></td></fc2: </fc2: </fc2: </fc2: | • The element contains a "SeqNum" attribute with a duplicate or invalid value. <fc2:suspiciousactivity seqnum="123"> <fc2:suspiciousactivityfromdatetext>20171001</fc2:suspiciousactivityfromdatetext> <fc2:suspiciousactivitytodatetext>20171030</fc2:suspiciousactivitytodatetext> <fc2:totalsuspiciousamounttext>20000</fc2:totalsuspiciousamounttext> <fc2:suspiciousactivityclassification seqnum="124"> <fc2:othersuspiciousactivitytypetext> other type of suspicious activity description <fc2:suspiciousactivitytypetext> <fc2:suspiciousactivitysubtypeid>915</fc2:suspiciousactivitysubtypeid> <fc2:suspiciousactivitytypeid>9</fc2:suspiciousactivitytypeid> </fc2:suspiciousactivitytypetext></fc2:othersuspiciousactivitytypetext></fc2:suspiciousactivityclassification></fc2:suspiciousactivity> | | | | | | | |

| Element Name: | AmountUnknownIndicator | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|---|--------------------|-----------------|-----------|--|
| Description: | Amount unknown (indicator). This element declares that the total dollar amount involved in the FinCEN SAR for the time period being reported is unknown. This element corresponds with the following item(s): 29a. Amount involved in this report (unknown) Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | SuspiciousActivity | | | | | |
| Element Restriction(s): | otherwise, do not record this element. I is unknown in narrative. If some dollar a AmountUnknownIndicator element; ins | Record this element when the dollar amount involved in the FinCEN SAR being filed is unknown; otherwise, do not record this element. If unknown, provide an explanation as to why the dollar amount is unknown in narrative. If some dollar amounts are known while others are unknown, do not record the AmountUnknownIndicator element; instead, record the total of all known amounts in the TotalSuspiciousAmountText element and provide an explanation for the unknown amounts in the narrative | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | ndicate "Amount | unknown") | |
| Remarks: | The value recorded is not equ | The batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | |
| Example: | <fc2:amountunknownindicator>Y<td>2:AmountUnknov</td><td>vnIndicator></td><td></td><th></th></fc2:amountunknownindicator> | 2:AmountUnknov | vnIndicator> | | | |

| Element Name: | CumulativeTotalViolationAmountText | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|--|---|---|--|---------------|
| Description: | Cumulative amount (amount). This elem involved in the suspicious activity. The complete FinCEN SARs filed on the suspicious act corresponds with the following item(s): • 31. Cumulative amount (only Please refer to Attachment C for addition | cumulative amou ivity, including the | nt represents the ne current FinCEN ivity report is ind | e total amount in N SAR being filed licated) | volved in all |
| Attribute(s) | n/a | | | | |

| Element Name: | CumulativeTotalViolationAmountText | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|---|---|-----------------|----------------|--------|--|
| Parent Element: | SuspiciousActivity | | | | | |
| Element Restriction(s): | Conditionally Required. Record the CumulativeTotalViolationAmountText element if the FinCEN SAR peing filed is a continuing activity report (i.e. the ContinuingActivityReportIndicator element is recorded with a "Y" value); otherwise, do not record this element. | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: 1-15 numeric characters (without leading zeros) denominated in whole U.S. Dollars. If the cumulative dollar amount is unknown because all dollar amounts are unknown or no dollar amount is involved, enter zero ("0") and provide an explanation in the narrative. If some dollar amounts are known while others are unknown, enter the total of all known amounts and explain the nature of the unknown amounts in the narrative. | | | | | |
| Remarks: | The batch submission will be accepted with warnings if any of the following conditions are true: • The value recorded contains one or more non-numeric characters. • The element is not recorded or does not contain a value and continuing activity report is indicated. • The element is recorded with a value and continuing activity report is not indicated. • The amount recorded is less than the total amount recorded for <totalsuspiciousamounttext></totalsuspiciousamounttext> | | | | | |
| Example: | <fc2:cumulativetotalviolationamountt< td=""><td>ext>30000<th>CumulativeTotal</th><td>ViolationAmoun</td><th>tText></th></td></fc2:cumulativetotalviolationamountt<> | ext>30000 <th>CumulativeTotal</th> <td>ViolationAmoun</td> <th>tText></th> | CumulativeTotal | ViolationAmoun | tText> | |

| Element Name: | NoAmountInvolvedIndicator | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|-------------------------|--------------------|-----------------|----------------|--|--|
| Description: | No amount involved (indicator). This element declares that there is no amount involved in the suspicious activity. This element corresponds with the following item(s): | | | | | | |
| | 29b. No amount involved | 29b. No amount involved | | | | | |
| | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | SuspiciousActivity | | | | | | |
| Element Restriction(s): | Record this element when there is no amount involved in the suspicious activity; otherwise, do not record this element. | | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: "Y" (to in | dicate "No amou | unt involved") | | |
| Remarks: | The batch submission will be <u>rejected</u> if | any of the follow | ving conditions a | ire true: | | | |
| | The value recorded is not equ | ual to "Y" or not e | equal to null. | | | | |
| Example: | <fc2:noamountinvolvedindicator>Y<td>c2:NoAmountIn</td><td>olvedIndicator></td><td></td><td></td></fc2:noamountinvolvedindicator> | c2:NoAmountIn | olvedIndicator> | | | | |

| Element Name: | SuspiciousActivityFromDateText | minOccurs: | 1 | maxOccurs: | 1 |
|-------------------------|---|--|--|--|--|
| Description: | Date or start date of suspicious activity. activity occurred (in the event that the sof suspicious activity (in the event that corresponds with the following item(s): • 30a. Date or date range (from Please refer to Attachment C for addition | suspicious activity that suspicious a n) of suspicious a | y occurred on a s ctivity occurred c ctivity | ingle day) or the n multiple days). | earliest date |
| Attribute(s) | n/a | | | | |
| Parent Element: | SuspiciousActivity | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed. | | | |
| Value Restriction(s): | The value provided must adhere to the YYYYMMDD where YYYY = year, MM = prefaced by a zero. If the exact date(s) that the filer believes will encompass th range in the narrative. If the FinCEN SAI by this FinCEN SAR. Record in the narration continuing suspicious activity. | month, and DD of the suspicious le date(s) of the s R involves contin | = day. Single dig activity is (are) u uspicious activity uing activity, ent | it days or month inknown, enter a v. Explain the nat er only the date | s must be date range ure of this date range covered |

| Element Name: | SuspiciousActivityFromDateText | piciousActivityFromDateText minOccurs: 1 maxOccurs: 1 | | | | | | | | |
|---------------|---|---|-------------------|---------------|--|--|--|--|--|--|
| Remarks: | The batch submission will be accepted | ne batch submission will be <u>accepted with warning</u> if any of the following conditions are true: | | | | | | | | |
| | The element is not recorded or does not contain a value. | | | | | | | | | |
| | The value recorded for the element is not in the required format (YYYYMMDD). | | | | | | | | | |
| | The value recorded is greater than the date recorded for <suspiciousactivitytodatetext>.</suspiciousactivitytodatetext> | | | | | | | | | |
| Example: | <fc2:suspiciousactivityfromdatetext>2</fc2:suspiciousactivityfromdatetext> | 20171001 <th>uspiciousActivity</th> <td>FromDateText></td> <td></td> | uspiciousActivity | FromDateText> | | | | | | |

| Element Name: | SuspiciousActivityToDateText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|--|--------------------|------------|---|--|--|
| Description: | end date of suspicious activity (when different from the start date). This element identifies the most- ecent date of suspicious activity (in the event that that suspicious activity occurred on multiple days). This element corresponds with the following item(s): 30b. Date range (to) of suspicious activity Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | SuspiciousActivity | | | | | | |
| Element Restriction(s): | Record this element when the suspicious activity occurred on multiple days (in which case this element will record the most-recent date of suspicious activity); otherwise, do not record this element. | | | | | | |
| Value Restriction(s): | YYYYMMDD where YYYY = year, MM = prefaced by a zero. If the exact date(s) of that the filer believes will encompass the range in the narrative. If the FinCEN SAI | The value provided must adhere to the following requirements: 8 numeric characters in the format YYYYMMDD where YYYY = year, MM = month, and DD = day. Single digit days or months must be prefaced by a zero. If the exact date(s) of the suspicious activity is (are) unknown, enter a date range that the filer believes will encompass the date(s) of the suspicious activity. Explain the nature of this date range in the narrative. If the FinCEN SAR involves continuing activity, enter only the date range covered by this FinCEN SAR. Record in the narrative the aggregated date range of all FinCEN SARs filed on the | | | | | |
| Remarks: | The batch submission will be <u>accepted</u> • The value recorded for the ele | ~ | - | - | | | |
| Example: | <fc2:suspiciousactivitytodatetext>201</fc2:suspiciousactivitytodatetext> | 71030 <td>oiciousActivityTol</td> <td>DateText></td> <th></th> | oiciousActivityTol | DateText> | | | |

| Element Name: | TotalSuspiciousAmountText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|---------------------------------------|---------------------------|----------------|--|--|
| Description: | Total amount involved (amount). This element identifies the total amount (in whole U.S. dollars) involved in the suspicious activity for the time period of the report. This element corresponds with the ollowing item(s): • 29. Amount involved in this report Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | 'a | | | | | |
| Parent Element: | SuspiciousActivity | | | | | | |
| Element Restriction(s): | amounts are known. Otherwise, do not AmountUnknownIndicator element with NoAmountInvolvedIndicator element w If some dollar amounts are known while AmountUnknownIndicator element; ins | Record this element when there is an amount involved in the FinCEN SAR and some or all of the dollar amounts are known. Otherwise, do not record this element and instead, record either the AmountUnknownIndicator element with a "Y" value if the entire amount is unknown, or the NoAmountInvolvedIndicator element with a "Y" value if there is no amount involved in the FinCEN SAR. If some dollar amounts are known while others are unknown, do not record the AmountUnknownIndicator element; instead, record the total of all known amounts in the TotalSuspiciousAmountText element and provide an explanation for the unknown amounts in the | | | | | |
| Value Restriction(s): | The value provided must adhere to the leading zeros) denominated in whole U | | ements: 1-15 nur | neric characters | (without | | |
| Remarks: | The batch submission will be accepted. The value recorded contains. The element is not recorded in not indicated. The element is recorded with | one or more non or does not cont | -numeric charact ain a value and u | ters. Inknown or no ar | mount involved | | |

| Element Name: | TotalSuspiciousAmountText | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|--|--|-------------------|------------|---|
| Example: | <pre><fc2:totalsuspiciousamounttext>2000</fc2:totalsuspiciousamounttext></pre> | 0 <th>oicious Amount Te</th> <td>xt></td> <th></th> | oicious Amount Te | xt> | |

| Lie ment Name. Suspicious Activity Classification See Suspicious Activity Classification Lie ments (below) for details. | Element Name: | SuspiciousActivityClassification | See SuspiciousActivityClassification Elements (below) for details. |
|---|---------------|----------------------------------|--|
|---|---------------|----------------------------------|--|

4.7.1. SuspiciousActivityClassification Elements

| Element Name: | SuspiciousActiv | SuspiciousActivityClassification minOccurs: 1 maxOccurs: 99 | | | | | | |
|-------------------------|--|--|---|----------------|---------------|--|--|--|
| Description: | specific type of | Suspicious activity classification (header). This element is the container for information about the specific type of suspicious activity. The following sub-element is associated with this element: | | | | | | |
| | | Name minOccurs maxOccurs Category | | | | | | |
| | | OtherSuspiciousActivityTypeText 0 1 Simple | | | | | | |
| | <u> </u> | SuspiciousActivitySubtypeID 1 1 Simple | | | | | | |
| | l - | SuspiciousActivityTypeID 1 1 Simple | | | | | | |
| Attribute(s) | This element corresponds with the following item(s): • 32. Structuring (32a – 32e, 32z) • 33. Terrorist financing (33a, 33z) • 34. Fraud (34a – 34m, 34z) • 35. Gaming activities (35a – 35d, 35z) • 36. Money Laundering (36a – 36m, 36z) • 37. Identification/Documentation (37a – 37f, 37z) • 38. Other suspicious activities (38a – 38s, 38z) • 39. Insurance (39a – 39f, 39z) • 40. Securities/Futures/Options (40a – 40e, 40z) • 41. Mortgage fraud (41a – 41e, 41z) • 42. Cyber event (42a – 42b, 42z) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | |
| | Name | Description | | | | | | |
| | SeqNum | · | | | | | | |
| Parent Element: | SuspiciousActiv | rity | | | | | | |
| Element Restriction(s): | Required. This | element must be recorde | ed. | | | | | |
| Value Restriction(s): | n/a | | | | | | | |
| Remarks: | • The 6 | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is missing a "SeqNum" attribute. | | | | | | |
| Example: | <fc2:suspicious <fc2: <fc2:< td=""><td>ActivityClassification Se SuspiciousActivitySubty SuspiciousActivityTypeII sActivityClassification></td><td>qNum="125"> peID>806<td>uspiciousActiv</td><td>itySubtypeID></td><td></td></td></fc2:<></fc2: </fc2:suspicious | ActivityClassification Se SuspiciousActivitySubty SuspiciousActivityTypeII sActivityClassification> | qNum="125"> peID>806 <td>uspiciousActiv</td> <td>itySubtypeID></td> <td></td> | uspiciousActiv | itySubtypeID> | | | |

| Element Name: | OtherSuspiciousActivityTypeText | minOccurs: | 0 | maxOccurs: | 1 | |
|-------------------------|--|---|------------------|---------------|---|--|
| Description: | Suspicious activity other (description). This element identifies the other description of the suspicious activity in the event that a type/category of activity applies (i.e. Structuring, Terrorist financing, etc.) but none of the subtype options apply. This element corresponds with the following item(s): • 32z - 42z. Other description of the suspicious activity subtype Please refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | SuspiciousActivityClassification | | | | | |
| Element Restriction(s): | Conditionally Required. Record this element when the type of suspicious activity is recorded as "Other" (i.e. <suspiciousactivitysubtypeid> contains any of the following codes: 1999,3999,6999,7999,8999,9999,10999,11999,12999); otherwise, do not record this element.</suspiciousactivitysubtypeid> | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less | | |
| Remarks: | The batch submission will be accepted with warning if any of the following conditions are true: The element is not recorded or does not contain a value and the subtype of suspicious activity is equal to Other. The element is recorded with a value but the subtype of suspicious activity is not equal to Other. | | | | | |
| Example: | . , , , , , | Otner. <fc2:othersuspiciousactivitytypetext>other type of suspicious activity description</fc2:othersuspiciousactivitytypetext> | | | | |

| Element Name: | SuspiciousAct | ivitySubtypeID | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|--|---|------------------|-----------------|-------------------|------------|--|--|
| Description: | specific type of subtype option 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. | Suspicious activity subtype (code). This element identifies the suspicious activity subtype, such as the specific type of structuring or specific type of gaming activity. This element corresponds with the subtype options associated with the following item(s): • 32. Structuring (32a – 32e, 32z) • 33. Terrorist financing (33a, 33z) • 34. Fraud (34a – 34m, 34z) • 35. Gaming activities (35a – 35d, 35z) • 36. Money Laundering (36a – 36m, 36z) • 37. Identification/Documentation (37a – 37f, 37z) • 38. Other suspicious activities (38a – 38s, 38z) • 39. Insurance (39a – 39f, 39z) • 40. Securities/Futures/Options (40a – 40e, 40z) • 41. Mortgage fraud (41a – 41e, 41z) • 42. Cyber event (42a – 42b, 42z) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | <u> </u> | <u> </u> | | | | |
| Parent Element: | SuspiciousAct | ivityClassification | | | | | | |
| Element Restriction(s): | Required. This | element must be recorde | ed. | | | | | |
| Value Restriction(s): | • Rec | vided must adhere to the ord the subtype code from type for the following: | | | oecific suspiciou | s activity | | |
| | Code | Description | | | | | | |
| | 111 | 111 Alters or cancels transaction to avoid BSA recordkeeping requirement | | | | | | |
| | 112 | Alters or cancels transac | tion to avoid CT | R requirement | | | | |
| | 106 | Suspicious inquiry by curequirements | stomer regarding | g BSA reporting | or recordkeeping | | | |

| Element Name: | SuspiciousAc | tivitySubtypeID | minOccurs: | 1 | maxOccurs: | 1 | | | |
|---------------|--------------|---------------------------|--------------------------|----------------|------------|---|--|--|--|
| | 113 | Transaction(s) below | v BSA recordkeeping | threshold | | | | | |
| | 114 | Transaction(s) below | v CTR threshold | | | | | | |
| | 1999 | Other | ther | | | | | | |
| | | o Terrorist financing (7) | | | | | | | |
| | Code | Description | | | | | | | |
| | 701 | Known or suspected | l terrorist/terrorist or | ganization | | | | | |
| | 7999 | Other | | | | | | | |
| | | o Fraud (3) | | | | | | | |
| | Code | Description | | | | | | | |
| | 320 | ACH | | | | | | | |
| | 322 | Advance fee | | | | | | | |
| | 321 | Business loan | | | | | | | |
| | 301 | Check | | | | | | | |
| | 304 | Consumer Loan | | | | | | | |
| | 305 | Credit/Debit Card | | | | | | | |
| | 323 | Healthcare/Public o | r private health insur | ance | | | | | |
| | 308 | Mail | | | | | | | |
| | 309 | Mass-marketing | | | | | | | |
| | 324 | Ponzi scheme | | | | | | | |
| | 310 | Pyramid scheme | | | | | | | |
| | 325 | Securities fraud | | | | | | | |
| | 312 | Wire transfer | | | | | | | |
| | 3999 | Other | | | | | | | |
| | | o Gaming activit | ies (12) | | | | | | |
| | Code | Description | | | | | | | |
| | 1201 | Chip walking | | | | | | | |
| | 1202 | Minimal gaming wit | h large transactions | | | | | | |
| | 1203 | Suspicious use of co | ounter checks or mar | kers | | | | | |
| | 1204 | Unknown source of | chips | | | | | | |
| | 12999 | Other | | | | | | | |
| | | o Money Launde | ring (8) | | | | | | |
| | Code | Description | | | | | | | |
| | 801 | Exchanges small bill | s for large bills or vic | e versa | | | | | |
| | 824 | Funnel account | | | | | | | |
| | 820 | Suspicious concerni | ng the physical cond | ition of funds | | | | | |

| Element Name: | SuspiciousAct | vitySubtypeID | minOccurs: | 1 | maxOccurs: | 1 | | | |
|---------------|---------------|----------------------|---|-------------------|------------|---|--|--|--|
| | 821 | Suspicious concerni | Suspicious concerning the source of funds | | | | | | |
| | 804 | Suspicious designat | ispicious designation of beneficiaries, assignees or joint owners | | | | | | |
| | 805 | Suspicious EFT/wire | transfers | | | | | | |
| | 822 | Suspicious exchang | e of currencies | | | | | | |
| | 806 | Suspicious receipt o | of government paym | ents/benefits | | | | | |
| | 807 | Suspicious use of m | ultiple accounts | | | | | | |
| | 808 | Suspicious use of n | oncash monetary ins | truments | | | | | |
| | 809 | Suspicious use of th | ird-party transactior | ns (straw-man) | | | | | |
| | 823 | Trade Based Money | Laundering/Black M | larket Peso Excha | inge | | | | |
| | 812 | Transaction out of p | oattern for customer | (s) | | | | | |
| | 8999 | Other | | | | | | | |
| | Code | Description | | | | | | | |
| | 401 | Changes spelling or | arrangement of nar | ne | | | | | |
| | 402 | Multiple individuals | with same or similar | identities | | | | | |
| | 403 | Provided questiona | ble or false documer | ntation | | | | | |
| | 409 | Provided questiona | ble or false identifica | tion | | | | | |
| | 404 | Refused or avoided | request for docume | ntation | | | | | |
| | 405 | Single individual wi | th multiple identities | | | | | | |
| | 4999 | Other | | | | | | | |
| | | o Other suspicio | us activities (9) | | | | | | |
| | Code | Description | | | | | | | |
| | 920 | Account takeover | | | | | | | |
| | 901 | Bribery or gratuity | | | | | | | |
| | 917 | Counterfeit Instrum | ent (other) | | | | | | |

| Code | Description |
|------|---|
| 920 | Account takeover |
| 901 | Bribery or gratuity |
| 917 | Counterfeit Instrument (other) |
| 921 | Elder financial exploitation |
| 903 | Embezzlement/theft/disappearance of funds |
| 904 | Forgeries |
| 926 | Human smuggling |
| 927 | Human trafficking |
| 905 | Identity theft |
| 922 | Little or no concern for product performance penalties, fees, or tax consequences |
| 924 | Misuse of position or self-dealing |
| 907 | Suspected public/private corruption (domestic) |
| 908 | Suspected public/private corruption (foreign) |
| 909 | Suspicious use of informal value transfer system |
| 910 | Suspicious use of multiple locations |
| 925 | Transaction with no apparent economic, business, or lawful purpose |

| Element Name: | SuspiciousAc | tivitySubtypeID | minOccurs: | 1 | maxOccurs: | 1 | | | |
|---------------|---------------|---------------------------------|-------------------------|---------------------|------------|---|--|--|--|
| | 928 | Transaction(s) involv | ing foreign high risk | jurisdiction | | | | | |
| | 911 | Two or more individ | uals working togethe | er | | | | | |
| | 913 | Unlicensed or unreg | istered MSB | | | | | | |
| | 9999 | Other | | | | | | | |
| | | o Insurance (5) | | | | | | | |
| | Code | Description | | | | | | | |
| | 501 | Excessive insurance | | | | | | | |
| | 502 | Excessive or unusual | cash borrowing aga | inst policy/annu | ity | | | | |
| | 504 | Proceeds sent to uni | elated third party | | | | | | |
| | 505 | Suspicious life settle | ment sales insurance | e (e.g., STOLI's, V | iaticals) | | | | |
| | 506 | Suspicious terminati | on of policy or contr | act | | | | | |
| | 507 | Unclear or no insura | ble interest | | | | | | |
| | 5999 | Other | | | | | | | |
| | | o Securities/Futu | res/Options (6) | | | | | | |
| | Code | Description | | | | | | | |
| | 601 | Insider trading | | | | | | | |
| | 608 | Market manipulation | 1 | | | | | | |
| | 603 | Misappropriation | | | | | | | |
| | 604 | Unauthorized poolir | g | | | | | | |
| | 609 | Wash trading | | | | | | | |
| | 6999 | Other | | | | | | | |
| | | o Mortgage fraud | i (10) | | | | | | |
| | Code | Description | | | | | | | |
| | 1005 | Application fraud | | | | | | | |
| | 1001 | Appraisal fraud | | | | | | | |
| | 1006 | Foreclosure/Short sa | le fraud | | | | | | |
| | 1003 | Loan Modification fr | aud | | | | | | |
| | 1007 | Origination fraud | | | | | | | |
| | 10999 | Other | | | | | | | |
| | | o Cyber event (1 |) | | | | | | |
| | Code | Description | | | | | | | |
| | 1101 | Against financial inst | itution(s) | | | | | | |
| | 1102 | Against financial inst | itution customer(s) | | | | | | |
| | 11999 | Other | | | | | | | |
| | | | | | | | | | |
| Remarks: | The batch sul | omission will be <u>rejecte</u> | ed it any of the follow | ving conditions a | are true: | | | | |

| Element Name: | SuspiciousActivitySubtypeID | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|---|---------------------------------------|---|--------------------|---|
| | The element is not recorded. The element is recorded but of the element contains a value. The element contains a value recorded. The element contains a value. | not equal to one that is not appro | e of the approved opriate for the ty | d codes listed abo | |
| Example: | <fc2:suspiciousactivitysubtypeid>601<</fc2:suspiciousactivitysubtypeid> | <pre></pre> | ActivitySubtypeID |)> | |

| Element Name: | SuspiciousAct | ivityTypeID | minOccurs: | 1 | maxOccurs: | 1 |
|-------------------------|---|--|--------------------|------------------|------------------|-------------|
| Description: | | tivity type (code). This eler errorist financing, Fraud, e | | | | • |
| | 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. | Structuring Terrorist financing Fraud Gaming activities Money Laundering Identification/Documenta Other suspicious activities Insurance Securities/Futures/Option Mortgage fraud Cyber event | S 1S | pagrding the abo | va itam(s) | |
| Attribute(s) | n/a | The state of the s | | -g aung une abo | | |
| Parent Element: | SuspiciousAct | ivityClassification | | | | |
| Element Restriction(s): | Required. This | s element must be recorde | ed. | | | |
| Value Restriction(s): | | vided must adhere to the ord the type code from the | | | c suspicious act | ivity type: |
| | Code | Description | | | · | |
| | 1 | Structuring | | | | |
| | 7 | Terrorist financing | | | | |
| | 3 | Fraud | | | | |
| | 12 | Gaming activities | | | | |
| | 8 | Money Laundering | | | | |
| | 4 | Identification / Docume | ntation | | | |
| | 9 | Other suspicious activiti | es | | | |
| | 5 | Insurance | | | | |
| | 6 | Securities/Futures/Option | ons | | | |
| | 10 | Mortgage fraud | | | | |
| | 11 | Cyber event | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is recorded but without a value (i.e. the value is null). The element contains a value not equal to one of the approved codes listed above. | | | | | |
| Example: | <fc2:suspicio< td=""><td>usActivityTypeID>6<td>SuspiciousActivity</td><td>/TypeID></td><td></td><td></td></td></fc2:suspicio<> | usActivityTypeID>6 <td>SuspiciousActivity</td> <td>/TypeID></td> <td></td> <td></td> | SuspiciousActivity | /TypeID> | | |

4.8. ActivityIPAddress Elements

| Element Name: | ActivityIPAddre | ess | minOccurs: | 0 | maxOccurs | : 99 | | | |
|-------------------------|---|--|------------|-----------|---------------|----------|--|--|--|
| Description: | IP Address (header). This element is the container for information about IP address involved in the suspicious activity. An explanation of the IP address must be recorded in the narrative as well. | | | | | | | | |
| | The following sub-element is associated with this element: | | | | | | | | |
| | Name | | | minOccurs | maxOccurs | Category | | | |
| | ActivityIPAdd | ressDateText | | 0 | 1 | Simple | | | |
| | ActivityIPAdd | ressTimeStampText | | 0 | 1 | Simple | | | |
| | IPAddressTex | t | | 1 | 1 | Simple | | | |
| | | orresponds with the follow Address (if available) 43a. Date (YYYYMM) 43b. Timestamp (U | MDD) | | | | | | |
| | | Attachment C for addition | | | bove item(s). | | | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | | | |
| | Name Description | | | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | | | |
| Parent Element: | Activity | | | | | | | | |
| Element Restriction(s): | financial institu connection with | Record this element when the IP address of the subject's electronic internet based contact with the financial institution is known; otherwise, do not record this element. If reporting an IP address in connection with a cyber-event, do not record this element; instead, record the IP address within the <cybereventindicators> section.</cybereventindicators> | | | | | | | |
| Value Restriction(s): | n/a | | | | | | | | |
| Remarks: | • The | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is missing a "SeqNum" attribute. | | | | | | | |
| Example: | <fc2:activityipa <fc2: <fc2: <fc2:< td=""><td colspan="6">The element contains a "SeqNum" attribute with a duplicate or invalid value. fc2:ActivityIPAddress SeqNum="126"></td></fc2:<></fc2: </fc2: </fc2:activityipa | The element contains a "SeqNum" attribute with a duplicate or invalid value. fc2:ActivityIPAddress SeqNum="126"> | | | | | | | |

| Element Name: | ActivityIPAddressDateText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|------------------|-------------|-----------------|--|--|
| Description: | IP address (date). This element identifie This element corresponds with the follo 43a. IP Address (Date) | owing item(s): | , | · | ted IP address. | | |
| | Please refer to Attachment C for addition | nai information r | egaraing the abo | ve item(s). | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | ActivityIPAddress | | | | | | |
| Element Restriction(s): | Record this element to identify the date otherwise, do not record this element. | Record this element to identify the date of the first instance of the reported IP Address (if known); otherwise, do not record this element. | | | | | |
| Value Restriction(s): | The value provided must adhere to the YYYYMMDD where YYYY = year, MM = prefaced by a zero. | J 1 | | | | | |

| Element Name: | ActivityIPAddressDateText | minOccurs: | 0 | maxOccurs: | 1 | | |
|---------------|--|--|-----------------|------------|---|--|--|
| Remarks: | The batch submission will be accepted | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: | | | | | |
| | The value recorded for the element is not in the required format (YYYYMMDD). | | | | | | |
| Example: | <pre><fc2:activityipaddressdatetext>20171</fc2:activityipaddressdatetext></pre> | 101 <th>IPAddressDateTe</th> <td>ext></td> <th></th> | IPAddressDateTe | ext> | | | |

| Element Name: | ActivityIPAddressTimeStampText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|---|--|-------------------|--------------|----------------|--|--|
| Description: | | P address (timestamp). This element identifies the UTC time of the first instance of the reported IP address. This element corresponds with the following item(s): | | | | | |
| | 43b. IP Address (Timestamp) | | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | ActivityIPAddress | | | | | | |
| Element Restriction(s): | Record this element to identify the Coo of the reported IP Address (if known); o | | , , | | first instance | | |
| Value Restriction(s): | , | The value provided must adhere to the following requirements: UCT time must be in the format "HH:MM:SS" where HH = hour (00-23), MM = minutes (00-59), and SS = second (00-59). Single digit | | | | | |
| Remarks: | The batch submission will be <u>accepted</u> • The value recorded for the el | | | | true: | | |
| Example: | <fc2:activityipaddresstimestamptext></fc2:activityipaddresstimestamptext> | 05:13:55 <td>tivityIPAddressTi</td> <td>meStampText></td> <td></td> | tivityIPAddressTi | meStampText> | | | |

| Element Name: | IPAddressText | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|---|---|------------------|------------|---|--|--|
| Description: | IP address (text). This element identifies the IP address of the subject's electronic internet based contact with the financial institution. example, this may be the IP address used to log into the institution's online banking page or the IP address used to access an institution's mobile application. This element corresponds with the following item(s): 43. IP Address (if available) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | ActivityIPAddress | | | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed if the parent e | lement is record | ed. | | | |
| Value Restriction(s): | of the format nnn.nnn.nnn.nnn (n = nui must be values between 1-255 (inclusiv between 0-255 (inclusive). | If the IP address is IPv6, use a variation of the format cccc:cccc:cccc:cccc:cccc:cccc (c = | | | | | |
| Remarks: | The batch submission will be <u>accepted with warning</u> if any of the following conditions are true: • The value recorded for the element is not in the required format (see Value Restrictions for format requirements). | | | | | | |
| Example: | <fc2:ipaddresstext>166.123.216.61</fc2:ipaddresstext> | c2:IPAddressText | > | | | | |

4.9. CyberEventIndicators Elements

| Element Name: | CyberEventIndicators | minOccurs: | 0 | maxOccurs: | 99 |
|---------------|--|------------|---|------------|----|
| Description: | Cyber Event (header). This element is the suspicious activity. An explanation of the | | | , | |

| Element Name: | CyberEventIndi | cators | minOccurs: | 0 | maxOccurs | : 99 | |
|-------------------------|---|--------------------------|-------------------|-----------|-----------|----------|--|
| | The following sub-element is associated with this element: | | | | | | |
| | Name | | | minOccurs | maxOccurs | Category | |
| | CyberEventDa | nteText | | 0 | 1 | Simple | |
| | CyberEventIn | dicatorsTypeCode | | 1 | 1 | Simple | |
| | CyberEventTi | neStampText | | 0 | 1 | Simple | |
| | CyberEventTy | peOtherText | | 0 | 1 | Simple | |
| | EventValueTe | xt | | 1 | 1 | Simple | |
| | This element corresponds with the following item(s): • 44. Cyber Event Indicators (44a-j, z) Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | The following a | ttributes must be record | led for this elem | ent: | | | |
| | Name Description | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | |
| Parent Element: | Activity | | | | | | |
| Element Restriction(s): | Record this element when the suspicious activity involves one or more types of cyber events; otherwise, do not record this element. | | | | | | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | | |
| Example: | <fc2:cybereventindicators seqnum="128"></fc2:cybereventindicators> | | | | | | |

| Element Name: | CyberEventDateText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|------------|---|------------|---|--|--|
| Description: | Cyber event (date). This element identifies the date of the first instance of the reported cyber event, specifically, when reporting a Command and Control IP address or Suspicious IP Address. This element corresponds with the following item(s): | | | | | | |
| | 44a2. Date associated with Command and Control IP Address 44h2. Date associated with Suspicious IP Address | | | | | | |
| | Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | CyberEventIndicators | | | | | | |
| Element Restriction(s): | Record this element to identify the date associated with the following cyber events (if known); otherwise, do not record this element: • Command and Control IP Address • Suspicious IP Address | | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: 8 numeric characters in the format YYYYMMDD where YYYY = year, MM = month, and DD = day. Single digit days or months must be prefaced by a zero. | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | | | |

| Element Name: | CyberEventDateText | minOccurs: | 0 | maxOccurs: | 1 | |
|---------------|--|------------------|----------|------------|---|--|
| | The element is recorded for a cyber event type that is not applicable to this data (see Element Restrictions for more information). The batch submission will be accepted with warning if any of the following conditions are true: | | | | | |
| | The value recorded for the element is not in the required format (YYYYMMDD). | | | | | |
| Example: | <fc2:cybereventdatetext>20171101<!--</th--><th>fc2:CyberEventDa</th><th>ateText></th><th></th><th></th></fc2:cybereventdatetext> | fc2:CyberEventDa | ateText> | | | |

| Element Name: | CyberEventInd | dicators Type Code | minOccurs: | 1 | maxOccurs: | 1 | |
|-------------------------|---|---|--------------------|------------------|------------|---|--|
| Description: | Cyber event indicator type (code). This element identifies the cyber event indicator type. This element corresponds with the following item(s): | | | | | | |
| | • 44a | 44a-j, z. Cyber Event Indicator use refer to Attachment C for additional information regarding the above item(s). | | | | | |
| | Please refer to | | | | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | CyberEventIn | dicators | | | | | |
| Element Restriction(s): | Required. This | s element must be recorde | ed if the parent e | lement is record | ed. | | |
| Value Restriction(s): | | vided must adhere to the | | | | | |
| | | ord the type of cyber eve | nt indicator from | the list below: | | | |
| | Code | Description | | | | | |
| | 1 | Command and control I | P address | | | | |
| | 2 | Command and control I | JRL/domain | | | | |
| | 3 | Malware MD5, Malware | SHA-1, or Malwa | are SHA-256 | | | |
| | 4 | Media Access Control (N | ЛАС) Address | | | | |
| | 5 | Port | | | | | |
| | 6 | Suspicious e-mail addre | SS | | | | |
| | 7 | Suspicious file name | | | | | |
| | 8 | Suspicious IP address | | | | | |
| | 9 | Suspicious URL/domain | | | | | |
| | 10 | Targeted system | | | | | |
| | 999 | Other | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: | | | | | | |
| | The element is not recorded or does not contain a value. The value recorded is invalid. | | | | | | |
| Example: | <fc2:cybereventindicatorstypecode>1</fc2:cybereventindicatorstypecode> | | | | | | |

| Element Name: | CyberEventTimeStampText | minOccurs: | 0 | maxOccurs: | 1 | |
|-----------------|--|------------|---|------------|---|--|
| Description: | event, specifically, when reporting a Co element corresponds with the following • 44a2. Timestamp associated • 44h2. Timestamp associated | | | | | |
| Attribute(s) | n/a | | | | | |
| Parent Element: | CyberEventIndicators | | | | | |

| Element Name: | CyberEventTimeStampText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|---|--------------------|--------------------|---|--|--|
| Element Restriction(s): | of the following cyber events (if known) | ecord this element to identify the Coordinated Universal Time (UCT) associated with the first instance f the following cyber events (if known); otherwise, do not record this element: Command and Control IP Address Suspicious IP Address | | | | | |
| Value Restriction(s): | The value provided must adhere to the "HH:MM:SS" where HH = hour (00-23), times must be prefaced by a zero. | <i>-</i> | | | | | |
| Remarks: | The batch submission will be rejected if The element is recorded for a Restrictions for more informa The batch submission will be accepted The value recorded for the elements | a cyber event typ ation). with warning if a | e that is not appl | icable to this dat | | | |
| Example: | <fc2:cybereventtimestamptext>11:05:</fc2:cybereventtimestamptext> | 45 <td>entTimeStampTe</td> <td>xt></td> <th></th> | entTimeStampTe | xt> | | | |

| Element Name: | CyberEventTypeOtherText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|--|--------------------|-------------------|---------|--|--|
| Description: | ` ' ' | Cyber event other (description). This element identifies the description of the other type of reported cyber event. This element corresponds with the following item(s): | | | | | |
| | 44z2. Text description of other | er value | | | | | |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | | | |
| Attribute(s) | n/a | | | | | | |
| Parent Element: | CyberEventIndicators | | | | | | |
| Element Restriction(s): | Conditionally Required. Record this eler <cybereventindicatorstypecode> cont</cybereventindicatorstypecode> | • | . , | | , | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less | | | |
| Remarks: | The batch submission will be accepted | with warnings if | any of the follow | ing conditions ar | e true: | | |
| | The element is not recorded. | or does not cont | ain a value and tl | he | | | |
| | < CyberEventIndicatorsTypeC | ode> is equal to | "11" Other. | | | | |
| | The element is recorded with to "11" Other. | The element is recorded that a value and the respective management specified and | | | | | |
| Example: | <fc2:cybereventtypeothertext>Other</fc2:cybereventtypeothertext> | description <td>:CyberEventType</td> <td>OtherText></td> <td></td> | :CyberEventType | OtherText> | | | |

| Element Name: | EventValueText | minOccurs: | 1 | maxOccurs: | 1 | | |
|-------------------------|--|--|---|--|---|--|--|
| Description: | This element corresponds with the follo | Cyber event (value). This element identifies the event value associated with the reported cyber event. This element corresponds with the following item(s): 44a-j, z. Cyber Event Indicator | | | | | |
| Attribute(s) | n/a | nat injoinnation is | egarating the abo | ve iterri(s). | | | |
| Parent Element: | CyberEventIndicators | | | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed if the parent e | lement is record | ed. | | | |
| Value Restriction(s): | The value provided must adhere to the following format based on these specifi Command and Control/Suspi format nnn.nnn.nnn.nnn (n = numbers must be values between 0-25 format cccc:cccc:cccccccccsegments) with colons between | ic types of cyber icious IP Address number) with peween 1-255 (inclustic icides). If the coccecce (| events: es: If the IP addre eriods between tl isive); second, th ne IP address is If c = character, IPv | ess is IPv4, use a ne segments. Firs ird and fourth serve, use a variation | variation of the t set of t of numbers on of the | | |

| Element Name: | EventValueText | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|--|------------------|------|------------|---|
| | URL/Domain names: Must contain at least one period, no spaces, cannot begin or end with dash. Media Access Control (MAC) Addresses: Must be in the format XX:XX:XX:XX:XX:XX Email Addresses: Must contain @ symbol and at least one period following the @ symbol. | | | | |
| Remarks: | The batch submission will be accepted. The element is not recorded. The value recorded is not valid format requirements). | or does not cont | ain. | J | |
| Example: | <fc2:eventvaluetext>166.123.216.61<!--</td--><td>fc2:EventValueTe</td><td>xt></td><td></td><th></th></fc2:eventvaluetext> | fc2:EventValueTe | xt> | | |

4.10. Assets Elements

| Element Name: | Assets | | minOccurs: | 0 | maxOccui | rs: 31 | |
|-------------------------|--|--|---|------------------------------------|------------------|---------------------------|--------------------|
| Description: | activity, specific | This element is the contact type, in | strument type, a | nd/or paymen | | the suspic | ious |
| | The following sub-elements are associated with this element: | | | | | Catago | |
| | Name | ID (1) 45 + 446 | · 、 | minOccurs | maxOccurs | Catego | • |
| | | ID (Items 45a-t, z / 46a- | I, Z) | 1 | 1 | Simple | |
| | AssetTypeID (| · · · · · · · · · · · · · · · · · · · | | 0 | 1 | Simple | |
| | OtherAssetSu | btypeText (Items 45z, 46 | 02) | 0 | I | Simple | |
| | • 45. P • 46. Ir | orresponds with the follow roduct type(s) involved instrument type(s)/paymon Attachment C for additio | in suspicious acti ent mechanism(s) | involved in su | • | ity (46a-l, z | z) |
| Attribute(s) | The following a | ttributes must be record | ded for this eleme | ent: | | | |
| | Name | Name Description | | | | | |
| | SeqNum | The value recorded for any numeric value up | | | and unique. I | t may con | tain |
| Parent Element: | Activity | | | | | | |
| Element Restriction(s): | If multiple proc activity, record describes the m | ment when a product ty activity; otherwise, do no luct/instrument types ar a separate instance of tl nin/max number of occu strument type/payment | nd/or payment m his element to ide irrences this elem | ment. echanisms werentify each one | re involved in a | the suspici The follow | ious ving table |
| | Sub-types ass | ociated with the followi | ng types: | | m | in-max | |
| | Item 45. Prod | uct type (AssetTypeID= | 5) | | | 0-21 | |
| | Item 46. Instrument type/Payment mechanism (AssetTypeID=6) | | | | 0-10 | | |
| | Total 0-31 | | | | | | |
| Value Restriction(s): | n/a | | | | | | |
| Remarks: | • The e | nission will be <u>rejected</u> in element is missing a "Seq element contains a "Seq | qNum" attribute. | - | | Je. | |

| Element Name: | Assets | minOccurs: | 0 | maxOccurs: | 31 | |
|---------------|---|--------------------------------------|---|------------|----|--|
| Example: | <fc2:assets seqnum="130"></fc2:assets> | fc2:Assets SeqNum="130"> | | | | |
| | <fc2:assetsubtypeid>2</fc2:assetsubtypeid> | | | | | |
| | <fc2:assettypeid>5<td colspan="5"><fc2:assettypeid>5</fc2:assettypeid></td></fc2:assettypeid> | <fc2:assettypeid>5</fc2:assettypeid> | | | | |
| | | | | | | |

| such as Bonds | (code). This element iden | tifies the specific | . t | | | | |
|---------------------------------------|--|--|--|---|---|--|--|
| • 45a | such as Bonds/Notes if a product type is involved, or Bank/cashier's check if an instrument/payment mechanism is involved. This element corresponds with the following item(s): 45a-t, z. Product type(s) involved in suspicious activity | | | | | | |
| • 46a | -i, z. Instrument type(s)/pa | ayment mechanis | sm(s) involved in | suspicious activi | ty | | |
| Please refer to | Attachment C for addition | nal information re | egarding the abo | ve item(s). | | | |
| n/a | | | | | | | |
| | <u> </u> | | | | | | |
| | | - | | ed. | | | |
| · · · · · · · · · · · · · · · · · · · | | | ements: | | | | |
| Code | Description | 21 - | | | | | |
| 2 | Bonds/Notes | | | | | | |
| 3 | Commercial mortgage | | | | | | |
| 4 | Commercial paper | | | | | | |
| 5 | Credit card | | | | | | |
| 6 | Debit card | | | | | | |
| 46 | Deposit Account | | | | | | |
| 7 | Forex transactions | | | | | | |
| 8 | Futures/Options on futu | res | | | | | |
| 9 | Hedge fund | | | | | | |
| 11 | Home equity line of cred | dit | | | | | |
| 10 | Home equity loan | | | | | | |
| 12 | Insurance/Annuity prod | ucts | | | | | |
| 47 | Microcap securities | | | | | | |
| 13 | Mutual fund | | | | | | |
| 14 | Options on securities | | | | | | |
| 16 | Prepaid access | | | | | | |
| 17 | Residential mortgage | | | | | | |
| 18 | Security futures product | S | | | | | |
| 19 | Stocks | | | | | | |
| 20 | Swap, hybrid, or other d | erivative | | | | | |
| 30 | Other | | | | | | |
| • Iten | n 46. Instrument type/Pav | ment mechanism | ı (AssetTypeID=6 | i) | | | |
| Code | Description | | , ,, | | | | |
| 31 | Bank/Cashier's check | | | | | | |
| | • 46a Please refer to n/a Assets Required. This The value prov • Iten Code 2 3 4 5 6 46 7 8 9 11 10 12 47 13 14 16 17 18 19 20 30 • Iten Code | 46a-i, z. Instrument type(s)/pa Please refer to Attachment C for addition n/a Assets Required. This element must be recorded. The value provided must adhere to the lem 45. Product type (Asset Total Market) (As | 46a-i, z. Instrument type(s)/payment mechanise Please refer to Attachment C for additional information refer not a sesets Required. This element must be recorded if the parent etem 45. Product type (AssetTypeID=5) Code Description 2 Bonds/Notes 3 Commercial mortgage 4 Commercial paper 5 Credit card 6 Debit card 46 Deposit Account 7 Forex transactions 8 Futures/Options on futures 9 Hedge fund 11 Home equity line of credit 10 Home equity loan 12 Insurance/Annuity products 47 Microcap securities 13 Mutual fund 14 Options on securities 16 Prepaid access 17 Residential mortgage 18 Security futures products 19 Stocks 20 Swap, hybrid, or other derivative 30 Other Litem 46. Instrument type/Payment mechanism | 46a-i, z. Instrument type(s)/payment mechanism(s) involved in Please refer to Attachment C for additional information regarding the about n/a Assets Required. This element must be recorded if the parent element is recorded the parent element is recorded in the parent element is parent eleme | 46a-i, z. Instrument type(s)/payment mechanism(s) involved in suspicious activity Please refer to Attachment C for additional information regarding the above item(s). n/a Assets Required. This element must be recorded if the parent element is recorded. The value provided must adhere to the following requirements: | | |

| Element Name: | AssetSubtype | eID | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|---------------------|---|--|---|---|---|
| | 32 | Foreign currency | | | | |
| | 33 | Funds transfer | | - | | |
| | 34 | Gaming instruments | | - | | |
| | 35 | Government payment | | | | |
| | 36 | Money orders | · | | | |
| | 37 | Personal/Business checl | | | | |
| | 38 | Travelers checks | | | | |
| | 39 | U.S. Currency | | - | | |
| | 41 | Other | | | | |
| | | | | _ | | |
| Remarks: | • Th • Th • Th • Th | bmission will be <u>rejected</u> i e element is not recorded. e element is recorded but e element contains a value e element contains a value e element contains a value | without a value (e not equal to on e that is not appr | i.e. the value is n e of the approve opriate for the ty | ull). d codes listed ab pe of asset recor | |
| Example: | | btypeID>2 <td></td> <td>Deen recorded i</td> <td>or the Activity.</td> <td></td> | | Deen recorded i | or the Activity. | |

| Element Name: | AssetTypeID | | minOccurs: | 1 | maxOccurs: | 1 | |
|-------------------------|---|--|--------------------|-------------------|----------------|---|--|
| Description: | associated wi following iten • 45. • 46. | esset type (code). This element identifies the type/category of assets, specifically whether it is esociated with a product type or instrument/payment mechanism. This element corresponds with the ellowing item(s): 45. Product type(s) involved in suspicious activity 46. Instrument type(s)/payment mechanism(s) involved in suspicious activity dease refer to Attachment C for additional information regarding the above item(s). | | | | | |
| Attribute(s) | n/a | Transfer C for addition | Tat information is | egarating the abo | ve tterritage. | | |
| Parent Element: | Assets | | | | | | |
| Element Restriction(s): | Required. Thi | s element must be recorde | ed if the parent e | lement is record | ed. | | |
| Value Restriction(s): | The value pro | vided must adhere to the | following require | ements: | | | |
| | Code | Description | | | | | |
| | 5 | Product type(s) involved | I in suspicious ac | tivity | | | |
| | 6 | 6 Instrument type(s)/payment mechanism(s) involved in suspicious activity | | | | | |
| Remarks: | • The | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is recorded but without a value (i.e. the value is null). The element contains a value not equal to one of the approved codes listed above. | | | | | |
| Example: | <fc2:assettyp< td=""><td>pelD>5</td><td>•</td><td>•</td><td></td><td></td></fc2:assettyp<> | pelD>5 | • | • | | | |

| Element Name: | OtherAssetSubtypeText | minOccurs: | 0 | maxOccurs: | 1 |
|---------------|---|----------------------------------|------------------|-------------|------------|
| Description: | Asset other (description). This element subtype. This element corresponds with 45z. Product type(s) (other de 46z. Instrument type(s)/paym | the following ite escription) | em(s): | | rted asset |
| | Please refer to Attachment C for addition | nal information r | egarding the abo | ve item(s). | |

| Element Name: | OtherAssetSubtypeText | minOccurs: | 0 | maxOccurs: | 1 | | |
|-------------------------|--|--|---|-------------------|-------|--|--|
| Attribute(s) | n/a | | | | | | |
| Parent Element: | Assets | | | | | | |
| Element Restriction(s): | , . | Conditionally Required. Record this element to provide a description of the other product/instrument ype/payment mechanism when the <assetsubtypeid> element contains the values "30" or "41"; otherwise, do not record this element.</assetsubtypeid> | | | | | |
| Value Restriction(s): | The value provided must adhere to the | following require | ements: 50 chara | cters or less. | | | |
| Remarks: | The batch submission will be <u>accepted with warnings</u> if any of the following conditions are true: • The element is not recorded or does not contain a value and Other is indicated for the - AssetSubtypeID> element. • The element is recorded with a value and Other is not indicated for the - AssetSubtypeID> element. | | | | | | |
| Example: | <fc2:otherassetsubtypetext>other inst</fc2:otherassetsubtypetext> | trument type des | cription <td>her Asset Subtype</td> <th>Text></th> | her Asset Subtype | Text> | | |

4.11. AssetsAttribute Elements

| Element Name: | AssetsAttribute | 1 | minOccurs: | 0 | maxOccurs | : 396 | |
|-------------------------|---|---|---------------------|-----------------|-------------------|------------|----------|
| Description: | in the suspicion and/or CUSIP r | (header). This element i us activity, whether it be number. uub-elements are associa | a type of commo | odity, product/ | | | |
| | Name | | | minOccurs | maxOccurs | Categor | у |
| | AssetAttribut | eDescriptionText (Items | 47-50) | 1 | 1 | Simple | |
| | AssetAttribut | eTypeID (Items 47-50) | | 1 | 1 | Simple | |
| | This element corresponds with the following item(s): 47. Commodity type (if applicable) 48. Product/Instrument description (if needed) 49. Market where traded 50. CUSIP number Please refer to Attachment C for additional information regarding the above item(s). | | | | | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | |
| | Name Description | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | ain |
| Parent Element: | Activity | | | | | | |
| Element Restriction(s): | product/instru | ment when the suspicion ment, market where trad | ed, and/or CUSIF | number; othe | erwise, do not re | ecord this | element. |
| | FinCEN SAR: | 99 occurrences of each a | isset attribute typ | Je memioneu a | above may be i | | or the |
| | Attribute type | 25 | | | mii | n-max | |
| | Item 47. Commodity type (if applicable) | | | (|)-99 | | |
| | Item 48. Product/Instrument description (if needed) | | | (|)-99 | | |
| | Item 49. Marl | et where traded | | | (|)-99 | |
| | Item 50. CUSI | P number | | | (|)-99 | |

| Element Name: | AssetsAttribute | minOccurs: | 0 | maxC | Occurs: | 396 | | |
|-----------------------|---|--------------|-----------|------|---------|-----|--|--|
| | Total 0-396 | | | | | | | |
| | | | | | | | | |
| Value Restriction(s): | n/a | | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is missing a "SeqNum" attribute. The element contains a "SeqNum" attribute with a duplicate or invalid value. | | | | | | | |
| Example: | <fc2:assetsattribute seqnum="134"></fc2:assetsattribute> | | | | | | | |
| | <fc2:assetattributedescription< td=""><td>nText>Commod</td><th>lity type</th><td></td><td></td><td></td><td></td></fc2:assetattributedescription<> | nText>Commod | lity type | | | | | |
| | description | | | | | | | |
| | <fc2:assetattributetypeid>2</fc2:assetattributetypeid> | | | | | | | |
| | | | | | | | | |

| Element Name: | AssetAttributeDescriptionText | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|--|---|--|------------------|---------------|--|--|--|
| Description: | Asset attribute other (description). This involved in the suspicious activity. This 47. Commodity type (if applie 48. Product/Instrument description 49. Market where traded 50. CUSIP number Please refer to Attachment C for addition | element correspo cable) ription (if needed | onds with the fol | lowing item(s): | set attribute | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | AssetsAttribute | | | | | | | |
| Element Restriction(s): | Required. This element must be recorde | ed if the parent e | lement is record | ed. | | | | |
| Value Restriction(s): | Commodity type description: Instrument/Product descripti Market where traded: 3-5 lettraded. Use only the ISO 103: http://www.iso15022.org/Ml6 | traded. Use only the ISO 10383 Exchange/Market Identifier Codes (MIC) found at http://www.iso15022.org/MIC/homepageMIC.htm . • CUSIP Number: 12 characters or less to identify the CUSIP number of a recorded securities | | | | | | |
| Remarks: | The batch submission will be <u>accepted with warnings</u> if any of the following conditions are true: The element is not recorded or the element is recorded but with no value. The value recorded is not valid based on the type of asset attribute (see Value Restrictions for format requirements). | | | | | | | |
| Example: | <fc2:assetattributedescriptiontext>Co</fc2:assetattributedescriptiontext> | mmodity type de | escription <td>ssetAttributeDes</td> <th>criptionText></th> | ssetAttributeDes | criptionText> | | | |

| Element Name: | AssetAttributeTypeID | minOccurs: | 1 | maxOccurs: | 1 |
|-----------------|---|---|------------------|------------------|---|
| Description: | Asset attribute type (code). This element whether it is a type of commodity, produce element corresponds with the following: 47. Commodity type (if application 48. Product/Instrument described 49. Market where traded 50. CUSIP number Please refer to Attachment C for addition | luct/instrument, i g item(s): cable) iption (if needed | market where tra | ded, or CUSIP nu | • |
| Attribute(s) | n/a | | | | |
| Parent Element: | AssetsAttribute | | | | |

| Element Name: | AssetAttribute | eTypeID | minOccu | ırs: | 1 | maxOccurs: | 1 | | |
|-------------------------|----------------|---|-----------|---------|---------|------------|---|--|--|
| Element Restriction(s): | Required. This | equired. This element must be recorded if the parent element is recorded. | | | | | | | |
| Value Restriction(s): | The value pro | vided must adhere to the | following | require | ements: | | | | |
| | Code | Description | | | | | | | |
| | 2 | Commodity type | | | | | | | |
| | 3 | Product/Instrument type | е | | | | | | |
| | 4 | Market where traded | | | | | | | |
| | 1 | CUSIP number | | | | | | | |
| Remarks: | • The | The element is recorded but without a value (i.e. the value is null). | | | | | | | |
| Example: | | ributeTypeID>2 <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | | |

4.12. ActivityNarrativeInformation Elements

| Element Name: | ActivityNarrativ | eInformation | minOccurs: | 1 | maxOccurs | 5 | | | |
|-------------------------|--|--|------------|-----------|-----------------|-------------------|--|--|--|
| Description: | with the FinCEN | er). This element is the I SAR. ub-elements are associ | | | narrative descr | iption associated | | | |
| | Name | | | minOccurs | maxOccurs | Category | | | |
| | ActivityNarrat | iveSequenceNumber | | 1 | 1 | Simple | | | |
| | ActivityNarrat | iveText | | 1 | 1 | Simple | | | |
| | This element corresponds with the following item(s): o Part V. Suspicious Activity Report – Narrative Please refer to Attachment C for additional information regarding the above item(s). | | | | | | | | |
| Attribute(s) | The following attributes must be recorded for this element: | | | | | | | | |
| | Name Description | | | | | | | | |
| | SeqNum The value recorded for this attribute must be numeric and unique. It may contain any numeric value up to 19 characters in length. | | | | | | | | |
| Parent Element: | Activity | | | | | | | | |
| Element Restriction(s): | Required. This | element must be record | led. | | | | | | |
| Value Restriction(s): | n/a | | | | | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded. The element is missing a "SeqNum" attribute. | | | | | | | | |
| Example: | The element contains a "SeqNum" attribute with a duplicate or invalid value. <fc2:activitynarrativeinformation seqnum="136"> <fc2:activitynarrativesequencenumber>1</fc2:activitynarrativesequencenumber> <fc2:activitynarrativetext>Text narrative text</fc2:activitynarrativetext> </fc2:activitynarrativeinformation> | | | | | | | | |

| Element Name: | ActivityNarra | tiveSequenceNumber | minOccurs: | 1 | maxOccurs: | 1 | | | | |
|-------------------------|--|--|--|---|---|---------------------------------------|--|--|--|--|
| Description: | constructed in the entire nate of the entire nate of the entire nate of the entire nate of the entire of the narrative recorded who | quence number). This element in the event that multiple Activities. If the narrative text is 5,000 clitiveInformation element block tiveSequenceNumber ">1<" for the ActivityNarrativeText element description, a second instance the ActivityNarrativeSequent the narrative description in the ActivityNarrativeSequent the ActivityNarrative | naracters in lengt where the first collowed by the fi ment; in order to e of the ActivityN enceNumber is "> | h, there should be nstance contains rest 4,000 character record the rema arrative Informati 2<" followed by | blocks are need be two instances sers of the narratining 1,000 cha ion element blo | s of the tive racters of ck should be | | | | |
| Attribute(s) | n/a | | | | | | | | | |
| Parent Element: | ActivityNarra | tiveInformation | | | | | | | | |
| Element Restriction(s): | Required. Thi | is element must be recorded v | when the parent o | element is record | led. | | | | | |
| Value Restriction(s): | The value provided must adhere to the following requirements: | | | | | | | | | |
| | Code | Description | | | | | | | | |
| | 1 | First block of narrative text | (character set 1-4 | 1000) | | | | | | |
| | 2 | Second block of narrative to | ext (character set | 4001-8000, if ne | eded) | | | | | |
| | 3 | Third block of narrative text | t (character set 80 | 001-12000, if nee | eded) | | | | | |
| | 4 | Fourth block of narrative te | xt (character set | 12001-16000, if r | needed) | | | | | |
| | 5 | Fifth block of narrative text | (character set 16 | 001-20000, if ne | eded) |] | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: The element is not recorded or does not contain a value. The value recorded is not equal to a valid code. The element contains a value that has already been recorded for the Activity. | | | | | | | | | |
| Example: | | NarrativeSequenceNumber>1 | | | | | | | | |

| Element Name: | ActivityNarrativeText | minOccurs: | 1 | maxOccurs: | 1 | | | |
|-------------------------|--|--|--|---|---|--|--|--|
| Description: | Narrative (description). This element record activity. The narrative must provide a clear, what was unusual or irregular that caused s through III only when that data are necessa Filers should include any other information suspicious activity | complete, and co suspicion. This de ary for a complete | oncise descriptio scription should understanding | n of the activity include data fro of the suspiciou | , including om Parts I us activity. | | | |
| Attribute(s) | n/a | | | | | | | |
| Parent Element: | ActivityNarrativeInformation | | | | | | | |
| Element Restriction(s): | Required. This element must be recorded w | hen the parent e | element is record | ed. | | | | |
| Value Restriction(s): | The value provided must adhere to the follo | owing requireme | nts: 4000 charact | ters or less | | | | |
| Remarks: | The batch submission will be <u>rejected</u> if any of the following conditions are true: • The element is not recorded or does not contain a value. | | | | | | | |
| Example: | <fc2:activitynarrativetext>Text narrative te</fc2:activitynarrativetext> | ext <td>larrativeText></td> <td></td> <td></td> | larrativeText> | | | | | |

5. Party Elements by Party Type

The <Party> element is comprised of various elements and sub-elements that apply to specific party types (i.e. Transmitter, financial institution where activity occurred, etc.). The chart below describes at a high level the party elements that apply to each party type.

Activity party type code definitions

35 = Transmitter | 37 = Transmitter Contact | 30 = Filing Institution | 8 = Contact Office | 18 = LE Contact Agency
19 = LE Contact Name | 34 = Financial Institution Where Activity Occurred
46 = Branch Where Activity Occurred | 33 = Subject 41 = Financial Institution Where Account is Held

| Element name | 35 | 37 | 30 | 8 | 18 | 19 | 34 | 46 | 33 | 41 |
|---|----|----|----|---|----|----|----|----|----|----|
| <party seqnum=""></party> | • | • | • | • | • | • | • | | • | |
| <activitypartytypecode></activitypartytypecode> | • | • | • | • | • | • | • | | • | |
| <admissionconfessionnoindicator></admissionconfessionnoindicator> | | | | | | | | | • | |
| <admissionconfessionyesindicator></admissionconfessionyesindicator> | | | | | | | | | • | |
| < All Critical Subject Information Unavailable Indicator/> | | | | | | | | | • | |
| <birthdateunknownindicator></birthdateunknownindicator> | | | | | | | | | • | |
| <bothpurchasersenderpayeereceiveindicator></bothpurchasersenderpayeereceiveindicator> | | | | | | | | | • | |
| <contactdatetext></contactdatetext> | | | | | | • | | | | |
| <femalegenderindicator></femalegenderindicator> | | | | | | | | | • | |
| <individualbirthdatetext></individualbirthdatetext> | | | | | | | | | • | |
| <losstofinancialamounttext></losstofinancialamounttext> | | | | | | | • | | | |
| <malegenderindicator></malegenderindicator> | | | | | | | | | • | |
| <nobranchactivityinvolvedindicator></nobranchactivityinvolvedindicator> | | | | | | | • | | | |
| <noknownaccountinvolvedindicator></noknownaccountinvolvedindicator> | | | | | | | | | • | |
| <nonusfinancialinstitutionindicator></nonusfinancialinstitutionindicator> | | | | | | | | | | |
| <partyasentityorganizationindicator></partyasentityorganizationindicator> | | | | | | | | | • | |
| <payeereceiverindicator></payeereceiverindicator> | | | | | | | | | • | |
| <paylocationindicator></paylocationindicator> | | | | | | | • | | | |
| <primaryregulatortypecode></primaryregulatortypecode> | | | • | | | | • | | | |
| <purchasersenderindicator></purchasersenderindicator> | | | | | | | | | • | |
| <sellinglocationindicator></sellinglocationindicator> | | | | | | | • | | | |
| <sellingpayinglocationindicator></sellingpayinglocationindicator> | | | | | | | • | | | |
| <unknowngenderindicator></unknowngenderindicator> | | | | | | | | | • | |
| <partyname seqnum=""></partyname> | • | • | • | • | • | • | • | | • | |
| <entitylastnameunknownindicator></entitylastnameunknownindicator> | | | | | | | • | | • | |
| <firstnameunknownindicator></firstnameunknownindicator> | | | | | | | | | • | |
| <partynametypecode></partynametypecode> | • | • | • | • | • | • | • | | • | |
| <rawentityindividuallastname></rawentityindividuallastname> | | | | | | | | | • | |
| <rawindividualfirstname></rawindividualfirstname> | | | | | | | | | • | |
| <rawindividualmiddlename></rawindividualmiddlename> | | | | | | | | | • | |
| <rawindividualnamesuffixtext></rawindividualnamesuffixtext> | | | | | | | | | • | |
| <rawpartyfullname></rawpartyfullname> | • | • | • | • | • | • | • | | • | |
| | • | • | • | • | • | • | • | | • | |
| <address seqnum=""></address> | • | | • | | | | • | | • | |
| <cityunknownindicator></cityunknownindicator> | | | | | | | • | | • | |
| <countrycodeunknownindicator></countrycodeunknownindicator> | | | | | | | • | | • | |
| <rawcitytext></rawcitytext> | • | | • | | | | • | | • | |
| <rawcountrycodetext></rawcountrycodetext> | • | | • | | | | • | | • | |
| <rawstatecodetext></rawstatecodetext> | • | | • | | | | • | | • | |
| <rawstreetaddress1text></rawstreetaddress1text> | • | | • | | | | • | | • | |
| <rawzipcode></rawzipcode> | | | • | | | | • | | • | |
| <statecodeunknownindicator></statecodeunknownindicator> | | | | | | | | | • | |
| <streetaddressunknownindicator></streetaddressunknownindicator> | | | | | | | • | | • | |
| <zipcodeunknownindicator></zipcodeunknownindicator> | | | | | | | • | | • | |
| | • | | • | | | | • | | • | |

| ement name | 35 | 37 | 30 | 8 | 18 | 19 | 34 | 46 | 33 | 4 |
|---|----|----|----|---|----|----|----|----|----|--------------|
| <phonenumber seqnum=""></phonenumber> | • | | | • | | • | | | • | П |
| <phonenumberextensiontext></phonenumberextensiontext> | | | | • | | • | | | • | |
| <phonenumbertext></phonenumbertext> | • | | | • | | • | | | • | |
| <phonenumbertypecode></phonenumbertypecode> | | | | | | | | | • | |
| | • | | | • | | • | | | • | |
| <partyldentification seqnum=""></partyldentification> | • | | • | | | | • | | • | |
| <pre></pre> | | | | | | | _ | | • | |
| <otherissuercountrytext></otherissuercountrytext> | | | | | | | | | • | |
| <otherissuerstatetext></otherissuerstatetext> | | | | | | | | | | |
| <pre><otherpartyidentificationtypetext></otherpartyidentificationtypetext></pre> | | | | | | | | | | \vdash |
| <partyldentificationnumbertext></partyldentificationnumbertext> | • | | • | | | | • | | | \vdash |
| <u> </u> | | | | | | | | | | |
| <partyldentificationtypecode></partyldentificationtypecode> | • | | • | | | | • | | • | ╁ |
| <tinunknownindicator></tinunknownindicator> | | | | | | | • | | • | ╀ |
| | • | | • | | | | • | | • | \vdash |
| <organizationclassificationtypesubtype seqnum=""></organizationclassificationtypesubtype> | | | • | | | | • | | | L |
| <organizationsubtypeid></organizationsubtypeid> | | | • | | | | • | | | \vdash |
| <organizationtypeid></organizationtypeid> | | | • | | | | • | | | 1 |
| <otherorganizationsubtypetext></otherorganizationsubtypetext> | | | • | | | | • | | | \perp |
| <otherorganizationtypetext></otherorganizationtypetext> | | | • | | | | • | | | L |
| | | | • | | | | • | | | L |
| <partyoccupationbusiness seqnum=""></partyoccupationbusiness> | | | | | | | | | • | |
| <naicscode></naicscode> | | | | | | | | | • | |
| <occupationbusinesstext></occupationbusinesstext> | | | | | | | | | • | Т |
| | | | | | | | | | • | T |
| <electronicaddress seqnum=""></electronicaddress> | | | | | | | | | • | T |
| <electronicaddresstext></electronicaddresstext> | | | | | | | | | • | T |
| <electronicaddresstypecode></electronicaddresstypecode> | | | | | | | | | • | † |
| | | | | | | | | | • | $^{+}$ |
| <partyassociation seqnum=""></partyassociation> | | | | | | | • | | • | † |
| <accountantindicator></accountantindicator> | | | | | | | | | • | \vdash |
| <actiontakendatetext></actiontakendatetext> | | | | | | | | | | ╁ |
| <agentindicator></agentindicator> | | | | | | | | | | ╁ |
| | | | | | | | | | | ╁ |
| <appraiserindicator></appraiserindicator> | | | | | | | | | • | ╀ |
| <attorneyindicator></attorneyindicator> | | | | | | | | | • | ╀ |
| <borrowerindicator></borrowerindicator> | | | | | | | | | • | ╀ |
| <customerindicator></customerindicator> | | | | | | | | | • | ╀ |
| <directorindicator></directorindicator> | | | | | | | | | • | ╀ |
| <employeeindicator></employeeindicator> | | | | | | | | | • | 1 |
| <norelationshiptoinstitutionindicator></norelationshiptoinstitutionindicator> | | | | | | | | | • | \perp |
| <officerindicator></officerindicator> | | | | | | | | | • | L |
| <otherpartyassociationtypetext></otherpartyassociationtypetext> | | | | | | | | | • | |
| <otherrelationshipindicator></otherrelationshipindicator> | | | | | | | | | • | L |
| <ownershareholderindicator></ownershareholderindicator> | | | | | | | | | • | |
| <relationshipcontinuesindicator></relationshipcontinuesindicator> | | | | | | | | | • | |
| <resignedindicator></resignedindicator> | | | | | | | | | • | Τ |
| <subjectrelationshipfinancialinstitutiontintext></subjectrelationshipfinancialinstitutiontintext> | | | | | | | | | • | T |
| <suspendedbarredindicator></suspendedbarredindicator> | | | | | | | | | • | T |
| <terminatedindicator></terminatedindicator> | | | | | | | | | • | t |
| <party seqnum=""></party> | | | | | | | • | • | | † |
| ActivityPartyTypeCode/> | | | | | | | | | | + |
| <paylocationindicator></paylocationindicator> | | | | | | | | | | + |
| <pre><paylocationindicator></paylocationindicator> <sellinglocationindicator></sellinglocationindicator></pre> | | | | | | | | • | | + |
| | | | | | | | • | - | | + |
| <sellingpayinglocationindicator></sellingpayinglocationindicator> | | | | | | | • | - | | + |
| <address seqnum=""></address> | | | | | | | • | • | | \vdash |
| <rawcitytext></rawcitytext> | | | - | | | | • | • | | \vdash |
| <rawcountrycodetext></rawcountrycodetext> | | | | | | | • | • | | |

| Element name | 35 | 37 | 30 | 8 | 18 | 19 | 34 | 46 | 33 | 41 |
|---|----|----|----|---|----|----|----|----|----|----|
| <rawstreetaddress1text></rawstreetaddress1text> | | | | | | | • | • | | |
| <rawzipcode></rawzipcode> | | | | | | | • | • | | |
| | | | | | | | • | • | | |
| <partyldentification seqnum=""></partyldentification> | | | | | | | • | • | | |
| <partyldentificationnumbertext></partyldentificationnumbertext> | | | | | | | • | • | | |
| <partyldentificationtypecode></partyldentificationtypecode> | | | | | | | • | • | | |
| | | | | | | | • | • | | |
| | | | | | | | • | • | | |
| | | | | | | | • | | • | |
| <partyaccountassociation seqnum=""></partyaccountassociation> | | | | | | | | | • | |
| <partyaccountassociationtypecode></partyaccountassociationtypecode> | | | | | | | | | • | |
| <party seqnum=""></party> | | | | | | | | | • | • |
| <activitypartytypecode></activitypartytypecode> | | | | | | | | | • | • |
| <nonusfinancialinstitutionindicator></nonusfinancialinstitutionindicator> | | | | | | | | | • | • |
| <partyldentification seqnum=""></partyldentification> | | | | | | | | | • | • |
| <partyldentificationnumbertext></partyldentificationnumbertext> | | | | | | | | | • | • |
| <partyldentificationtypecode></partyldentificationtypecode> | | | | | | | | | • | • |
| | | | | | | | | | • | • |
| <account seqnum=""></account> | | | | | | | | | • | • |
| <accountnumbertext></accountnumbertext> | | | | | | | | | • | • |
| <partyaccountassociation seqnum=""></partyaccountassociation> | | | | | | | | | • | • |
| <accountclosedindicator></accountclosedindicator> | | | | | | | | | • | • |
| <partyaccountassociationtypecode></partyaccountassociationtypecode> | | | | | | | | | • | • |
| | | | | | | | | | • | • |
| | | | | | | | | | • | • |
| | | | | | | | | | • | • |
| | | | | | | | | | • | |
| | • | • | • | • | • | • | • | | • | |

5.1. Transmitter Party Record Example

| Party Type | Transmitter | minOccurs: | 1 | maxOccurs: | 1 | | | | | |
|------------|--|---|---|------------------|---------|--|--|--|--|--|
| 35 | <fc2:party seqnum="4"></fc2:party> | | | | | | | | | |
| | <fc2:activitypartytypecode>35</fc2:activitypartytypecode> | | | | | | | | | |
| | <fc2:partyname segnum="5"></fc2:partyname> | | | | | | | | | |
| | <fc2:partyname< td=""><td>TypeCode>L<td>ypeCode></td><td></td><td></td></td></fc2:partyname<> | TypeCode>L <td>ypeCode></td> <td></td> <td></td> | ypeCode> | | | | | | | |
| | <fc2:rawpartyf< td=""><td>ıllName>Transmitter legal nam</td><td>ne<td>FullName></td><td></td></td></fc2:rawpartyf<> | ıllName>Transmitter legal nam | ne <td>FullName></td> <td></td> | FullName> | | | | | | |
| | | | | | | | | | | |
| | <fc2:address seqnum="6"></fc2:address> | | | | | | | | | |
| | <fc2:rawcitytext>Transmitter city</fc2:rawcitytext> | | | | | | | | | |
| | <fc2:rawcountrycodetext>US</fc2:rawcountrycodetext> | | | | | | | | | |
| | <fc2:rawstatecodetext>VA</fc2:rawstatecodetext> | | | | | | | | | |
| | <fc2:rawstreetaddress1text>Transmitter street address</fc2:rawstreetaddress1text> | | | | | | | | | |
| | <fc2:rawzipcode>22113</fc2:rawzipcode> | | | | | | | | | |
| | | | | | | | | | | |
| | <fc2:phonenumber seqnum="7"></fc2:phonenumber> | | | | | | | | | |
| | <fc2:phonenumbertext>7217894455</fc2:phonenumbertext> | | | | | | | | | |
| | | | | | | | | | | |
| | <fc2:partyldentification seqnum="8"></fc2:partyldentification> | | | | | | | | | |
| | <fc2:partyldenti< td=""><td>ficationNumberText>45898521</td><td>5<td>ntificationNumbe</td><td>erText></td></td></fc2:partyldenti<> | ficationNumberText>45898521 | 5 <td>ntificationNumbe</td> <td>erText></td> | ntificationNumbe | erText> | | | | | |
| | <fc2:partyldenti< td=""><td>ficationTypeCode>4<td>/IdentificationTyp</td><td>eCode></td><td></td></td></fc2:partyldenti<> | ficationTypeCode>4 <td>/IdentificationTyp</td> <td>eCode></td> <td></td> | /IdentificationTyp | eCode> | | | | | | |
| | | | | | | | | | | |
| | <fc2:partyldentification se<="" td=""><td>qNum="9"></td><td></td><td></td><td></td></fc2:partyldentification> | qNum="9"> | | | | | | | | |
| | <fc2:partyldentificationnumbertext>PBSA1234</fc2:partyldentificationnumbertext> | | | | | | | | | |
| | <fc2:partyldentificationtypecode>28</fc2:partyldentificationtypecode> | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| Party Type | Transmitter | minOccurs: | 1 | maxOccurs: | 1 |
|------------|-------------|------------|---|------------|---|
| | | | | | |

5.2. Transmitter Contact Party Record Example

| Party Type | Transmitter Contact | minOccurs: | 1 | maxOccurs: | 1 | |
|------------|--|-----------------|----------|------------------|----|--|
| 37 | <pre><fc2:party seqnum="10"> <fc2:activitypartytypecode>37</fc2:activitypartytypecode></fc2:party></pre> | /fc2:PartyNameT | ypeCode> | lawPartyFullName | e> | |
| | | | | | | |
| | | | | | | |

5.3. Filing Institution Party Record Example

| Party Type | Filing Institution minOccurs: 1 maxOccurs: 1 | | | | | | |
|------------|---|--|--|--|--|--|--|
| 30 | <fc2:party seqnum="12"></fc2:party> | | | | | | |
| | <fc2:activitypartytypecode>30</fc2:activitypartytypecode> | | | | | | |
| | <fc2:primaryregulatortypecode>7</fc2:primaryregulatortypecode> | | | | | | |
| | <fc2:partyname seqnum="13"></fc2:partyname> | | | | | | |
| | <fc2:partynametypecode>L</fc2:partynametypecode> | | | | | | |
| | <fc2:rawpartyfullname>Filer name</fc2:rawpartyfullname> | | | | | | |
| | | | | | | | |
| | <fc2:partyname seqnum="14"></fc2:partyname> | | | | | | |
| | <pre><fc2:partynametypecode>DBA</fc2:partynametypecode></pre> | | | | | | |
| | <pre><fc2:rawpartyfullname>Alternate name</fc2:rawpartyfullname></pre> | | | | | | |
| | | | | | | | |
| | <fc2:address seqnum="15"></fc2:address> | | | | | | |
| | <fc2:rawcitytext>Rockville</fc2:rawcitytext> | | | | | | |
| | <fc2:rawcountrycodetext>US</fc2:rawcountrycodetext> | | | | | | |
| | <fc2:rawstatecodetext>MD</fc2:rawstatecodetext> | | | | | | |
| | <fc2:rawstreetaddress1text>123 Viers Mill Road</fc2:rawstreetaddress1text> | | | | | | |
| | <fc2:rawzipcode>20905</fc2:rawzipcode> | | | | | | |
| | | | | | | | |
| | <fc2:partyldentification seqnum="16"></fc2:partyldentification> | | | | | | |
| | <fc2:partyldentificationnumbertext>125478965</fc2:partyldentificationnumbertext> | | | | | | |
| | <fc2:partyldentificationtypecode>2</fc2:partyldentificationtypecode> | | | | | | |
| | | | | | | | |
| | <fc2:partyldentification seqnum="17"></fc2:partyldentification> | | | | | | |
| | <fc2:partyldentificationnumbertext>5558789654</fc2:partyldentificationnumbertext> | | | | | | |
| | <fc2:partyldentificationtypecode>10</fc2:partyldentificationtypecode> | | | | | | |
| | | | | | | | |
| | <fc2:partyldentification seqnum="18"></fc2:partyldentification> | | | | | | |
| | <pre><fc2:partyidentificationnumbertext>451256558</fc2:partyidentificationnumbertext></pre> | | | | | | |
| | <fc2:partyldentificationtypecode>29</fc2:partyldentificationtypecode> | | | | | | |
| | | | | | | | |
| | <fc2:organizationclassificationtypesubtype seqnum="19"></fc2:organizationclassificationtypesubtype> | | | | | | |
| | <pre><fc2:organizationsubtypeid>535</fc2:organizationsubtypeid></pre> | | | | | | |
| | <fc2:organizationtypeid>5</fc2:organizationtypeid> | | | | | | |
| | | | | | | | |
| | <fc2:organizationclassificationtypesubtype seqnum="20"></fc2:organizationclassificationtypesubtype> | | | | | | |
| | <fc2:organizationsubtypeid>529</fc2:organizationsubtypeid> | | | | | | |
| | <fc2:organizationtypeid>5</fc2:organizationtypeid> | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

5.4. Designated Contact Office Party Record Example

| Party Type | Designated Contact Office | minOccurs: | 1 | maxOccurs: | 1 | | | | |
|------------|--|-------------------------------------|-----|------------|---|--|--|--|--|
| 8 | <fc2:party seqnum="26"></fc2:party> | <fc2:party segnum="26"></fc2:party> | | | | | | | |
| | <fc2:activitypartytypecode>8<td>vityPartyTypeCoc</td><td>le></td><th></th><td></td></fc2:activitypartytypecode> | vityPartyTypeCoc | le> | | | | | | |
| | <fc2:partyname seqnum="27"></fc2:partyname> | | | | | | | | |
| | <fc2:partynametypecode>L</fc2:partynametypecode> | | | | | | | | |
| | <fc2:rawpartyfullname>Designated contact office</fc2:rawpartyfullname> | | | | | | | | |
| | | | | | | | | | |
| | <fc2:phonenumber segnum="28"></fc2:phonenumber> | | | | | | | | |
| | <fc2:phonenumberextensiontext>1234</fc2:phonenumberextensiontext> | | | | | | | | |
| | <fc2:phonenumbertext>4157653838</fc2:phonenumbertext> | | | | | | | | |
| | /fc2:PhoneNumber> | | | | | | | | |
| | | | | | | | | | |
| | <fc2:party seqnum="29"></fc2:party> | | | | | | | | |

5.5. Law Enforcement Agency Party Record Example

| Party Type | Law Enforcement Agency | minOccurs: | 0 | maxOccurs: | 1 | |
|------------|--|-----------------|----------|------------|---|--|
| 18 | <pre><fc2:party seqnum="21"></fc2:party></pre> | /fc2:PartyNameT | ypeCode> | Name> | | |
| | | | | | | |

5.6. Law Enforcement Name Party Record Example

| Party Type | Law Enforcement Name | minOccurs: | 0 | maxOccurs: | 1 | | | | |
|------------|--|--|---|------------|---|--|--|--|--|
| 19 | <fc2:party seqnum="23"></fc2:party> | | | | | | | | |
| | <fc2:activitypartytypecode>19<td colspan="8"><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre><pre></pre><pre></pre><pre></pre><pre><pre></pre><pre><pre></pre><pre><pre></pre><pre><pre></pre><pre><pre><pre></pre><pre><pre><pre><pre><pre><pre><pre><</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></td></fc2:activitypartytypecode> | <pre></pre> <pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre><pre></pre><pre></pre><pre></pre><pre><pre></pre><pre><pre></pre><pre><pre></pre><pre><pre></pre><pre><pre><pre></pre><pre><pre><pre><pre><pre><pre><pre><</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre> | | | | | | | |
| | <fc2:contactdatetext>20171105</fc2:contactdatetext> | | | | | | | | |
| | <fc2:partyname segnum="24"></fc2:partyname> | | | | | | | | |
| | <fc2:partynametypecode>L</fc2:partynametypecode> | | | | | | | | |
| | <fc2:rawpartyfullname>LE Contact Name</fc2:rawpartyfullname> | | | | | | | | |
| | | | | | | | | | |
| | <fc2:phonenumber seqnum="25"></fc2:phonenumber> | | | | | | | | |
| | <pre><fc2:phonenumberextensiontext>5432</fc2:phonenumberextensiontext></pre> | | | | | | | | |
| | <fc2:phonenumbertext>7039051234</fc2:phonenumbertext> | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | <fc2:party segnum="26"></fc2:party> | | | | | | | | |

5.7. Financial Institution Where Activity Occurred Party Record Example

| Party Type | Financial Institution Where Activity Occurred | minOccurs: | 1 | maxOccurs: | 99 |
|------------|---|--|---|-------------|----|
| 34 | <fc2:party seqnum="29"></fc2:party> | YcationIndicator> :PrimaryRegulato /fc2:PartyNameT | incialAmountTex hActivityInvolved orTypeCode> ypeCode> | lIndicator> | |

| Party Type | Financial Institution Where Activity Occurred | minOccurs: | 1 | maxOccurs: | 99 | | | |
|------------|--|--|---|------------------|----------|--|--|--|
| | <fc2:partyname seqnum="31"></fc2:partyname> | | | | | | | |
| | <fc2:partynametypecode>DBA</fc2:partynametypecode> | | | | | | | |
| | <fc2:rawpartyfullname>Doing</fc2:rawpartyfullname> | g Business As Na | me <td>tyFullName></td> <td></td> | tyFullName> | | | | |
| | | | | | | | | |
| | <fc2:address seqnum="32"></fc2:address> | | | | | | | |
| | <fc2:cityunknownindicator>Y</fc2:cityunknownindicator> | <td>vnIndicator></td> <td></td> <td></td> | vnIndicator> | | | | | |
| | <fc2:countrycodeunknowninc< td=""><td colspan="7"><fc2:countrycodeunknownindicator>Y</fc2:countrycodeunknownindicator></td></fc2:countrycodeunknowninc<> | <fc2:countrycodeunknownindicator>Y</fc2:countrycodeunknownindicator> | | | | | | |
| | <pre><fc2:rawstreetaddress1text>987 Rocky Road</fc2:rawstreetaddress1text> <fc2:streetaddressunknownindicator>Y</fc2:streetaddressunknownindicator></pre> | | | | | | | |
| | | | | | | | | |
| | <fc2:zipcodeunknownindicate< td=""><td colspan="7"><fc2:zipcodeunknownindicator>Y</fc2:zipcodeunknownindicator></td></fc2:zipcodeunknownindicate<> | <fc2:zipcodeunknownindicator>Y</fc2:zipcodeunknownindicator> | | | | | | |
| | | | | | | | | |
| | <pre><fc2:partyldentification seqnum="33"> <fc2:partyldentificationnumbertext>458789856</fc2:partyldentificationnumbertext></fc2:partyldentification></pre> | | | | | | | |
| | | | | | | | | |
| | <fc2:partyldentificationtypeco< td=""><td></td><td>-</td><td></td><td></td></fc2:partyldentificationtypeco<> | | - | | | | | |
| | | | ,, | | | | | |
| | <fc2:partyldentification segnum="34"></fc2:partyldentification> | | | | | | | |
| | <pre><fc2:partyldentificationnumber< pre=""></fc2:partyldentificationnumber<></pre> | erText>55898877 | 89 <td>entificationNuml</td> <td>perText></td> | entificationNuml | perText> | | | |
| | <fc2:partyldentificationtypeco< td=""><td colspan="6"><pre><fc2:partyldentificationtypecode>10</fc2:partyldentificationtypecode></pre>/fc2:PartyldentificationTypeCode></td></fc2:partyldentificationtypeco<> | <pre><fc2:partyldentificationtypecode>10</fc2:partyldentificationtypecode></pre> /fc2:PartyldentificationTypeCode> | | | | | | |
| | | | | | | | | |
| | <fc2:partyldentification seqnum="35"></fc2:partyldentification> | | | | | | | |
| | <fc2:partyldentificationnumber< td=""><td>erText>45789586</td><td>58<td>ntificationNuml</td><td>perText></td></td></fc2:partyldentificationnumber<> | erText>45789586 | 58 <td>ntificationNuml</td> <td>perText></td> | ntificationNuml | perText> | | | |
| | <fc2:partyldentificationtypeco< td=""><td></td><td>-</td><td></td><td></td></fc2:partyldentificationtypeco<> | | - | | | | | |
| | | , | , | | | | | |
| | <pre><fc2:organizationclassificationtypesubt< pre=""></fc2:organizationclassificationtypesubt<></pre> | vpe SegNum="3 | 5"> | | | | | |
| | <fc2:organizationsubtypeid></fc2:organizationsubtypeid> | , i | | > | | | | |
| | <fc2:organizationtypeid>5<!--</td--><td></td><td></td><td></td><td></td></fc2:organizationtypeid> | | | | | | | |
| | <td></td> <td>7.</td> <td></td> <td></td> | | 7. | | | | | |
| | <fc2:organizationclassificationtypesubt< td=""><td></td><td>7"></td><td></td><td></td></fc2:organizationclassificationtypesubt<> | | 7"> | | | | | |
| | <fc2:organizationsubtypeid></fc2:organizationsubtypeid> | | |)> | | | | |
| | <fc2:organizationtypeid>5<!--</td--><td></td><td></td><td></td><td></td></fc2:organizationtypeid> | | | | | | | |
| | <fc2:otherorganizationsubtyp< td=""><td>•</td><td></td><td></td><td></td></fc2:otherorganizationsubtyp<> | • | | | | | | |
| | description | | | | | | | |
| | <td>type></td> <td></td> <td></td> <td></td> | type> | | | | | | |
| | <fc2:partyassociation seqnum="38"></fc2:partyassociation> | ,, | | | | | | |
| | <fc2:party segnum="39"></fc2:party> | | | | | | | |
| | <fc2:activitypartyty< td=""><td>oeCode>46<td>:ActivityPartyTvp</td><td>eCode></td><td></td></td></fc2:activitypartyty<> | oeCode>46 <td>:ActivityPartyTvp</td> <td>eCode></td> <td></td> | :ActivityPartyTvp | eCode> | | | | |
| | | | ,, ., r | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | <pre><fc2:partyassociatio< pre=""></fc2:partyassociatio<></pre> | n SeaNum="38" | > | | | | | |

5.8. Branch Where Activity Occurred Party Record Example

| Party Type | Branch Where Activity Occurred | minOccurs: | 0 | maxOccurs: | 99 | | | | |
|------------|---|--|---|------------|----|--|--|--|--|
| 46 | <fc2:party seqnum="39"></fc2:party> | | | | | | | | |
| | <fc2:activitypartytypecode>46</fc2:activitypartytypecode> | | | | | | | | |
| | <fc2:sellinglocationindicator>Y<td colspan="8"><fc2:sellinglocationindicator>Y</fc2:sellinglocationindicator></td></fc2:sellinglocationindicator> | <fc2:sellinglocationindicator>Y</fc2:sellinglocationindicator> | | | | | | | |
| | <fc2:address segnum="40"></fc2:address> | | | | | | | | |
| | <fc2:rawcitytext>Cityville</fc2:rawcitytext> | | | | | | | | |
| | <fc2:rawcountrycodetext>US</fc2:rawcountrycodetext> | | | | | | | | |
| | <fc2:rawstatecodetext>VA</fc2:rawstatecodetext> | | | | | | | | |
| | <fc2:rawstreetaddress1text>123 Address Way</fc2:rawstreetaddress1text> | | | | | | | | |
| | <fc2:rawzipcode>547898856</fc2:rawzipcode> | | | | | | | | |
| | | | | | | | | | |
| | <fc2:partyldentification segnum="41"></fc2:partyldentification> | | | | | | | | |
| | <pre><fc2:partyldentificationnumbertext>445564615654</fc2:partyldentificationnumbertext></pre> /fc2:PartyldentificationNumberText> | | | | | | | | |
| | <pre><fc2:partyldentificationtypecode>14</fc2:partyldentificationtypecode></pre> | | | | | | | | |

| Party Type | Branch Where Activity Occurred | minOccurs: | 0 | maxOccurs: | 99 |
|------------|--------------------------------|------------|---|------------|----|
| | | | | | |

5.9. Subject Party Record Example

| Party Type | Subject minOccurs: 1 maxOccurs: 999 | | | | | | | |
|------------|---|--|--|--|--|--|--|--|
| 33 | <fc2:party seqnum="61"></fc2:party> | | | | | | | |
| | <fc2:activitypartytypecode>33</fc2:activitypartytypecode> | | | | | | | |
| | <fc2:admissionconfessionyesindicator>Y</fc2:admissionconfessionyesindicator> | | | | | | | |
| | <pre><fc2:bothpurchasersenderpayeereceiveindicator>Y</fc2:bothpurchasersenderpayeereceiveindicator></pre> | | | | | | | |
| | > | | | | | | | |
| | <fc2:femalegenderindicator>Y</fc2:femalegenderindicator> | | | | | | | |
| | <fc2:individualbirthdatetext>19801025</fc2:individualbirthdatetext> | | | | | | | |
| | <fc2:partyname seqnum="62"></fc2:partyname> | | | | | | | |
| | <fc2:partynametypecode>L</fc2:partynametypecode> | | | | | | | |
| | <fc2:rawentityindividuallastname>Mann</fc2:rawentityindividuallastname> | | | | | | | |
| | <fc2:rawindividualfirstname>Janice</fc2:rawindividualfirstname> | | | | | | | |
| | | | | | | | | |
| | <fc2:partyname seqnum="63"></fc2:partyname> | | | | | | | |
| | <fc2:partynametypecode>AKA</fc2:partynametypecode> | | | | | | | |
| | <fc2:rawpartyfullname>Janda</fc2:rawpartyfullname> | | | | | | | |
| | <fc2:partyname seqnum="64"></fc2:partyname> | | | | | | | |
| | <fc2:partynametypecode>AKA</fc2:partynametypecode> | | | | | | | |
| | <fc2:rawpartyfullname>Jan</fc2:rawpartyfullname> | | | | | | | |
| | | | | | | | | |
| | <fc2:address seqnum="65"></fc2:address> | | | | | | | |
| | <fc2:cityunknownindicator>Y</fc2:cityunknownindicator> | | | | | | | |
| | <fc2:countrycodeunknownindicator></fc2:countrycodeunknownindicator> | | | | | | | |
| | <fc2:statecodeunknownindicator>Y</fc2:statecodeunknownindicator> | | | | | | | |
| | <fc2:streetaddressunknownindicator>Y</fc2:streetaddressunknownindicator> | | | | | | | |
| | <fc2:zipcodeunknownindicator>Y</fc2:zipcodeunknownindicator> | | | | | | | |
| | | | | | | | | |
| | <fc2:phonenumber seqnum="66"></fc2:phonenumber> | | | | | | | |
| | <fc2:phonenumbertext>6194760276</fc2:phonenumbertext> | | | | | | | |
| | <fc2:phonenumbertypecode>R</fc2:phonenumbertypecode> | | | | | | | |
| | | | | | | | | |
| | <fc2:phonenumber seqnum="67"></fc2:phonenumber> | | | | | | | |
| | <fc2:phonenumberextensiontext>5584</fc2:phonenumberextensiontext> | | | | | | | |
| | <fc2:phonenumbertext>6589784589</fc2:phonenumbertext> | | | | | | | |
| | <fc2:phonenumbertypecode> W</fc2:phonenumbertypecode> | | | | | | | |
| | fig: 2800 fig: 2800 fig: 2800 fig: 1800 <a h<="" td=""> | | | | | | | |
| | <fc2:partyldentification seqnum="68"></fc2:partyldentification> | | | | | | | |
| | <fc2:identificationpresentunknownindicator>Y</fc2:identificationpresentunknownindicator> | | | | | | | |
| | <fc2:otherissuercountrytext>US</fc2:otherissuercountrytext> | | | | | | | |
| | <fc2:otherissuerstatetext>CA</fc2:otherissuerstatetext> | | | | | | | |
| | <fc2:otherpartyidentificationtypetext>Student ID</fc2:otherpartyidentificationtypetext> | | | | | | | |
| | <fc2:partyldentificationnumbertext>660623559</fc2:partyldentificationnumbertext> | | | | | | | |
| | <fc2:partyldentificationtypecode>999</fc2:partyldentificationtypecode> | | | | | | | |
| | | | | | | | | |
| | <fc2:partyldentification seqnum="69"></fc2:partyldentification> | | | | | | | |
| | <fc2:tinunknownindicator>Y</fc2:tinunknownindicator> | | | | | | | |
| | | | | | | | | |
| | <fc2:partyoccupationbusiness seqnum="70"></fc2:partyoccupationbusiness> | | | | | | | |
| | <fc2:naicscode>7548</fc2:naicscode> | | | | | | | |
| | <fc2:occupationbusinesstext>Mechanic</fc2:occupationbusinesstext> | | | | | | | |

| Party Type | Subject | minOccurs: | 1 | maxOccurs: | 999 | | | | |
|------------|---|--|---|-------------------|----------------|--|--|--|--|
| | | | | | · | | | | |
| | <fc2:electronicaddress seqnum="71"></fc2:electronicaddress> | | | | | | | | |
| | <fc2:electronicaddresstext>ja</fc2:electronicaddresstext> | <fc2:electronicaddresstext>jan@gmail.com</fc2:electronicaddresstext> | | | | | | | |
| | <fc2:electronicaddresstypecode>E</fc2:electronicaddresstypecode> <fc2:electronicaddress seqnum="72"></fc2:electronicaddress> | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | <fc2:electronicaddresstext>ja</fc2:electronicaddresstext> | • | | | | | | | |
| | <fc2:electronicaddresstypeco< td=""><td>ode>U<td>ronicAddressTyp</td><td>eCode></td><td></td></td></fc2:electronicaddresstypeco<> | ode>U <td>ronicAddressTyp</td> <td>eCode></td> <td></td> | ronicAddressTyp | eCode> | | | | | |
| | | | | | | | | | |
| | <fc2:partyassociation seqnum="73"></fc2:partyassociation> | | | | | | | | |
| | <fc2:norelationshiptoinstitut< td=""><td>ionIndicator>Y<!--</td--><td>fc2:NoRelationsh</td><td>nipToInstitutionI</td><td>ndicator></td></td></fc2:norelationshiptoinstitut<> | ionIndicator>Y </td <td>fc2:NoRelationsh</td> <td>nipToInstitutionI</td> <td>ndicator></td> | fc2:NoRelationsh | nipToInstitutionI | ndicator> | | | | |
| | <fc2:subjectrelationshipfinancialinstitu< td=""><td>tionTINText>4587</td><td>789856<td>jectRelationship!</td><td>FinancialInsti</td></td></fc2:subjectrelationshipfinancialinstitu<> | tionTINText>4587 | 789856 <td>jectRelationship!</td> <td>FinancialInsti</td> | jectRelationship! | FinancialInsti | | | | |
| | tutionTINText> | | | | | | | | |
| | | | | | | | | | |
| | <pre><fc2:partyaccountassociation seqnum="</pre"></fc2:partyaccountassociation></pre> | ="74"> | | | | | | | |
| | <fc2:partyaccountassociation< td=""><td>TypeCode>7<td>2:PartyAccountA</td><td>ssociationTypeC</td><td>ode></td></td></fc2:partyaccountassociation<> | TypeCode>7 <td>2:PartyAccountA</td> <td>ssociationTypeC</td> <td>ode></td> | 2:PartyAccountA | ssociationTypeC | ode> | | | | |
| | <fc2:party seqnum="75"></fc2:party> | | | | | | | | |
| | <fc2:activitypartyty< td=""><td>peCode>41<td>:ActivityPartyTyp</td><td>eCode></td><td></td></td></fc2:activitypartyty<> | peCode>41 <td>:ActivityPartyTyp</td> <td>eCode></td> <td></td> | :ActivityPartyTyp | eCode> | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ı | / <fc2:part< td=""><td>y SeqNum="75"></td><td></td><td></td><td></td></fc2:part<> | y SeqNum="75"> | | | | | | | |

5.10. Financial Institution Where Account is Held Party Record Example


| Party Type | Financial Institution Where Account is Held | minOccurs: | 0 | maxOccurs: | 99 | | | |
|------------|---|---|---|------------------|---------|--|--|--|
| 41 | <fc2:party seqnum="75"></fc2:party> | | | | | | | |
| | <fc2:activitypartytypecode>41<td>ivityPartyTypeCo</td><td>de></td><td></td><td></td></fc2:activitypartytypecode> | ivityPartyTypeCo | de> | | | | | |
| | <fc2:nonusfinancialinstitutionindicator></fc2:nonusfinancialinstitutionindicator> | Y <td>nancialInstitutio</td> <td>nIndicator></td> <td></td> | nancialInstitutio | nIndicator> | | | | |
| | <fc2:partyldentification seqnum="76"></fc2:partyldentification> | | | | | | | |
| | <fc2:partyldentificationnumbe< td=""><td>erText>45878985</td><td>6<td>ntificationNumbe</td><td>erText></td></td></fc2:partyldentificationnumbe<> | erText>45878985 | 6 <td>ntificationNumbe</td> <td>erText></td> | ntificationNumbe | erText> | | | |
| | <fc2:partyldentificationtypeco< td=""><td>ode>4<td>'IdentificationTyp</td><td>eCode></td><td></td></td></fc2:partyldentificationtypeco<> | ode>4 <td>'IdentificationTyp</td> <td>eCode></td> <td></td> | 'IdentificationTyp | eCode> | | | | |
| | | | | | | | | |
| | <fc2:account seqnum="77"></fc2:account> | | | | | | | |
| | <fc2:accountnumbertext>1502417873</fc2:accountnumbertext> | | | | | | | |
| | <fc2:partyaccountassociation seqnum="78"></fc2:partyaccountassociation> | | | | | | | |
| | <fc2:accountclosedindicator> Y</fc2:accountclosedindicator> | | | | | | | |
| | <pre><fc2:partyaccountassociationtypecode>5</fc2:partyaccountassociationtypecode></pre> | | | | | | | |
| | 7: | AssociationTypeCode> | | | | | | |
| | <td>1></td> <td></td> <td></td> <td></td> | 1> | | | | | | |
| | , | | | | | | | |
| | <pre><fc2:account seqnum="79"></fc2:account></pre> | | | | | | | |
| | <fc2:accountnumbertext>5477887896</fc2:accountnumbertext> | | | | | | | |
| | , | <pre><fc2:partyaccountassociation seqnum="80"> </fc2:partyaccountassociation></pre> | | | | | | |
| | | <fc2:accountclosedindicator>Y</fc2:accountclosedindicator> <fc2:partyaccountassociationtypecode>5</fc2:partyaccountassociationtypecode> | | | | | | |
| | AssociationTypeCode> | | | | | | | |
| | <pre></pre> <pr< td=""></pr<> | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | <fc2:party seqnum="86"></fc2:party> | | | | | | | |

6. FinCEN SAR XML Acknowledgement Format

The FinCEN SAR XML batch acknowledgement file defined below is provided in XML format. The acknowledgement file will contain a BSA Identifier and any corresponding acknowledgement errors associated with each FinCEN SAR <Activity> element received in the batch submission. Please visit

https://www.fincen.gov/sites/default/files/schema/base/EFL_BatchAcknowledgementSchema.xsd to access the FinCEN XML 2.0 batch acknowledgement schema file.

6.1. XML File Structure



6.1.1. XML declaration/prolog

The XML declaration appears on the first line of the acknowledgement file.

| Element Name: | ?xml | minOccurs: | 1 | maxOccurs: | 1 | |
|------------------------|--|--|---|------------|---|--|
| Description: | XML declaration/prolog. This is the XMI encoding used in the file. | KML declaration/prolog. This is the XML declaration which specifies the XML version and character encoding used in the file. | | | | |
| Attribute(s): | version. The version number of the XML. The value recorded will be "1.0" encoding. The character encoding used for the XML. The value recorded will be "UTF-8" | | | | | |
| Parent Element: | n/a | n/a | | | | |
| Element Restriction(s) | This declaration will always be recorded | This declaration will always be recorded on the first line of the file. | | | | |
| Value Restriction(s): | The value provided will be: | The value provided will be: | | | | |
| | xml version="1.0" encoding="UTF-8"? | | | | | |
| Remarks: | none | | | | | |
| Example: | xml version="1.0" encoding="UTF-8"</td <td>?></td> <td></td> <td></td> <td></td> | ?> | | | | |

6.1.2. EFilingBatchXML

The <EFilingBatchXML> element is the first element recorded in the file and is considered the root element.

| Element Name: | EFilingBatchXML | minOccurs: | 1 | maxOccurs: | 1 |
|---------------|---|--------------------|--------------------|-------------------|-------------|
| Description: | Batch acknowledgement (header). This file. | is the container f | for the contents (| of the batch ackn | owledgement |
| | This element is parent to the following EFilingSubmissionXML * | sub-elements: | | | |
| | NOTE: Elements marked with an asteris | k * contain sub-e | elements. | | |

| Attribute(s): | SeqNum (this is a sequential number assigned by FinCEN to identify the corresponding element in the associated batch file) StatusCode (this will have a value of "A" to indicate "Acknowledged") |
|------------------------|---|
| Parent Element: | n/a (this is the root element in the acknowledgment file) |
| Element Restriction(s) | This element will always be recorded. |
| Value Restriction(s): | n/a |
| Remarks: | n/a |
| Example: | <efilingbatchxml seqnum="1" statuscode="A"></efilingbatchxml> |

6.1.3. EFilingSubmissionXML

The <EFilingSubmissionXML> element directly follows the <EFilingBatchXML> root element. This element is for FinCEN use only.

| Element Name: | EFilingSubmissionXML | minOccurs: | 1 | maxOccurs: | 1 |
|-------------------------|--|----------------|--------------|------------|---|
| Description: | Submission acknowledgement (header). This is the container for all FinCEN SAR <activity> elements recorded in the associated batch submission.</activity> | | | | |
| | This element is parent to the following sub-elements: EFilingActivityXML * | | | | |
| | NOTE: Elements marked with an asterisk * contain sub-elements. | | | | |
| Attribute(s): | xmlns (this will always be www.fincen.gov/base) | | | | |
| | SeqNum (this is a sequential number assigned by FinCEN to identify the corresponding element in the associated batch file) | | | | |
| | StatusCode (this will have a value of "A" to indicate "Acknowledged") | | | | |
| Parent Element: | EFilingBatchXML | | | | |
| Element Restriction(s): | This element will always be recorded. | | | | |
| Value Restriction(s): | n/a | | | | |
| Remarks: | This element is for FinCEN use only. | | | | |
| Example: | <efilingsubmissionxml <="" td="" xmlns="www.fi</td><td>incen.gov/base"><td>SeqNum="1" Sta</td><td>tusCode="A"></td><td></td></efilingsubmissionxml> | SeqNum="1" Sta | tusCode="A"> | | |

6.1.4. EFilingActivityXML

Each <EFilingActivityXML> element in the batch acknowledgement file corresponds with each FinCEN SAR <Activity> element recorded in the original batch submission along with the sequence number (SeqNum) attribute value.

| Element Name: | EFilingActivityXML | minOccurs: | 1 | maxOccurs: | unbounded |
|---------------|---|---|---|------------|-----------|
| Description: | _ | Activity acknowledgement (header). This is the container for acknowledgement information for each FinCEN SAR <activity> element recorded in the associated batch submission.</activity> | | | |
| | This element is parent to the following sub-elements: BSAID | | | | |
| | EFilingActivityErrorXML * | | | | |
| | NOTE: Elements marked with an asterisk * contain sub-elements. | | | | |
| Attribute(s): | SeqNum (this sequential number matches the value recorded in the associated batch submission) | | | | |

| Parent Element: | EFilingSubmissionXML |
|-----------------------|--|
| Value Restriction(s): | n/a |
| Remarks: | none |
| Example: | <efilingactivityxml seqnum="1"></efilingactivityxml> |
| | <bsaid>31000055053784</bsaid> |
| | <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml> |
| | |

| Element Name: | BSAID | minOccurs: | 1 | maxOccurs: | 1 |
|-----------------------|--|------------|---|------------|---|
| Description: | Activity acknowledgement BSA Identifier (text). This element identifies the BSA Identifier (BSA ID) assigned by FinCEN to the FinCEN SAR document. | | | | |
| Attribute(s): | n/a | | | | |
| Parent Element: | EFilingActivityXML | | | | |
| Value Restriction(s): | 14 characters (numeric only) | | | | |
| Remarks: | none | | | | |
| Example: | <bsaid>31000055053784</bsaid> | | | | |

6.1.5. EFilingActivityErrorXML

There will be at least one <EFilingActivityErrorXML> element for each <EFilingActivityXML> element in the batch acknowledgement file.

| EFilingActivityErrorXML | minOccurs: | 1 | maxOccurs: | unbounded | | |
|--|--|---|--|--|--|--|
| , , | | | | rated during | | |
| This element is parent to the following: | This element is parent to the following sub-elements: | | | | | |
| ErrorContextText | | | | | | |
| ErrorElementNameText | | | | | | |
| ErrorLevelText | | | | | | |
| ErrorText | | | | | | |
| ErrorTypeCode | | | | | | |
| SeqNum (this is a sequential number assigned by FinCEN) | | | | | | |
| EFilingActivityXML | | | | | | |
| n/a | | | | | | |
| | | , | , | | | |
| <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml> | · | | | | | |
| <errorcontexttext>EFilingBatchXML/Activity[1]/Party[25]/PartyIdentification[49]/PartyIdentifi</errorcontexttext> | | | | | | |
| cationNumberText | | | | | | |
| | , | lumberText <td>orElementName</td> <td>Text></td> | orElementName | Text> | | |
| | | | | | | |
| | ed for the EIN or | SSN/ITIN is an ir | nvalid number | | | |
| | T C I | | | | | |
| | TypeCode> | | | | | |
| | | | | | | |
| | Activity acknowledgement error (heade processing of the associated batch substitute of the following of the associated batch substitute of the following of the associated batch substitute of the following of th | Activity acknowledgement error (header). This is the corprocessing of the associated batch submission related to This element is parent to the following sub-elements: ErrorContextText ErrorElementNameText ErrorLevelText ErrorTypeCode SeqNum (this is a sequential number assigned by FinCEI EFilingActivityXML n/a If there are no errors identified for the FinCEN SAR activ will be recorded with a self-closing tag (e.g. <efilingactivity <efilingactivityerrorxml="" be="" not="" recorded.="" seqnum="1" will=""> ErrorContextText>EFilingBatchXML/Activity[cationNumberText ErrorLevelText> WARN ErrorText> The value recorded for the EIN or string. ErrorTypeCode> C21</efilingactivity> | Activity acknowledgement error (header). This is the container for error in processing of the associated batch submission related to the FinCEN SAF This element is parent to the following sub-elements: ErrorContextText ErrorElementNameText ErrorText ErrorText ErrorTypeCode SeqNum (this is a sequential number assigned by FinCEN) EFilingActivityXML n/a If there are no errors identified for the FinCEN SAR activity, then the <efi (e.g.="" <efilingactivityerrorxml="" a="" be="" not="" recorded="" recorded.="" sec="" self-closing="" seqnum="1" tag="" will="" with=""> <errorcontexttext>ErilingBatchXML/Activity[1]/Party[25]/Party cationNumberText</errorcontexttext> <errorelementnametext>PartyIdentificationNumberText <errortext>The value recorded for the EIN or SSN/ITIN is an instring.</errortext> <errortypecode>C21</errortypecode> </errorelementnametext></efi> | Activity acknowledgement error (header). This is the container for error information gene processing of the associated batch submission related to the FinCEN SAR activity. This element is parent to the following sub-elements: ErrorContextText ErrorElementNameText ErrorLevelText ErrorTypeCode SeqNum (this is a sequential number assigned by FinCEN) EFilingActivityXML n/a If there are no errors identified for the FinCEN SAR activity, then the <efilingactivityerror (e.g.="" <efilingactivityerrorxml="" a="" be="" recorded="" self-closing="" seqnum="1" tag="" will="" with=""></efilingactivityerror>) an will not be recorded. <efilingactivityerrorxml seqnum="1"> <errorcontexttext> EFilingBatchXML/Activity[1]/Party[25]/PartyIdentification[4: cationNumberText <errortext> The value recorded for the EIN or SSN/ITIN is an invalid number string. <errorteyecode>C21 </errorteyecode></errortext></errorcontexttext></efilingactivityerrorxml> | | |

| <errorcontexttext>EFilingBatchXML/Activity[1]/Party[78]/PartyName[84]/RawIndividualFirstN</errorcontexttext> |
|--|
| ame |
| <errorelementnametext>RawIndividualFirstName</errorelementnametext> |
| <errorleveltext>WARN</errorleveltext> |
| <errortext>The element is not recorded or does not contain a value for an individual Subject</errortext> |
| and unknown is not indicated. |
| <errortypecode>C4</errortypecode> |
| |

| Element Name: | ErrorContextText | minOccurs: | 0 | maxOccurs: | 1 | |
|-----------------------|---|-------------------------|--------------------|-------------------|----------------|--|
| Description: | Acknowledgement error type (text). This element identifies the element location (within the associated batch submission) that triggered the error by identifying the name and sequence number of the element's <parent> element.</parent> | | | | | |
| Attribute(s): | n/a | n/a | | | | |
| Parent Element: | EFilingActivityErrorXML | EFilingActivityErrorXML | | | | |
| Value Restriction(s): | 1-4000 characters | 1-4000 characters | | | | |
| Remarks: | If there are no errors identified for the I will be recorded with a self-closing tag will not be recorded. | | , . | , | | |
| Example: | <pre><errorcontexttext>EFilingBatchXML/A berText</errorcontexttext></pre> / <pre>ErrorContextText></pre> | ctivity[1]/Party[2 | 5]/Partyldentifica | tion[49]/Partylde | ntificationNum | |

| Element Name: | ErrorElementNameText | minOccurs: | 0 | maxOccurs: | 1 |
|-----------------------|---|------------|-----|------------|---|
| Description: | Element acknowledgement error association (text). This element identifies the element name from the associated batch submission that triggered the error. | | | | |
| Attribute(s): | n/a | | | | |
| Parent Element: | EFilingActivityErrorXML | | | | |
| Value Restriction(s): | 1-512 characters | | | | |
| Remarks: | If there are no errors identified for the I will be recorded with a self-closing tag will not be recorded. | | , . | , | |
| Example: | <pre><errorelementnametext>PartyIdentificationNumberText</errorelementnametext></pre> /ErrorElementNameText> | | | | |

| Element Name: | ErrorLevelText | minOccurs: | 0 | maxOccurs: | 1 | |
|-----------------------|---|---------------------------------------|---|------------|---|--|
| Description: | Acknowledgement error severity level (text). This element identifies the level of severity associated with the error. | | | | | |
| Attribute(s): | n/a | n/a | | | | |
| Parent Element: | EFilingActivityErrorXML | EFilingActivityErrorXML | | | | |
| Value Restriction(s): | 1-50 characters | 1-50 characters | | | | |
| Remarks: | If there are no errors identified for the FinCEN SAR activity, then the <efilingactivityerrorxml> element will be recorded with a self-closing tag (e.g. <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml>) and this element will not be recorded.</efilingactivityerrorxml> | | | | | |
| Example: | <pre><errorleveltext>WARN</errorleveltext></pre> | <errorleveltext>WARN</errorleveltext> | | | | |

| Element Name: ErrorText minOccurs: 0 maxOccurs: 1 | |
|---|--|
|---|--|

| Description: | Acknowledgement error description (text). This element identifies the description of the error. |
|-----------------------|---|
| Attribute(s): | n/a |
| Parent Element: | EFilingActivityErrorXML |
| Value Restriction(s): | 1-525 characters |
| Remarks: | If there are no errors identified for the FinCEN SAR activity, then the <efilingactivityerrorxml> element will be recorded with a self-closing tag (e.g. <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml>) and this element will not be recorded.</efilingactivityerrorxml> |
| Example: | <errortext>The value recorded for the EIN or SSN/ITIN is an invalid number string.</errortext> |

| Element Name: | ErrorTypeCode | minOccurs: | 0 | maxOccurs: | 1 | |
|-----------------------|---|-------------------|--------------------|------------------|--------|--|
| Description: | Acknowledgement error type (code). The | nis element ident | ifies the code ass | ociated with the | error. | |
| Attribute(s): | n/a | n/a | | | | |
| Parent Element: | EFilingActivityErrorXML | | | | | |
| Value Restriction(s): | 1-50 characters | | | | | |
| Remarks: | If there are no errors identified for the FinCEN SAR activity, then the <efilingactivityerrorxml> element will be recorded with a self-closing tag (e.g. <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml>) and this element will not be recorded.</efilingactivityerrorxml> | | | | | |
| Example: | <errortypecode>C4</errortypecode> | | | | | |

6.2. Acknowledgement XML Example

The following is a sample FinCEN SAR acknowledgement XML generated by FinCEN and delivered to the batch filer.

| File type | FinCEN SAR XML Batch Acknowledgement (Sample) |
|-----------|---|
| Example: | xml version="1.0" encoding="UTF-8"? |
| • | <efilingbatchxml seqnum="1" statuscode="A" xmlns="www.fincen.gov/base"></efilingbatchxml> |
| | <efilingsubmissionxml seqnum="1" statuscode="A"></efilingsubmissionxml> |
| | <efilingactivityxml seqnum="1"></efilingactivityxml> |
| | <bsaid>31000055053784</bsaid> |
| | <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml> |
| | <errorcontexttext>EFilingBatchXML/Activity[1]/Party[25]/PartyIdentification[49]/Pa</errorcontexttext> |
| | rtyldentificationNumberText |
| | <errorelementnametext>PartyIdentificationNumberText</errorelementnametext> |
| | <errorleveltext>WARN</errorleveltext> |
| | <errortext>The value recorded for the EIN or SSN/ITIN is an invalid number</errortext> |
| | string. |
| | <errortypecode>C21</errortypecode> |
| | |
| | <efilingactivityerrorxml seqnum="2"></efilingactivityerrorxml> |
| | <errorcontexttext>EFilingBatchXML/Activity[1]/Party[78]/PartyName[84]/RawIndivi</errorcontexttext> |
| | dualFirstName |
| | <errorelementnametext>RawIndividualFirstName</errorelementnametext> |
| | <errorleveltext>WARN</errorleveltext> |
| | <errortext>The element is not recorded or does not contain a value for an</errortext> |
| | individual Subject and unknown is not indicated. |
| | <errortypecode>C4</errortypecode> |
| | |
| | |
| | <efilingactivityxml seqnum="2"></efilingactivityxml> |
| | <bsaid>31000055053785</bsaid> |
| | <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml> |
| | |
| | <efilingactivityxml seqnum="3"></efilingactivityxml> |
| | <bsaid>31000055053786</bsaid> |
| | <efilingactivityerrorxml seqnum="1"></efilingactivityerrorxml> |
| | |

| Notes: | The sample above consists of three (3) FinCEN SAR activities based on the original FinCEN SAR batch submission: | | | | | | |
|--------|---|--|--|--|--|--|--|
| | • Each FinCEN SAR from the original batch submission is associated with a <efilingactivityxml> element</efilingactivityxml> | | | | | | |
| | Each FinCEN SAR receives a unique BSA Identifier (BSA ID) | | | | | | |
| | FinCEN SAR (BSA ID: 31000055053784) contains two errors (C21 & C4) | | | | | | |
| | FinCEN SAR (BSA ID: 31000055053785) contains no errors | | | | | | |
| | FinCEN SAR (BSA ID: 31000055053786) contains no errors | | | | | | |

7. Attachment A – Error Descriptions

The following table lists the errors that your batch may receive as a result of missing or invalid data formatting. FinCEN strongly encourages that filers first test their XML batch files for schema compliance using the schemas available at www.fincen.gov/base. Your batch file should pass schema validation before you attempt to submit to FinCEN. As a result, this table does not include all possible schema validation errors, as these will be handled by your XML software during testing. Your batch file must pass schema validation before attempting to submit to FinCEN via BSA E-Filing; otherwise, it will be rejected.

Error Level

Fatal

Batch rejection

These errors are related to the batch format and must be resolved before attempting to resubmit the batch.

Primary Warning

Batch acceptance with warning(s) classified as primary data errors

These errors violate electronic filing requirements or report instructions and so degrade FinCEN SAR data quality that they must be corrected (along with warning errors) as a correction/amendment Error codes marked with an asterisk (*) are primary warnings.

Warning

Batch acceptance with warning(s) classified as secondary data errors.

These errors that violate electronic filing requirements or report instructions but have a lesser impact on FinCEN SAR data quality.

7.1. Miscellaneous Errors

These errors can occur throughout the batch file:

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|--|----------|-----------------------|----------------|
| A0 | The XML declaration/prolog is not recorded with the required values or it is not recorded on the first line of the batch file. | Fatal | Misc. | Misc. |
| A1 | The element is not recorded for the required party type. | Warning | Misc. | Misc. |
| A2 | The critical element is not recorded for the required party type. | Fatal | Misc. | Misc. |
| A3 | The element is recorded for an inappropriate party type. | Fatal | Misc. | Misc. |
| A4 | The critical element is not recorded. | Fatal | Misc. | Misc. |
| A5 | The element is not recorded. | Warning | Misc. | Misc. |
| A6 | The element exceeds the maximum occurrence threshold. | Fatal | Misc. | Misc. |
| A7 | The element is missing a "SeqNum" attribute | Fatal | Misc. | Misc. |
| A8 | The element contains a "SeqNum" attribute with a duplicate or invalid value | Fatal | Misc. | Misc. |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|-----------------------|----------------|
| A9 | One or more of the attributes are missing, incorrectly formatted, or contain an invalid value | Fatal | Misc. | Misc. |
| A10 | The reported total count of all activities in the batch does not match the actual count. | Fatal | Misc. | Misc. |
| A11 | The reported sum of all total amounts recorded in the batch does not match the actual amount. | Fatal | Misc. | Misc. |
| A12 | The reported count of the total number of parties in the batch does not match the actual count. | Fatal | Misc. | Misc. |
| A13 | The reported count of activities containing an attachment does not match the actual count. | Fatal | Misc. | Misc. |
| A14 | The reported count of attachments does not match the actual count. | Fatal | Misc. | Misc. |
| A15 | Cannot continue processing the submitted file because of previous errors encountered. | Fatal | Misc. | Misc. |
| A16 | One, or more, invalid characters were present in the submitted file. | Fatal | Misc. | Misc. |
| A18 | Unexpected element sequence. The element is not allowed at this location. | Fatal | Misc. | Misc. |
| A19 | Schema validation failure. The XML file does not conform to the defined schema located at https://www.fincen.gov/base/EFL_SA RXBatchSchema.xsd. | Fatal | Misc. | Misc. |
| A20 | This submission cannot be accepted because it contains significant errors. Please fix and resubmit the file. | Fatal | Misc. | Misc. |
| A21 | This submission has been accepted and will be processed by FinCEN, however it contains some errors which need to be corrected once this submission has been acknowledged. | Warning | Misc. | Misc. |
| A23 | The value recorded is not appropriate for the associated party type. | Fatal | Misc. | Misc. |
| A24 | Unknown is indicated for data that is provided. | Warning | Misc. | Misc. |
| A25 | Unknown is indicated for data that is provided and unknown is not a valid response. | Fatal | Misc. | Misc. |
| A27 | The element recorded conflicts with one or more recorded elements. | Fatal | Misc. | Misc. |
| A29 | The value recorded does not contain an associated type. | Fatal | Misc. | Misc. |
| A30 | The value is missing or invalid. | Fatal | Misc. | Misc. |
| F60 | The namespace prefix for the element is invalid. | Fatal | Misc. | Misc. |

7.2. Document Errors

These errors can occur at the FinCEN SAR document level:

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|--|----------|-----------------------------|---|
| B0 | The value recorded is not equal to "Y" or not equal to null. | Fatal | All indicator elements | Misc. |
| B1 | The element is not recorded. | Fatal | PartyNameTypeCode | Misc. |
| B2 | The element is recorded but with no value (i.e. the value is null). | Fatal | PartyNameTypeCode | Misc. |
| В3 | The element contains an invalid code. | Fatal | PartyNameTypeCode | Misc. |
| B4 | The element is recorded with a value that is not approved for the associated party type (see Value Restrictions for more information). | Fatal | PartyNameTypeCode | Misc. |
| B5 | The element is not recorded and the <partyldentificationnumbertext> contains a value.</partyldentificationnumbertext> | Fatal | PartyldentificationTypeCode | Misc. |
| B6 | The element contains an invalid code. | Fatal | PartyldentificationTypeCode | Misc. |
| B7 | The element is recorded but with no value (i.e. the value is null). | Fatal | PartyldentificationTypeCode | Misc. |
| B9 | The element is not recorded. | Fatal | PartyldentificationTypeCode | Misc. |
| B10 | The element is not recorded. | Fatal | ActivityPartyTypeCode | Misc. |
| B11 | The element is recorded but with no value (i.e. the value is null). | Fatal | ActivityPartyTypeCode | Misc. |
| B12 | The element contains an invalid code. | Fatal | ActivityPartyTypeCode | Misc. |
| B13 | The element is not recorded. | Fatal | ActivityAssociation | 1. Type of Filing |
| B14 | The element is recorded but none of the following sub-elements are recorded with a "Y" value: InitialReportIndicator, CorrectsAmendsPriorReportIndicator, and ContinuingActivityReportIndicator. | Fatal | ActivityAssociation | 1. Type of Filing |
| B15 | InitialReportIndicator contains a "Y" value and either/both of the following elements also contain a "Y" value: CorrectsAmendsPriorReportIndicator, ContinuingActivityReportIndicator. | Warning | ActivityAssociation | 1. Type of Filing |
| B16* | The element is not recorded and the filing type is corrects/amends prior report and/or continuing activity report. | Warning | EFilingPriorDocumentNumber | 01e. Type of Filing: e. Prior report BSA Identification Number if items 1b or 1c are checked |
| B17* | The element is recorded but without a value (i.e. the value is null). | Warning | EFilingPriorDocumentNumber | 01e. Type of Filing: e. Prior report BSA Identification Number if items 1b or 1c are checked |
| B18* | The element is recorded with a valid value but the filing type is not corrects/amends prior report and/or continuing activity report. | Warning | EFilingPriorDocumentNumber | 01e. Type of Filing: e. Prior report BSA Identification Number if items 1b or 1c are checked |
| B19* | The value recorded does not equal 14 numeric characters. | Warning | EFilingPriorDocumentNumber | 01e. Type of Filing: e. Prior report BSA Identification Number if items 1b or 1c are checked |
| B20 | The value recorded contains one or more non-numeric characters. | Warning | TotalSuspiciousAmountText | 29. Amount involved in this report |
| B21 | The element is not recorded or does not contain a value and unknown or no amount involved is not indicated. | Warning | TotalSuspiciousAmountText | 29. Amount involved in this report |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|--|--|
| B22* | The element is recorded with a value while unknown and/or no amount involved is indicated. | Warning | TotalSuspiciousAmountText | 29. Amount involved in this report |
| B23* | The element is not recorded or does not contain a value. | Warning | SuspiciousActivityFromDateTe xt | 30a. Date or date range of suspicious activity (From) |
| B24* | The value recorded for the element is not in the required format (YYYYMMDD). | Warning | SuspiciousActivityFromDateTe xt | 30a. Date or date range of suspicious activity (From) |
| B25 | The value recorded is greater than the date recorded for SuspiciousActivityToDateText. | Warning | SuspiciousActivityFromDateTe xt | 30a. Date or date range of suspicious activity (From) |
| B26* | The value recorded for the element is not in the required format (YYYYMMDD). | Warning | SuspiciousActivityToDateText | 30b. Date or date range of suspicious activity (To) |
| B27* | The value recorded contains one or more non-numeric characters. | Warning | CumulativeTotalViolationAmo untText | 31. Cumulative amount |
| B28* | The element is not recorded or does not contain a value and continuing activity report is indicated. | Warning | CumulativeTotalViolationAmo untText | 31. Cumulative amount |
| B29 | The element is recorded with a value and continuing activity report is not indicated. | Warning | CumulativeTotalViolationAmo untText | 31. Cumulative amount |
| B30 | The cumulative amount recorded is less than the total amount recorded for TotalSuspiciousAmountText. | Warning | CumulativeTotalViolationAmo untText | 31. Cumulative amount |
| B31 | The element is not recorded. | Fatal | SuspiciousActivity | 32-42. Suspicious Activity Information |
| B32 | The element is not recorded. | Fatal | SuspiciousActivityClassificatio n | 32-42. Suspicious Activity Classification |
| B33 | The element is not recorded. | Fatal | SuspiciousActivityTypeID | 32-42. Suspicious Activity: Type (ACH, Ponzi scheme, Chip walking, etc.) |
| B34 | The element is recorded but without a value (i.e. the value is null). | Fatal | SuspiciousActivityTypeID | 32-42. Suspicious Activity: Type (ACH, Ponzi scheme, Chip walking, etc.) |
| B35 | The element contains an invalid code. | Fatal | SuspiciousActivityTypeID | 32-42. Suspicious Activity: Type (ACH, Ponzi scheme, Chip walking, etc.) |
| B36 | The element is not recorded. | Fatal | SuspiciousActivitySubtypeID | 32a-42z. Suspicious Activity: Subtype (Structuring, Terrorist financing, Cyber event, etc.) |
| B37 | The element is recorded but without a value (i.e. the value is null). | Fatal | SuspiciousActivitySubtypeID | 32a-42z. Suspicious Activity: Subtype (Structuring, Terrorist financing, Cyber event, etc.) |
| B38 | The element contains an invalid code. | Fatal | SuspiciousActivitySubtypeID | 32a-42z. Suspicious Activity: Subtype (Structuring, Terrorist financing, Cyber event, etc.) |
| B39 | The element contains a value that is not appropriate for the type of suspicious activity recorded. | Fatal | SuspiciousActivitySubtypeID | 32a-42z. Suspicious Activity: Subtype (Structuring, Terrorist financing, Cyber event, etc.) |
| B40 | The element is not recorded or does not contain a value and the subtype of suspicious activity is equal to Other. | Warning | OtherSuspiciousActivityTypeT ext | 32z-42z. Suspicious Activity: Other Type Description |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|----------------------------------|---|
| B41 | The element is recorded with a value but the subtype of suspicious activity is not equal to Other. | Warning | OtherSuspiciousActivityTypeT ext | 32z-42z. Suspicious Activity: Other Type Description |
| B42* | The value recorded for the element is not in the required format (see Value Restrictions for format requirements). | Warning | IPAddressText | 43. IP Address: Address |
| B43* | The value recorded for the element is not in the required format (YYYYMMDD). | Warning | ActivityIPAddressDateText | 43a. IP Address: Date |
| B44* | The value recorded for the element is not in the required format (HH:MM:SS). | Warning | ActivityIPAddressTimeStampT ext | 43b. IP Address: Timestamp |
| B45 | The element is not recorded or does not contain. | Warning | EventValueText | 44a1-j1,z1. Cyber Event Indicator: Event value |
| B46 | The value recorded is not valid based on the type of cyber event (see Value Restrictions for format requirements). | Warning | EventValueText | 44a1-j1,z2. Cyber Event Indicator: Event value |
| B47 | The element is recorded for a cyber- event type that is not applicable to this data (see Element Restrictions for more information). | Fatal | CyberEventDateText | 44a2,h2. Cyber Event Indicator: Date |
| B48* | The value recorded for the element is not in the required format (YYYYMMDD). | Warning | CyberEventDateText | 44a2,h3. Cyber Event Indicator: Date |
| B49* | The element is recorded for a cyber- event type that is not applicable to this data (see Element Restrictions for more information). | Fatal | CyberEventTimeStampText | 44a3,h3. Cyber Event Indicator: Timestamp |
| B50 | The value recorded for the element is not in the required format (HH:MM:SS). | Warning | CyberEventTimeStampText | 44a3,h4. Cyber Event Indicator: Timestamp |
| B51 | The element is not recorded or does not contain a value. | Fatal | CyberEventIndicatorsTypeCod e | 44a-j,z. Cyber Event Indicator: Type (Command and Control IP address, Targeted system, etc.) |
| B52 | The element contains an invalid code. | Fatal | CyberEventIndicatorsTypeCod e | 44a-j,z. Cyber Event Indicator: Type (Command and Control IP address, Targeted system, etc.) |
| B53 | The element is not recorded or does not contain a value and the <cybereventindicatorstypecode> is equal to "11" Other.</cybereventindicatorstypecode> | Warning | CyberEventTypeOtherText | 44z. Cyber Event Indicator: Other Description |
| B54 | The element is recorded with a value and the <cybereventindicatorstypecode> is not equal to "11" Other.</cybereventindicatorstypecode> | Warning | CyberEventTypeOtherText | 44z. Cyber Event Indicator: Other Description |
| B55 | The element is not recorded. | Fatal | AssetTypeID | 45/46. Assets: Type (45. Financial product) (46. Financial instrument/payment mechanism) |
| B56 | The element is recorded but without a value (i.e. the value is null). | Fatal | AssetTypeID | 45/46. Assets: Type (45. Financial product) (46. Financial instrument/payment mechanism) |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|-------------------------------|---|
| B57 | The element contains an invalid code. | Fatal | AssetTypeID | 45/46. Assets: Type (45. Financial product) (46. Financial instrument/payment mechanism) |
| B58 | The element is not recorded. | Fatal | AssetSubtypeID | 45a-t,z/46a-i,z. Assets: Subtype (45. Bonds/Notes, Microcap securities, etc.) (46. Bank/cashier's check, Funds transfer, etc.) |
| B59 | The element is recorded but without a value (i.e. the value is null). | Fatal | AssetSubtypeID | 45a-t,z/46a-i,z. Assets: Subtype (45. Bonds/Notes, Microcap securities, etc.) (46. Bank/cashier's check, Funds transfer, etc.) |
| B60 | The element contains an invalid code. | Fatal | AssetSubtypeID | 45a-t,z/46a-i,z. Assets: Subtype (45. Bonds/Notes, Microcap securities, etc.) (46. Bank/cashier's check, Funds transfer, etc.) |
| B61 | The element contains a value that is not appropriate for the type of asset recorded. | Fatal | AssetSubtypeID | 45a-t,z/46a-i,z. Assets: Subtype (45. Bonds/Notes, Microcap securities, etc.) (46. Bank/cashier's check, Funds transfer, etc.) |
| B62 | The element is not recorded or does not contain a value and Other is indicated for the <assetsubtypeid> element.</assetsubtypeid> | Warning | OtherAssetSubtypeText | 45z/46z. Assets: Subtype Other Description |
| B63 | The element is recorded with a value and Other is not indicated for the <assetsubtypeid> element.</assetsubtypeid> | Warning | OtherAssetSubtypeText | 45z/46z. Assets: Subtype Other Description |
| B64 | The element is not recorded or does not contain a value. | Warning | AssetAttributeDescriptionText | 47-50. Assets Attribute: Value/Description |
| B65 | The value recorded is not valid based on the type of asset attribute (see Value Restrictions for format requirements). | Warning | AssetAttributeDescriptionText | 47-50. Assets Attribute: Value/Description |
| B66 | The element is not recorded. | Fatal | AssetAttributeTypeID | 47-50. Assets Attribute: Type (Commodity, Product/Instrument, Market where traded, or CUSIP) |
| B67 | The element is recorded but without a value (i.e. the value is null). | Fatal | AssetAttributeTypeID | 47-50. Assets Attribute: Type (Commodity, Product/Instrument, Market where traded, or CUSIP) |
| B68 | The element contains an invalid code. | Fatal | AssetAttributeTypeID | 47-50. Assets Attribute: Type (Commodity, Product/Instrument, Market where traded, or CUSIP) |
| B69 | The element is not recorded. | Fatal | FilingDateText | 95. Date filed |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|--|----------|-----------------------|----------------|
| B70 | The element is recorded but without a value (i.e. the value is null). | Fatal | FilingDateText | 95. Date filed |
| B71 | The value recorded for the element is a date greater than the current date or less than January 1, 2000. | Fatal | FilingDateText | 95. Date filed |
| B72 | The value recorded for the element is not a valid date in the format YYYYMMDD. | Fatal | FilingDateText | 95. Date filed |

7.3. Subject Information Errors

These errors can occur at the FinCEN SAR document level associated with the Part I Subject Information:

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|--|----------|--|---------------------------------------|
| C0 | The party type associated with the subject is not recorded. | Fatal | Party | Subject Information |
| C1 | The party type associated with the subject exceeds the maximum occurrence for the FinCEN SAR. | Fatal | Party | Subject Information |
| C2* | The element is not recorded for the subject and <allcriticalsubjectinformationunavail ableindicator=""> does not contain a "Y" value.</allcriticalsubjectinformationunavail> | Warning | PartyName | 4-7. Name |
| C3* | The element is not recorded or does not contain a value for the subject and unknown is not indicated. | Warning | RawEntityIndividualLastName | 4. Name: Entity/Last |
| C4 | The element is not recorded or does not contain a value for an individual subject and unknown is not indicated. | Warning | RawIndividualFirstName | 5. Name: First |
| C6 | More than one gender is recorded for the subject. | Warning | FemaleGenderIndicator MaleGenderIndicator UnknownGenderIndicator | 08a-c. Gender |
| C53 | A gender indicator element is recorded with a "Y" value for the entity subject. | Warning | FemaleGenderIndicator MaleGenderIndicator UnknownGenderIndicator PartyAsEntityOrganizationIndi cator | 08a-c. Gender 03a. Check if entity |
| C7 | The element is not recorded for the subject and <allcriticalsubjectinformationunavail ableindicator=""> does not contain a "Y" value.</allcriticalsubjectinformationunavail> | Warning | Address | 11-15. Address |
| C8 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawStreetAddress1Text | 11. Address: Street |
| C9 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawCityText | 12. Address: City |
| C10 | The element contains an invalid state code. | Fatal | RawStateCodeText | 13. Address: State |
| C11 | The element is not recorded or does not contains a value when the country is US, CA, or MX, and unknown is not indicated. | Warning | RawStateCodeText | 13. Address: State |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|---|
| C12 | The element contains a value and the country is not US, CA, MX, or a U.S. Territory. | Warning | RawStateCodeText | 13. Address: State |
| C13 | State code and country code mismatch when a U.S. Territory is recorded. | Warning | RawCountryCodeText RawStateCodeText | 13, 15. Address: State, Country |
| C14 | The value recorded contains punctuation or formatting. | Fatal | RawZIPCode | 14. Address: ZIP/Postal Code |
| C15 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawZIPCode | 14. Address: ZIP/Postal Code |
| C16 | The value recorded is not equal to 5 or 9 numeric characters, is a 9-digit value ending in four zeros or four nines, and the corresponding country is equal to US or a U.S. Territory code. | Warning | RawZIPCode | 14. Address: ZIP/Postal Code |
| C17 | The element contains an invalid country code. | Fatal | RawCountryCodeText | 15. Address: Country |
| C18 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawCountryCodeText | 15. Address: Country |
| C19* | The element is not recorded for the subject TIN and <allcriticalsubjectinformationunavail ableindicator=""> does not contain a "Y" value.</allcriticalsubjectinformationunavail> | Warning | Partyldentification | 16-17. TIN |
| C20 | The element is not recorded or does not contain a value and unknown is not indicated. | Fatal | PartyldentificationNumberTex t | 16. TIN: Number |
| C21* | The value recorded for the EIN or SSN/ITIN is an invalid number string. | Warning | PartyldentificationNumberTex t | 16. TIN: Number |
| C54 | The element is not recorded or does not contain a valid value. | Fatal | PartyldentificationTypeCode | 17. TIN: Type |
| C22 | The element is not recorded or does not contain a value for the subject Form of Identification and <allcriticalsubjectinformationunavail ableindicator=""> does not contain a "Y" value.</allcriticalsubjectinformationunavail> | Warning | Partyldentification | 18. Form of ID |
| C23 | The element contains a value and unknown is indicated. | Warning | PartyldentificationNumberTex t | 18e. Form of ID: Number |
| C24 | The value recorded for the form of identification number is an invalid number string. | Warning | PartyldentificationNumberTex t | 18e. Form of ID: Number |
| C25 | The element is not recorded or does not contain a value, the form of identification is Driver's license/State ID, and the country code is US, CA, MX, or a U.S. Territory. | Warning | OtherIssuerStateText | 18f. Form of ID: Issuing State |
| C26 | The element contains a value and identification unknown is indicated. | Warning | OtherIssuerStateText | 18f. Form of ID: Issuing State |
| C27 | The element contains an invalid state code. | Warning | OtherIssuerStateText | 18f. Form of ID: Issuing State |
| C28 | State code and country code mismatch when U.S. Territory is recorded. | Warning | OtherIssuerCountryText OtherIssuerStateText | 18f,g. Form of ID: Issuing State/Country |
| C29 | The element is not recorded or does not contain a value and the form of | Warning | OtherIssuerCountryText | 18g. Form of ID: Issuing Country |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|--|
| | identification is Passport or Alien registration. | | | |
| C30 | The element contains a value and identification unknown is indicated. | Warning | OtherIssuerCountryText | 18g. Form of ID: Issuing Country |
| C31 | The element contains an invalid country code. | Warning | OtherIssuerCountryText | 18g. Form of ID: Issuing Country |
| C32 | The element is not recorded or does not contain a value and the form of identification is Other. | Warning | OtherPartyIdentificationTypeT ext | 18z. Form of ID: Type - Other Description |
| C33 | The element contains a value and identification unknown is indicated. | Warning | OtherPartyIdentificationTypeT ext | 18z. Form of ID: Type - Other Description |
| C34 | The value recorded for the element is not in the required format (YYYYMMDD). | Warning | IndividualBirthDateText | 19. Date of birth: Date |
| C35 | The element is not recorded for the individual subject and <allcriticalsubjectinformationunavail ableindicator=""> and <birthdateunknownindicator> do not contain a "Y" value.</birthdateunknownindicator></allcriticalsubjectinformationunavail> | Warning | Individual Birth Date Text | 19. Date of birth: Date |
| C36 | The date of birth recorded is less than January 1, 1900. | Warning | IndividualBirthDateText | 19. Date of birth: Date |
| C37 | The element contains an invalid code. | Fatal | PhoneNumberTypeCode | 20a-d. Phone: Type (a. Home, b. Work, c. Mobile, d. Fax) |
| C38 | The value recorded for the element is not a valid email address or URL format. | Warning | ElectronicAddressText | 22,22a. E-Address: Address |
| C39 | The element is not recorded or does not contain a value (i.e. the value is null). | Fatal | ElectronicAddressTypeCode | 22,22a. E-Address: Type Indicator |
| C40 | The element contains an invalid code. | Fatal | ElectronicAddressTypeCode | 22,22a. E-Address: Type Indicator |
| C41* | The element is not recorded or at least one indicator identifying the type of relationship is not recorded with a "Y" value. | Warning | PartyAssociation | 24. Subject Relationship to FI (relationship type indicators) |
| C42 | The value recorded does not match the TIN for the filing institution or a financial institution where the activity occurred. | Fatal | SubjectRelationshipFinanciall nstitutionTINText | 24a. Subject Relationship to FI: Institution TIN |
| C43 | The element is not recorded or does not contain a value and Other is indicated. | Warning | OtherPartyAssociationTypeTe xt | 24z. Subject Relationship to FI: Other description |
| C44 | The element is recorded with a value and Other is not indicated. | Warning | OtherPartyAssociationTypeTe xt | 24z. Subject Relationship to FI: Other description |
| C45 | The element is not recorded or does not contain a value and the status of the relationship is Terminated, Suspended/barred, or Resigned. | Warning | ActionTakenDateText | 26. Subject Relationship to Fl: Action date |
| C46 | The value recorded for the element is not in the required format (YYYYMMDD). | Warning | ActionTakenDateText | 26. Subject Relationship to FI: Action date |
| C55 | The element is recorded with a valid value but the status of the relationship is not equal to Terminated, Suspended/barred, or Resigned. | Warning | ActionTakenDateText | 26. Subject Relationship to Fl: Action date |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|--|--|
| C56 | The element is recorded with a valid value but the type of relationship is not equal to Director, Employee, Officer, or Owner/Controlling Shareholder. | Warning | Relationship Continues Indicat or; Resigned Indicator; Suspended Barred Indicator; Terminated Indicator | 25. Subject Relationship to FI: Status of relationship |
| C57 | The element is not recorded or does not contain a value and the type of relationship is equal to Director, Employee, Officer, and/or Owner/Controlling Shareholder. | Warning | Relationship Continues Indicat or; Resigned Indicator; Suspended Barred Indicator; Terminated Indicator | 25. Subject Relationship to FI: Status of relationship |
| C47 | The NoKnownAccountInvolvedIndicator element is recorded with a "Y" value but the PartyAccountAssociation element is also recorded. | Warning | NoKnownAccountInvolvedInd icator PartyAccountAssociation Account | 27. Related FI TIN/Account(s)/No known accounts involved |
| C48 | The NoKnownAccountInvolvedIndicator element is not recorded and the PartyAccountAssociation element is also not recorded. | Warning | NoKnownAccountInvolvedInd icator PartyAccountAssociation Account | 27. Related FI TIN/Account(s)/No known accounts involved |
| C49 | The element is not recorded or does not contain a value. | Fatal | PartyAccountAssociationType Code | 27. Account: Party Association Type (Subject Identifier) |
| C50 | The element contains an invalid code. | Fatal | PartyAccountAssociationType Code | 27. Account: Party Association Type (Subject Identifier) |
| C51 | More than one role is recorded for the subject. | Warning | BothPurchaserSenderPayeeRe ceiveIndicator PayeeReceiverIndicator PurchaserSenderIndicator | 28a-c. Subject role in transaction |
| C52* | Subject relationship to institution is categorized as Director, Employee, Officer, and/or Owner/Controlling Shareholder, and Joint report is indicated. | Warning | ActivityAssociation (DirectorIndicator, EmployeeIndicator, OfficerIndicator, OwnerShareholderIndicator); PartyAssociation (JointReportIndicator) | 24h/i/k/l. Subject relationship to institution; 1d. Joint report |

7.4. Financial Institution & Branch Where Activity Occurred Errors

These errors can occur at the FinCEN SAR document level associated with the Part III Financial Institution Where Activity Occurred Information, as well as the Branch location (if any):

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|--|
| D0 | The party type associated with the financial institution where activity occurred is not recorded. | Fatal | Party | FI Where Activity Occurred |
| D1 | The party type associated with the financial institution where activity occurred exceeds the maximum occurrence for the FinCEN SAR. | Fatal | Party | FI Where Activity Occurred |
| D2 | The element is not recorded. | Fatal | Organization Classification Type eSubtype | 51, 53-54. Institution Type/Subtype |
| D3 | The element is not recorded or does not contain a value (i.e. the value is null). | Fatal | OrganizationTypeID | 51a-g,z. Institution Type |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|----------------------------------|--|
| D4 | The element contains an invalid code. | Fatal | OrganizationTypeID | 51a-g,z. Institution Type |
| D5 | The element is not recorded or does not contain a value and the institution type is equal to Other. | Warning | OtherOrganizationTypeText | 51z. Institution Type Other Description |
| D6 | The element is recorded with a value but the institution type is not equal to Other. | Warning | OtherOrganizationTypeText | 51z. Institution Type Other Description |
| D7 | The element is not recorded. | Fatal | PrimaryRegulatorTypeCode | 52a-i. Primary Federal Regulator |
| D8 | The element is recorded but with no value (i.e. the value is null). | Fatal | PrimaryRegulatorTypeCode | 52a-i. Primary Federal Regulator |
| D9 | The element contains an invalid code. | Fatal | PrimaryRegulatorTypeCode | 52a-i. Primary Federal Regulator |
| D10 | The element is not recorded or does not contain a value (i.e. the value is null) and the institution type is equal to Casino/Card club or Securities and Futures. | Fatal | OrganizationSubtypeID | 53a-c,z 54a-k,z. Institution Subtype: Gaming Institution, Institution Subtype: Securities/Futures Institution |
| D11 | The element contains an invalid code. | Fatal | OrganizationSubtypeID | 53a-c,z 54a-k,z. Institution Subtype: Gaming Institution, Institution Subtype: Securities/Futures Institution |
| D12 | The element contains a value but the institution type is not equal to Casino/Card club or Securities and Futures. | Fatal | OrganizationSubtypeID | 53a-c,z 54a-k,z. Institution Subtype: Gaming Institution, Institution Subtype: Securities/Futures Institution |
| D14 | The value recorded conflicts with the institution type recorded (e.g. State Casino recorded for Securities and Futures institution) | Fatal | OrganizationSubtypeID | 53a-c,z 54a-k,z. Institution Subtype: Gaming Institution, Institution Subtype: Securities/Futures Institution |
| D15 | The element is not recorded or does not contain a value and the institution subtype is equal to Other. | Warning | OtherOrganizationSubTypeTe xt | 53z 54z. Institution Subtype Other: Gaming Institution Description Institution Subtype Other: Securities/Futures Institution Description |
| D16 | The element is recorded with a value but the institution subtype is not equal to Other. | Warning | OtherOrganizationSubTypeTe xt | 53z 54z. Institution Subtype Other: Gaming Institution Description Institution Subtype Other: Securities/Futures Institution Description |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|--|
| D17 | The element is not recorded or does not contain a value and unknown is not indicated. | Fatal | PartyldentificationNumberTex t | 55h. Institution ID: Number |
| D51 | More than one role is recorded for the financial institution's role in transaction. | Warning | PayLocationIndicator SellingLocationIndicator SellingPayingLocationIndicato r | 56a-b. Role in transaction |
| D18 | The element is not recorded or does not contain a value and unknown is not indicated. | Fatal | RawPartyFullName | 57. Name: Legal name of FI |
| D19 | The element is recorded with a value for the legal name and unknown is indicated. | Warning | RawPartyFullName | 57. Name: Legal name of FI |
| D20 | The element is not recorded or does not contain a value and unknown is not indicated. | Fatal | PartyldentificationNumberTex t | 59. TIN: Number |
| D21* | The value recorded for the EIN or SSN/ITIN is an invalid number string. | Warning | PartyldentificationNumberTex t | 59. TIN: Number |
| D52 | The element is not recorded or does not contain a valid value. | Fatal | PartyldentificationTypeCode | 60. TIN: Type |
| D22 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawStreetAddress1Text | 61. Address: Address/Street |
| D23 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawCityText | 62. Address: City |
| D24 | The element contains an invalid state code. | Fatal | RawStateCodeText | 63. Address: State |
| D25 | The element is not recorded or does not contain a value when the country is US, CA, MX, or a U.S. Territory. | Warning | RawStateCodeText | 63. Address: State |
| D26 | The element contains a value and the country is not US, CA, MX, or a U.S. Territory. | Warning | RawStateCodeText | 63. Address: State |
| D27 | State code and country code mismatch when U.S. Territory is recorded. | Warning | RawCountryCodeText RawStateCodeText | 63, 65. Address: State, Country |
| D28 | The value recorded contains punctuation or formatting. | Fatal | RawZIPCode | 64. Address: ZIP/Postal Code |
| D29 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawZIPCode | 64. Address: ZIP/Postal Code |
| D30 | The value recorded is not equal to 5 or 9 numeric characters, is a 9-digit value ending in four zeros or four nines, and the corresponding country is equal to US or a U.S. Territory code. | Warning | RawZIPCode | 64. Address: ZIP/Postal Code |
| D31 | The element contains an invalid country code. | Fatal | RawCountryCodeText | 65. Address: Country |
| D32 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | RawCountryCodeText | 65. Address: Country |
| D33 | The loss to financial institution amount recorded contains one or more non-numeric characters. | Warning | LossToFinancialAmountText | 67. Loss to financial institution (amount) |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|--|
| D53 | The loss to financial institution amount recorded is equal to zero. | Warning | LossToFinancialAmountText | 67. Loss to financial institution (amount) |
| D34 | The loss to financial institution amount recorded is greater than the amount recorded for <totalsuspiciousamounttext></totalsuspiciousamounttext> | Warning | LossToFinancialAmountText | 67. Loss to financial institution (amount) |
| D35 | The element is recorded but no relationship indicator is recorded with a "Y" value. | Warning | PartyAssociation | 67. FI/Branch Party Association |
| D36 | This element is recorded with a "Y" value for the Financial institution (34) but one or more Branch (46) party type locations are also recorded. | Warning | NoBranchActivityInvolvedIndi cator | 69a. No branch activity involved indicator |
| D37 | The party type associated with the branch where activity occurred is not recorded and "no branch activity involved" is not indicated. | Warning | Party | Branch Location |
| D38 | The party type associated with the branch where activity occurred exceeds the maximum occurrence for the FinCEN SAR. | Fatal | Party | Branch Location |
| D39 | More than one role is recorded for the branch's role in the transaction. | Warning | PayLocationIndicator SellingLocationIndicator SellingPayingLocationIndicato r | 68a-c. Role in transaction |
| D41 | The element is not recorded for the Branch and < NoBranchActivityInvolvedIndicator> does not contain a "Y" value. | Warning | Address | 69, 71-74. Address |
| D44 | The element contains an invalid state code. | Fatal | RawStateCodeText | 72. Address: State |
| D45 | The element contains a value and the country is not US, CA, MX, or a U.S. Territory. | Warning | RawStateCodeText | 72. Address: State |
| D46 | The element is not recorded or does not contain a value when the country is a U.S. Territory. | Warning | RawStateCodeText | 72. Address: State |
| D47 | State code and country code mismatch when U.S. Territory is recorded. | Warning | RawCountryCodeText RawStateCodeText | 72, 74. Address: State, Country |
| D49 | The element contains an invalid country code. | Fatal | RawCountryCodeText | 74. Address: Country |
| D50 | The element is not recorded or does not contain a value. | Warning | RawCountryCodeText | 74. Address: Country |

7.5. Filing Institution Errors

These errors can occur at the FinCEN SAR document level associated with the Part IV Filing Institution Information:

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|-------------------------------------|----------|-----------------------|--------------------|
| E0 | The party type associated with the | Fatal | Party | Filing Institution |
| | filing institution is not recorded. | | | |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|--|
| E1 | The party type associated with the filing institution exceeds the maximum occurrence for the FinCEN SAR. | Fatal | Party | Filing Institution |
| E2 | The element is not recorded. | Fatal | PrimaryRegulatorTypeCode | 75a-i, z. Primary Federal Regulator |
| E3 | The element is recorded but with no value (i.e. the value is null). | Fatal | PrimaryRegulatorTypeCode | 75a-i, z. Primary Federal Regulator |
| E4 | The element contains an invalid code. | Fatal | PrimaryRegulatorTypeCode | 75a-i, z. Primary Federal Regulator |
| E5* | The element is not recorded. | Warning | RawPartyFullName | 76. Name: Legal name |
| E6* | The element is recorded but with no value (i.e. the value is null). | Warning | RawPartyFullName | 76. Name: Legal name |
| E7 | The element is not recorded or does not contain a value for the filing institution TIN. | Fatal | PartyldentificationNumberTex t | 77. TIN: Number |
| E9* | The value recorded for the EIN or SSN/ITIN is an invalid number string. | Warning | PartyldentificationNumberTex t | 77. TIN: Number |
| E46 | The element is not recorded or does not contain a valid value. | Fatal | PartyldentificationTypeCode | 78. TIN: Type |
| E10 | The element is not recorded. | Fatal | Organization Classification Type eSubtype | 79, 80. Institution Type/Subtype |
| E11 | The element is not recorded or does not contain a value (i.e. the value is null). | Fatal | OrganizationTypeID | 79a-g,z. Institution Type |
| E12 | The element contains an invalid code. | Fatal | OrganizationTypeID | 79a-g,z. Institution Type |
| E13 | The element is not recorded or does not contain a value and the institution type is equal to Other. | Warning | OtherOrganizationTypeText | 79z. Institution Type Other Description |
| E14 | The element is recorded with a value but the institution type is not equal to Other. | Warning | OtherOrganizationTypeText | 79z. Institution Type Other Description |
| E15 | The element is not recorded or does not contain a value (i.e. the value is null) and the institution type is equal to Securities and Futures. | Fatal | OrganizationSubtypeID | 80a-n,z. Institution Subtype: Securities/Futures Institution |
| E16 | The element contains an invalid code. | Fatal | OrganizationSubtypeID | 80a-n,z. Institution Subtype: Securities/Futures Institution |
| E17 | The element contains a value but the institution type is not equal to Securities and Futures. | Fatal | OrganizationSubtypeID | 80a-n,z. Institution Subtype: Securities/Futures Institution |
| E19 | The value recorded conflicts with the institution type recorded (e.g. State Casino recorded for Securities and Futures institution) | Fatal | OrganizationSubtypeID | 80a-n,z. Institution Subtype: Securities/Futures Institution |
| E20 | The element is recorded with a value but the institution subtype is not equal to Other. | Warning | OtherOrganizationSubTypeTe xt | 80z. Institution Subtype Other: Securities/Futures Institution Description |
| E47 | The element is not recorded or does not contain a value and the institution subtype is equal to Other. | Warning | OtherOrganizationSubTypeTe xt | 80z. Institution Subtype Other: Securities/Futures Institution Description |
| E21 | The element is not recorded or does not contain a value for the filing institution identification number. | Fatal | PartyldentificationNumberTex t | 81h. Institution ID: Number |
| E22 | The value recorded for the identification number is an invalid number string. | Warning | PartyldentificationNumberTex t | 81h. Institution ID: Number |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|--|----------------------------------|
| E24 | The element is not recorded or does not contain a value for the filing institution. | Warning | RawStreetAddress1Text | 82. Address: Address/Street |
| E26 | The element is not recorded or does not contain a value for the filing institution. | Warning | RawCityText | 83. Address: City |
| E27 | The element contains an invalid state code. | Fatal | RawStateCodeText | 84. Address: State |
| E28 | The element is not recorded or does not contain a value for the filing institution when the country is US, CA, MX, or a U.S. Territory. | Warning | RawStateCodeText | 84. Address: State |
| E30 | The element contains a value and the country is not US, CA, MX, or a U.S. Territory. | Warning | RawStateCodeText | 84. Address: State |
| E31 | State code and country code mismatch when U.S. Territory is recorded. | Warning | RawCountryCodeText RawStateCodeText | 8486. Address |
| E32 | The value recorded contains punctuation or formatting. | Fatal | RawZIPCode | 85. Address: ZIP/Postal Code |
| E34 | The element is not recorded or does not contain a value for the filing institution. | Warning | RawZIPCode | 85. Address: ZIP/Postal Code |
| E35 | The value recorded is not equal to 5 or 9 numeric characters, is a 9-digit value ending in four zeros or four nines, and the corresponding country is equal to US or a U.S. Territory code. | Warning | RawZIPCode | 85. Address: ZIP/Postal Code |
| E36 | The element contains an invalid country code. | Fatal | RawCountryCodeText | 86. Address: Country |
| E37 | The element is not recorded or does not contain a value for the filing institution. | Warning | RawCountryCodeText | 86. Address: Country |
| E39 | The party type associated with the designated contact office is not recorded. | Fatal | Party | 93. Designated Contact Office |
| E40 | The party type associated with the designated contact office exceeds the maximum occurrence for the FinCEN SAR. | Fatal | Party | 93. Designated Contact Office |
| E41 | The element is not recorded or does not contain a value for the Designated contact office. | Fatal | RawPartyFullName | 93. Name: Legal name |
| E42 | The element is not recorded or does not contain a value for the designated contact office. | Warning | PhoneNumberText | 94. Phone: Number |
| E43 | The party type associated with the LE contact agency exceeds the maximum occurrence for the FinCEN SAR. | Fatal | Party | 89. LE Contact Agency |
| E44 | The party type associated with the LE contact name exceeds the maximum occurrence for the FinCEN SAR. | Fatal | Party | 90. LE Contact Name |
| E45 | The value recorded for the element is not in the required format (YYYYMMDD). | Fatal | ContactDateText | 92. LE contact date |

7.6. Attachment & Narrative Errors

These errors can occur at the FinCEN SAR document level associated with the Part V Attachment & Narrative Information:

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|--|----------|----------------------------------|---------------------------------|
| F0 | The batch submission contains an attachment but the <originalattachmentfilename> element is not recorded or does not contain a value.</originalattachmentfilename> | Fatal | OriginalAttachmentFileName | FinCEN SAR Attachment |
| F1 | The element is recorded with a valid value but there is no corresponding attachment. | Fatal | OriginalAttachmentFileName | FinCEN SAR Attachment |
| F2 | The element is not recorded. | Fatal | ActivityNarrativeInformation | Narrative |
| F3 | The element is not recorded or does not contain a value. | Fatal | ActivityNarrativeSequenceNu mber | Narrative: Sequence Number |
| F4 | The element contains an invalid code. | Fatal | ActivityNarrativeSequenceNu mber | Narrative: Sequence Number |
| F5 | The element is not recorded or does not contain a value. | Fatal | ActivityNarrativeText | Narrative: Value/Description |

7.7. Transmitter Errors

These errors can occur at the FinCEN SAR document level associated with Transmitter of the batch:

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|----------------|
| G0 | A required party associated with the transmitter is missing. | Fatal | Party | NA |
| G1 | The report contains more than one party associated with the transmitter. | Fatal | Party | NA |
| G2 | The element is not recorded or does not contain a value | Warning | Transmitter Name | NA |
| G3 | The element is not recorded or does not contain a value | Warning | Transmitter Address | NA |
| G4 | The element is not recorded or does not contain a value | Warning | Transmitter City | NA |
| G5 | The element is not recorded or does not contain a value and unknown is not indicated. | Warning | Transmitter State | NA |
| G6 | The element contains a value that is not a valid code | Warning | Transmitter State | NA |
| G7 | The element is not recorded or does not contain a value | Warning | Transmitter ZIP/Postal Code | NA |
| G8 | The value recorded contains one or more non-numeric characters or is in an invalid format and the country is US | Warning | Transmitter ZIP/Postal Code | NA |
| G9 | The element is not recorded or does not contain a value | Warning | Transmitter Country | NA |
| G10 | The element contains a value that is not a valid code | Warning | Transmitter Country | NA |
| G11 | State code and country code mismatch when U.S. Territory is recorded | Warning | Transmitter Country | NA |
| G12 | The element contains an invalid number string for a US TIN | Warning | Transmitter Taxpayer Identification Number (TIN) | NA |
| G13 | The element is not recorded or does not contain a value | Warning | Transmitter Taxpayer Identification Number (TIN) | NA |

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|---|----------|---|----------------|
| G14 | The element is recorded but without a value (i.e. the value is null). | Fatal | Transmitter Taxpayer Identification Number (TIN) or Control Code (TCC) Type | NA |
| G15 | The element contains a value that is not a valid code | Fatal | Transmitter Taxpayer Identification Number (TIN) or Control Coe (TCC) Type | NA |
| G16 | The Transmitter Control Code (TCC) specified in the file is not a valid TCC. For production, the TCC must begin with "P" and for User Test, it must be equal to "TBSATEST". | Fatal | Transmitter Control Code (TCC) Number | NA |
| | | | | |
| G19 | The value recorded for the element contains non-numeric characters | Warning | Transmitter Telephone Number | NA |
| G20 | The element is not recorded or does not contain a value (i.e. the value is null). | Warning | Transmitter Telephone Number | NA |

7.8. Transmitter Contact Errors

These errors can occur at the FinCEN SAR document level associated with contact person for the Transmitter of the batch:

| Code | Error Text | Severity | Associated Element(s) | Form Reference |
|------|--|----------|--------------------------|----------------|
| H0 | A required party associated with the transmitter contact is missing. | Fatal | Party | NA |
| H1 | The report contains more than one party associated with the transmitter contact. | Fatal | Party | NA |
| H2 | The element is not recorded or does not contain a value | Warning | Transmitter Contact Name | NA |

8. Attachment B – Error Correction Instructions

This attachment identifies the requirements and procedures for correcting FinCEN SAR errors reported to batch filers during the FinCEN SAR acknowledgement process.

Error Categories:

There are two main categories of errors identified in batch files: Schema validation errors that result in automatic rejection of the batch file and data errors that represent errors in data entered for individual elements but may not result in a rejection.

Schema validation errors prevent the batch file from being processed and are considered fatal errors. An example of a schema validation error is a missing required element or an element sequence that does not match the schema. An example of a data error is a required element that contains no value. Data errors are classified as primary or secondary warnings, depending on their importance. Primary warnings are file errors that violate electronic filing requirements or instructions and so degrade FinCEN SAR data quality that they must be corrected. Primary warnings make it difficult for regulators, analysts, and law enforcement investigators to locate the FinCEN SARs in the database or identify the nature and circumstances of the suspicious activity. Examples of such warnings include blank last names or legal names, missing financial institution Employer Identification Numbers, or an invalid entry in the suspicious activity date field. Attachment A – Error Descriptions identifies primary errors by adding an asterisk (*) to the error code.

Secondary warnings are data errors that violate electronic filing requirements or instructions but have a lesser impact on FinCEN SAR data quality. Examples of secondary errors are ZIP Codes that end in four zeros (e.g. 123450000), missing dates of birth, or invalid telephone numbers.

Correction Requirements:

Filers should immediately correct and resubmit a batch file rejected for fatal errors when notified by FinCEN the batch file was not accepted.

When an accepted batch file contains FinCEN SARs with primary warning errors, those FinCEN SARs must be re-filed as a corrected report with the primary errors and any secondary errors corrected. FinCEN SARs that contain only secondary errors need not be corrected. FinCEN requires that filers prevent all reported errors in their future filings. FinCEN recommends that data error corrections be made no later than 30 days after receiving error notifications. Furthermore, FinCEN recommends that filers remedy any systemic problems in their electronic submissions within 30 days of receiving error notifications. If technical issues prevent filers from implementing corrections within these time frames, filers should notify FinCEN by writing to:

Financial Crimes Enforcement Network Office of Domestic Liaison Data Quality Assessments P.O. Box 39 Vienna, VA 22183

This correspondence should explain the technical issues involved that prevent meeting the time frame, provide an estimate of when the issues will be resolved, and include a contact name and telephone number.

Correction Procedures:

FinCEN SAR batch files are rejected when they contain fatal format errors. Filers must correct all fatal errors identified in the batch file and resubmit the batch file to BSA E-Filing. Because they were not accepted by FinCEN, initial report FinCEN SARs in the re-submitted batch file are still initial reports. Do not identify FinCEN SARs from a rejected batch file as Amended reports unless they originally were filed as Amended reports.

If errors involve accepted with warning errors in the FinCEN SARs of an accepted batch file, filers should correct all errors and file amended reports on the affected FinCEN SARs using the following procedures:

Make the corrections to all errors in the FinCEN SARs in the accepted batch file.

- Record "Y" in the <CorrectsAmendsPriorReportIndicator> element under the <Activity Association> element in each FinCEN SAR to be corrected.
- Record in the <EFilingPriorDocumentNumber> element under the <Activity> element the BSA Identifier (from the FinCEN SAR Acknowledgement) that was assigned to the FinCEN SAR being corrected.
- Ensure that the <FilingDateText> element contains a new date.
- Complete all other data in the FinCEN SAR in their entirety.
- Retransmit the corrected FinCEN SAR in a new batch file. Do not re-transmit the original batch file because this will cause duplicate database entries on any FinCEN SARs that were not corrected.

9. Attachment C - Electronic XML Filing Instructions

Safe Harbor: Federal law (31 U.S.C. 5318(g)(3)) provides financial institutions complete protection from civil liability for all reports of suspicious transactions made to appropriate authorities, including supporting documentation, regardless of whether such reports are filed pursuant to a regulatory requirement or on a voluntary basis. Specifically, the law provides that a financial institution, and its directors, officers, employees, and agents, that make a disclosure of any possible violation of law or regulation, including in connection with the preparation of suspicious activity reports, "shall not be liable to any person under any law or regulation of the United States, any constitution, law, or regulation of any State or political subdivision of any State, or under any contract or other legally enforceable agreement (including any arbitration agreement), for such disclosure or for any failure to provide notice of such disclosure to the person who is the subject of such disclosure or any other person identified in the disclosure."

9.1. Confidentiality of FinCEN SARs:

A FinCEN Suspicious Activity Report (FinCEN SAR), and any information that would reveal the existence of the FinCEN SAR (collectively, "FinCEN SAR information"), is confidential, and may not be disclosed except as specified in 31 U.S.C. 5318(g)(2) and in FinCEN's regulations (31 CFR Chapter X).

9.2. FinCEN SAR Sharing:

FinCEN, the Federal Banking Regulators, the Securities and Exchange Commission (SEC), and the Commodity Futures Trading Commission (CFTC) have concluded that any depository institution, broker-dealer in securities, futures commission merchant, and introducing broker in commodities may share the FinCEN SAR, or any information that would reveal the existence of the FinCEN SAR, with its head office or parent entity (whether domestic or foreign). (See "Interagency Guidance on Sharing Suspicious Activity Reports with Head Offices and Controlling Companies," January 20, 2006 and "Guidance on Sharing of Suspicious Activity Reports by Securities Broker-Dealers, Futures Commission Merchants, and Introducing Brokers in Commodities," January 20, 2006.)

In addition, any depository institution, broker-dealer in securities, futures commission merchant, introducing broker in commodities, or casino that has filed a FinCEN SAR may share the FinCEN SAR, or any information that would reveal the existence of the FinCEN SAR, with an affiliate, as defined in FinCEN guidance (respectively, FIN-2010-G006 "Sharing Suspicious Activity Reports by Depository Institutions with Certain U.S. Affiliates," Nov. 23, 2010; FIN-2010-G005, "Sharing Suspicious Activity Reports by Securities Broker-Dealers, Mutual Funds, Futures Commission Merchants, and Introducing Brokers in Commodities with Certain U.S. Affiliates;" FIN-2017-G001, "Sharing Suspicious Activity Reports with U.S. Parents and Affiliates of Casinos," January 4, 2017), provided the affiliate is subject to a FinCEN SAR regulation. The sharing of FinCEN SARs with head offices and affiliates facilitates the identification of suspicious transactions taking place through the depository institution's affiliates that are subject to a FinCEN SAR rule. Therefore, such sharing within the depository institution's corporate organizational structure is consistent with the purposes of Title II of the BSA.

9.3. Prohibition on Disclosures by Financial Institutions:

Federal law (31 U.S.C. 5318(g)(2)) provides that a financial institution, and its directors, officers, employees, and agents who, pursuant to any statutory or regulatory authority or on a voluntary basis, report suspicious transactions to the government, may not notify any person involved in the transaction that the transaction has been reported. Provided that no person involved in the suspicious activity is notified, 31 CFR Chapter X clarifies that the following activity does not constitute a prohibited disclosure:

- Disclosure of FinCEN SAR information to certain governmental authorities or other examining authorities that are otherwise entitled by law to receive FinCEN SAR information or to examine for or investigate suspicious activity;
- · Disclosure of the underlying facts, transactions, and documents upon which a FinCEN SAR is based; and
- For those institutions regulated by a federal functional regulator (federal bank regulatory agencies, the SEC, and the CFTC), the sharing of FinCEN SAR information within an institution's corporate organizational

structure, for purposes that are consistent with the Bank Secrecy Act, as determined by regulation or quidance.

9.4. Prohibition on Disclosures by Government Authorities:

Federal law (31 U.S.C. 5318(g)(2)) also provides that an officer or employee of any Federal, state, local, tribal, or territorial government within the United States who has knowledge that such report was made, may not disclose to any person involved in the transaction that the transaction has been reported, other than as necessary to fulfill the official duties of such officer of employee. FinCEN's regulations clarify that "official duties" must be consistent with Title II of the Bank Secrecy Act and shall not include the disclosure of a FinCEN SAR, or any information that would reveal the existence of a FinCEN SAR, in response to a request for disclosure of non-public information or a request for use in a private legal proceeding, including a request pursuant to 31 CFR § 1.11.

9.5. FinCEN SAR Filing Instructions:

- 1. Who Must File: Certain financial institutions operating in the United States shall file with FinCEN, to the extent and in the manner required by 31 CFR Chapter X and 12 CFR §§ 21.11, 163.180, 208.62, 353.3, and 748.1, a report of any suspicious transaction relevant to a possible violation of law or regulation. The following financial institutions are required to file a FinCEN SAR: Banks (31 CFR §1020.320) including Bank and Financial Holding Companies (12 CFR § 225.4); Casinos and Card Clubs (31 CFR § 1021.320); Money Services Businesses (31 CFR § 1022.320); Brokers or Dealers in Securities (31 CFR § 1023.320); Mutual Funds (31 CFR § 1024.320); Insurance Companies (31 CFR § 1025.320); Futures Commission Merchants and Introducing Brokers in Commodities (31 CFR § 1026.320); Residential Mortgage Lenders and Originators (31 CFR § 1029.320), and Housing Government Sponsored Enterprises (31 CFR § 1030.320).
- **2. Filing Deadlines:** A FinCEN SAR shall be filed no later than 30 calendar days after the date of the initial detection by the reporting financial institution of facts that may constitute a basis for filing a report. If no suspect is identified on the date of such initial detection, a financial institution may delay filing a FinCEN SAR for an additional 30 calendar days to identify a suspect, but in no case shall reporting be delayed more than 60 calendar days after the date of such initial detection. In situations involving violations that require immediate attention, such as terrorist financing or ongoing money laundering schemes, the financial institution shall immediately notify by telephone an appropriate law enforcement authority in addition to filing timely a FinCEN SAR. Financial institutions wishing voluntarily to report suspicious transactions that may relate to terrorist activity may call FinCEN's Financial Institutions Hotline at 1-866-556-3974 in addition to filing timely a FinCEN SAR.
- **3. Filing Requirements for Financial Institutions:** A financial institution must report any transaction that requires reporting under the terms of 31 CFR Chapter X if the transaction is conducted or attempted by, at, or through the financial institution and involves or aggregates at least \$5,000 (\$2,000 for money services businesses, except as provided in Section 6 of this document) and the financial institution knows, suspects, or has reason to suspect that the transaction or pattern of transactions of which the transaction is a part:
 - Involves funds derived from illegal activity or is intended or conducted in order to hide or disguise funds or
 assets derived from illegal activity (including, without limitation, the ownership, nature, source, location, or
 control of such funds or assets) as part of a plan to violate or evade any Federal law or regulation or to avoid
 any transaction reporting requirement under Federal law or regulation;
 - Is designed, whether through structuring or other means, to evade any requirement of 31 CFR Chapter X or any other regulation promulgated under the Bank Secrecy Act, Public Law 91-508, as amended, codified at 12 U.S.C. 1829b, 12 U.S.C. 1951-1959, and 31 U.S.C. 5311-5332.
 - Has no business or apparent lawful purpose or is not the sort in which the particular customer would
 normally be expected to engage, and the financial institution knows of no reasonable explanation for the
 transaction after examining the available facts, including the background and possible purpose of the
 transaction, or
 - Involves the use of the financial institution to facilitate criminal activity.

- **4. Additional Filing Instructions for Banks:** In addition to the above requirements, a bank (as defined in 31 CFR § 1010.100) must file a FinCEN SAR for activity (as required by 31 CFR § 1020.320 and 12 CFR §§ 21.11, 163.180, 208.62, 353.3, and 748.1) involving:
 - Insider abuse involving any amount. Whenever the bank detects any known or suspected Federal criminal violations, or pattern of criminal violations, committed or attempted against the financial institution or involving a transaction or transactions conducted through the financial institution, where the bank believes that it was either an actual or potential victim of a criminal violation, or series of criminal violations, or that the bank was used to facilitate a criminal transaction, and the bank has a substantial basis for identifying one of its directors, officers, employees, agents or other institution- affiliated parties as having committed or aided in the commission of a criminal act regardless of the amount involved in the violation.
 - Violations aggregating \$5,000 or more where a suspect can be identified. Whenever the bank detects any known or suspected Federal criminal violation, or pattern of criminal violations, committed or attempted against the bank or involving a transaction or transactions conducted through the bank and involving or aggregating \$5,000 or more in funds or other assets, where the bank believes that it was either an actual or potential victim of a criminal violation, or series of criminal violations, or that the bank was used to facilitate a criminal transaction, and the bank has a substantial basis for identifying a possible suspect or group of suspects. If it is determined prior to filing this report that the identified suspect or group of suspects has used an "alias," then information regarding the true identity of the suspect or group of suspects, as well as alias identifiers, such as drivers' licenses or social security numbers, addresses and telephone numbers, must be reported.
 - Violations aggregating \$25,000 or more regardless of a potential suspect. Whenever the bank detects
 any known or suspected Federal criminal violation, or pattern of criminal violations, committed or attempted
 against the bank or involving a transaction or transactions conducted through the bank and involving or
 aggregating \$25,000 or more in funds or other assets, where the bank believes that it was either an actual or
 potential victim of a criminal violation, or series of criminal violations, or that the bank was used to facilitate
 a criminal transaction, even though there is no substantial basis for identifying a possible suspect or group of
 suspects.
- **5. Voluntary FinCEN SAR Filings:** Financial institutions may also file with FinCEN a report of any suspicious transaction that it believes is relevant to the possible violation of any law or regulation but whose reporting is not required by 31 CFR Chapter X. A voluntary filing does not relieve a financial institution from the responsibility of complying with any other reporting requirements imposed by the SEC, the CFTC, a self-regulatory organization (SRO) (as defined in section 3(a)(26) of the Securities Exchange Act of 1934, 15 U.S.C. 78c (a)(26)), or any Registered Futures Association (RFA) or Registered Entity (RE) (as these terms are defined in the Commodity Exchange Act, 7 U.S.C. 21 and 7 U.S.C. 1a(29)).
- **6. Exceptions:** The following are exceptions to the FinCEN SAR reporting requirements:
 - A bank, casino, broker or dealer in securities (BD), futures commission merchant (FCM), or introducing broker in commodities (IB-C) is not required to file a FinCEN SAR for a robbery or burglary committed or attempted against the financial institution when the robbery or burglary is reported to appropriate law enforcement authorities.
 - A FinCEN SAR is not required to be filed for lost, missing, counterfeit, or stolen securities that are reported pursuant to the requirements of 17 CFR § 240.17f-1.
 - A BD is not required to file a FinCEN SAR on violations of any of the Federal securities laws or the rules of a SRO by the BD or any of its officers, directors, employees or other registered representatives, other than a violation of 17 CFR § 240.17a-8 or 17 CFR § 405.4, so long as such violation is appropriately reported to the SEC or an SRO.
 - An FCM or an IB-C, or any of its officers, directors, employees or associated persons, is not required to file a
 FinCEN SAR for a violation of the Commodity Exchange Act (7 U.S.C. 1 et seq.), the regulations of the CFTC (17
 CFR Chapter 1), or the rules of any RFA or RE (as those terms are defined in the Commodity Exchange Act, 7
 U.S.C. 21 and 7 U.S.C. 1a(29)), as long as such violation is appropriately reported to the CFTC, an RFA, or RE.
 This exception does not apply to violations of 17 CFR § 42.2.

- An insurance company is not required to report the submission to it of false or fraudulent information to
 obtain a policy or make a claim, unless the company has reason to believe that that the false or fraudulent
 submission relates to money laundering or terrorist financing.
- An issuer of money orders or traveler's checks is not required to report a transaction or pattern of transactions when the transactions were identified through a review of clearance records or other similar records and the transaction amount or aggregated transaction amount involves funds or other assets of less than \$5,000.
- **7. Additional Reporting:** The Bank Secrecy Act requires financial institutions to file a Currency Transaction Report (CTR) in accordance with the Department of the Treasury's implementing regulations (31 CFR § 1010.310) whenever a currency transaction exceeds \$10,000. If a currency transaction exceeds \$10,000 and is otherwise reportable as suspicious activity, the institution must file both a CTR (reporting the currency transaction) and a FinCEN SAR (reporting the suspicious activity). If a currency transaction is \$10,000 or less and is otherwise reportable as a suspicious activity, the institution should only file a FinCEN SAR. Appropriate records must be maintained in each case. Residential Mortgage Lenders and Originators are required to file Form 8300, Report of Cash Payments Over \$10,000 Received in a Trade or Business, instead of a CTR.

9.6. FinCEN SAR Electronic Filing Instructions

9.6.1. General Instructions:

- Filing Reports: This report must be E-filed through the Financial Crime Enforcement Network (FinCEN) BSA
 E-Filing System. Go to http://bsaefiling.fincen.treas.gov to register if not already registered. Financial
 institutions that file reports individually will use FinCEN's discrete FinCEN SAR to file their reports. Financial
 institutions that use batch filing or system-to-system filing to transmit multiple reports must transmit files
 that conform to the requirements of FinCEN's "General Specifications for Electronic Filing in XML format of
 Bank Secrecy Act (BSA) Reports" (General Specifications) and "FinCEN Suspicious Activity Report (FinCEN
 SAR) XML Filing Requirements."
- 2. Recording Information: Complete each FinCEN SAR by providing as much information as possible. Although all items should be completed fully and accurately, items marked with an asterisk (*) must be completed even when the required data are unknown. Filers must follow the electronic filing instructions for these items by providing the required data or, if instructions permit, by checking the box "Unknown" to indicate that the required data was unknown. Items that do not begin with an asterisk must be completed if the data are known and will be left blank if the data are unknown. If an item's instructions differ from the General Instructions the item's instructions must be followed. These instructions supersede all prior FinCEN SAR instructions and FinCEN guidance on use of special responses in FinCEN SAR items when the data are unknown or not available in an electronic filing. Therefore, the use of special responses such as "UNKNOWN," "NONE."

"NOT APPLICABLE," or "XX" and their variants is prohibited in the FinCEN SAR.

NOTE: Throughout these instructions the phrases "check box" and "select option" or similar wording is used to denote checking an appropriate box or selecting a drop-down list option in certain data items on the discrete FinCEN SAR. These are deemed equivalent to instructions in the XML Filing Requirements to enter appropriate codes or responses in the same data items in XML-format transmission files. For example, the requirement to check box 1 "Initial report" in the discrete FinCEN SAR is the equivalent of entering "Y" in XML element <InitialReportIndicator>.

NOTE: Throughout these instructions there are requirements to complete items multiple times in a discrete FinCEN SAR if the filer has multiple entries for that item. This is deemed equivalent to completing multiple XML elements for that item in the XML Filing Requirements. For example, these instructions direct filers to complete multiple Item 6 "Alternate name" fields if the filer has knowledge of multiple alternate names for a subject. This is equivalent to a batch filer recording multiple XML <PartyName> elements and appropriate sub-elements for the same subject.

- 3. **Corrected/Amended Reports:** A corrected report on a previously-filed FinCEN SAR or prior FinCEN SAR version must be filed whenever errors are discovered in the data reported in that FinCEN SAR. An amended report must be filed on a previously-filed FinCEN SAR or prior FinCEN SAR versions whenever new data about a reported suspicious activity is discovered and circumstances will not justify filing a continuing report (see General Instruction 4). Both corrected and amended reports must be completed in their entirety, with the necessary corrections or amendments made to the data. In both cases box 1b "Correct/Amend prior report" must be checked. If known, the prior report's BSA Identifier (BSA ID) must be entered in field 1e. If the prior report's BSA ID is unknown, field 1e should be zero-filled. All corrections or amendments must be described completely at the beginning of the Part V Suspicious Activity Information Narrative section. If a FinCEN SAR is filed to correct or amend a prior FinCEN SAR version, the FinCEN SAR must be completed in its entirety. This includes FinCEN SAR items that apply to the suspicious activity but were not present on the prior FinCEN SAR version. FinCEN SAR items not on the prior FinCEN SAR version need not be described in the narrative. BSA IDs are provided in acknowledgement records sent to member financial institutions by the BSA E-Filing System.
- 4. Continuing Reports: A continuing report may be filed on suspicious activity that continues after an initial FinCEN SAR is filed. Continuing reports should be filed on successive 90-day review periods until the suspicious activity ceases, but may be filed more frequently if circumstances warrant that. Filers have up to 30 days following the end of a review period to file the continuing report for a total of 120 days of review and filing deadline. Continuing reports must be completed in their entirety, including the information about all subjects involved in the suspicious activity and all financial institutions where the activity occurred. The continuing report Part V narrative should include all details of the suspicious activity for the 90-day period encompassed by the report, and only such data from prior reports as is necessary to understand the activity. Do not reproduce the narratives from prior reports in the continuing report. Provide both the dollar amount involved in the suspicious activity for the 90-day period in Item 29 and the cumulative dollar amount for the current and prior related reports in Item 31. If continuing losses are involved for a financial institution recorded in Part III, record the 90-day loss in Item 67 and the cumulative loss in Part V.
- Joint Report: A FinCEN SAR may be jointly filed when two or more distinct financial institutions recorded in Part III "Information about Financial Institution Where Activity Occurred" collaborate in filing a single FinCEN SAR on suspicious activity involving all of the collaborating financial institutions. Financial institutions are "distinct" for this purpose when they are different legal entities; a financial institution is not distinct from its own branches. Joint filing of a single FinCEN SAR is prohibited when any of the Part I "Subject Information" subjects of the would-be jointly filed FinCEN SAR have a box in Item 24 checked that identifies the subject as a director, employee, officer, or owner/controlling shareholder of the filing institution or a would-be joint filer. In that case separate FinCEN SARs must be filed by each institution. To be a jointly-filed FinCEN SAR, box 1d "Joint report" must be checked. In addition, the filing institution listed in Part IV "Filing Institution Contact Information" must identify in Part V "Suspicious Activity Information - Narrative" which Part III "Information about Financial Institution Where Activity Occurred" institutions are joint filers. The filing institution must include joint filer contact information in Part V, along with a description of the information provided by each joint filer. Record joint filer information in Part III Items 51 through 65 and joint filer branch information in Part III Items 68 through 74. Filling a joint FinCEN SAR does not relieve joint filers of the responsibility to report information about the suspicious activity that was not included in the joint filing. A filing institution cannot designate another institution as a joint filer unless the designated joint filer is aware of and approves the FinCEN SAR filing in its entirety. A filer that designates another institution as a joint filer without gaining that institution's agreement to the joint filing and approval of the contents of the joint filing may have committed a willful violation of the Bank Secrecy Act, if the improper designation leads to the disclosure of the FinCEN SAR filing to a person not entitled to information about the filing. Both filers and joint filers are required to keep copies of the FinCEN SAR and their own supporting documentation for five (5) years after the date of filing.
- 6. **Supporting Documentation:** Filers can include a single Microsoft Excel compatible comma separated values (CSV) file with no more than one megabyte of data as an attachment to the FinCEN SAR. The contents of this file must be described in Part V. This file would be most suitable for documenting transaction records that are too numerous to record in Part V. Do not include any other supporting documentation with the FinCEN SAR. Instead, describe in Part V other supporting documentation not included in the file. Filers must retain all supporting documentation or a business record equivalent for five (5) years from the date of the

- report (31 CFR § 1010.430). All supporting documentation (such as copies of instruments; receipts; sale, transaction or clearing records; photographs; and surveillance audio or video recordings) must be made available to appropriate authorities upon request. See Attachment D for information on attaching comma separated (.CSV) files to a FinCEN SAR filing.
- 7. Addresses: For addresses in the U.S., Canada, or Mexico enter the permanent street address, city, two or three letter state/territory/province code, ZIP Code or foreign postal code, and two-letter country code or U.S. Territory code for the individual or entity recorded in Part I, Part III, or Part IV. Provide the apartment number or suite number, if known, following the street address. A non-location address such as a post office box or rural route number should be used only if no other street address information is available. ZIP Codes must be five or nine digits. ZIP Codes and foreign postal codes must be entered without formatting or special characters such as spaces or hyphens. For example, the ZIP Code 12345-6120 would be entered as 123456120. The foreign postal code HKW 702 would be entered HKW702. When an address is in a U.S. Territory the territory code must be entered in the state and country fields. For other foreign addresses enter the street address, city, postal code, and two letter country code or address equivalents. Leave the state item blank, including the "Unknown box" when provided. If a foreign address contains address information that does not conform to the FinCEN SAR address format, record equivalent address information in the FinCEN SAR address items (except state) and ignore non-conforming data. The complete foreign address should be recorded in the FinCEN SAR's Part V narrative section. Complete any address item that is known, even if the entire address is not known. No abbreviations are permitted in city names, which must be completely spelled out. A U.S. city name must match the city name used by the U.S. Postal Service for the associated state and ZIP Code. U.S. State codes must conform to the codes used by the United States Postal Service as documented in ISO 3166-2:US. Canadian province and territory codes must conform to the codes used by the Canadian Post Corporation as documented in ISO 3166-2:CA. Mexican state and federal district codes must conform to ISO 3166-2:MX. Country codes and U.S. Territory Codes must conform to the codes documented in ISO 3166-2. The ISO lists are available through the International Standards Organization. NOTE: The ISO 3166-2 country list contains the code "UM" that stands for the United State Minor Outlying Islands. Using "UM" in country fields is prohibited. These islands are uninhabited. As such they have no addresses.
- 8. **Telephone Numbers:** Record all telephone numbers, both foreign and domestic, as a single number string without formatting or special characters such as parentheses or hyphens. For example, a number in the format (NNN) NNN-NNNN would be recorded as NNNNNNNNN. Indicate the type of telephone number provided (home, work, mobile, or fax) by checking the appropriate box. Provide the telephone extension number if known. Telephone numbers that are part of the North American Numbering Plan used by the U.S., Canada, many Caribbean countries, and current/former U.S. Pacific island protectorates must consist of an area code and seven-digit telephone number. Other foreign telephone numbers should include the country number code. If only a partial telephone number is known record that number in the phone number item and explain in Part V that the entry is a partial number.
- 9. **Identifying Numbers:** Enter all identifying numbers as a single text string without formatting or special characters such as hyphens or periods. An identifying number in the format NNN-NN-NNNN would be entered as NNNNNNNNN. Such numbers include account numbers, alien registration numbers, CRD, CUSIP®, driver's license numbers, state identifications, EINs, IARDs ITINs, passport numbers, RSSDs, SEC IDs, and SSNs.
- 10. **Monetary Amounts:** Record all monetary amounts in U.S. Dollars rounded up to the next whole dollar. The amount \$5,265.25 would be rounded up to \$5,266. If the amount involves a foreign currency, record the currency name, amount, and country of origin in Part V. When converting a foreign currency to U.S. Dollars use an exchange rate for the date or dates the foreign currency was involved in the suspicious activity.
- 11. **Prohibited Words and Phrases:** Do not use the following words or variations of these words in text fields, other than in Part V:
 - a. AKA
 - b. COMPUTER GENERATED
 - c. CUSTOMER
 - d. DBA
 - e. NON CUSTOMER
 - f. NONE

- g. NOT APPLICABLE
- h. OTHER
- i. SAME
- i. SAME AS ABOVE
- k. SEE ABOVE
- I. SEE NARRATIVE
- m. SIGNATURE CARD
- n. T/A
- o. UNKNOWN
- p. VARIOUS
- q. XX
- 12. Name Editing Instructions: Because many names do not consist of a single first name, middle name, and last name, care must be taken to ensure these names are entered properly in the BSA FinCEN SAR. This is especially important when there are separate fields for the last name, first name, and middle name. Some names have multiple surnames (family names) or multiple given names that do not include a middle name. Others may not be written in [first name] [middle name] [last name] order. Multiple surnames must be entered in the last name field. For example, Hispanic names may be written in the order of given name, father's last name, and mother's last name, e.g., "Juan Vega Santiago." Thus the surname "VEGA SANTIAGO" would be entered in the last name field with "JUAN" entered in the first name field. Some Hispanic surnames consist of three names (e.g., father's last name, mother's last name, and husband's father's last name in the case of a married woman). In that case all three would be entered in a last name field. Hispanic names do not have middle names, so a multiple Hispanic given name such as "Rosa Maria" would be recorded in the first name field. In some cultures names consist of multiple first names and a single family name, not necessarily in (first name) (last name) order. For example, the Korean name "Kim, Chun Nam" consists of the family name "Kim" and the first name "Chun Nam" separated by a comma and space. There is no middle name. In this case "KIM" would be entered in the last name field and "CHUN NAM" would be entered in the first name field. Nothing is entered in the middle name field. When an individual name is entered in a single name field it should be entered in [first name] [middle name] [last name order regardless of any foreign naming conventions. Thus, "Kim, Chun Nam" would be entered as "CHUN NAM KIM" in a single name field. Punctuation and special characters should be used in names only when they are part of the name. For example, the period in "Expedia.Com" should be included because it is part of the name. Entry of middle initials is permitted when a middle name is unknown. Do not include a period after a middle initial when the initial represents a name abbreviation. Abbreviations in names are prohibited unless an abbreviation is part of a legal name or the name is unknown. A name suffix may be abbreviated, i.e. Junior can be JR, Senior can be SR, the Third can be III, etc.
- 13. Reporting Cyber Events: Cyber events directly affecting the financial institution or the financial institution's customer are occurring on an ever-increasing basis. Since the implementation of the new FinCEN SAR in 2011, a significant number of FinCEN SARs have been filed to record the events with the data being recorded in Part V, the FinCEN SAR Narrative. The data collected and submitted has provided law enforcement with valuable leads and insight into this emerging field. A review of the data reported indicates that prompt retrieval of cyber event information is a critical step in combating malicious cyber activity. To facilitate and support prompt identification and retrieval of malicious cyber event information, specific cyber fields (42, 43, and 44) have been added to Part II, the Suspicious Activity Information section of the FinCEN SAR. These fields are not meant to be exhaustive or to replace attachments. Use of these fields to highlight selected information (that may also be in attachments) can assist law enforcement in identifying key indicators. Due to the growing prevalence and technological sophistication of cyber-enabled financial crime, FinCEN encourages financial institutions to develop a basic understanding of what comprises a cyber event. Being familiar with selected key vocabulary is essential in describing these cyber events to law enforcement. Completion of cyber event fields 42 to 44 is not mandatory, but is encouraged where financial institutions have sufficient capacity to do so. While use of the fields may not be mandatory, filing on certain cyber events and cyber-enabled financial crime may be mandatory under existing filing requirements—see FinCEN Advisory FIN-2016-A005 for more

A principal source of cyber related information will be the financial institutions' internal technology department or external technology contractor. FinCEN recognizes that institutions have varying familiarity

with and access to cyber-related information in their compliance departments and therefore encourages the involvement of available IT resources on an ongoing basis. Financial institutions should review established internal departmental protocols to ensure prompt review and reporting of cyber event information. Reporting cyber event information is not a new requirement and financial institutions are expected to report this information when available. To assist institutions in identifying when to use the new cyber fields, FinCEN is providing the examples below. Please note that these examples highlight instances where an institution may be limited in its ability to identify cyber-related information due to limits in cyber expertise or resource availability. Each example is an acceptable and appropriate use of these fields.

Example 1.

Bank A is told by its customer, ABC Corp, that a recent wire payment issued from its account was fraudulent. Bank A is told that fraudsters imitated the CEO of ABC Corp.'s e-mail to instruct ABC employees to wire funds from ABC's accounts at Bank A to an account at Bank B. ABC Corp tells Bank A that these fraudulent e-mails were made to look like the CEO used the e-mail address CEO@ABCcorp.co instead of the legitimate CEO@ABCcorp.com. These fraudulent e-mails appeared to be instructing employees to issue urgent payments to one of ABC's suppliers for \$300,000. Bank A recognizes this as a Business E-mail Compromise (BEC) scheme. In the FinCEN SAR narrative, Bank A describes the incident and mentions the term "BEC Fraud" and FinCEN advisory FIN-2016-A003.

Bank A places the following information in the new fixed fields on the FinCEN SAR form:

Item 42: Cyber Event

b. Against Financial Institution Customer(s) [check box]

Field 44f. Suspicious e-mail address

44f1. Event value: CEO@ABCcorp.co

Example 2.

Bank A is told by its customer, ABC Corp, that a recent wire payment issued from its account was fraudulent. Bank A is told by its customer that the CEO of ABC Corp.'s e-mail was hacked and used to instruct ABC employees to wire funds from ABC's accounts at Bank A to an account at Bank B. ABC Corp tells Bank A that these e-mails were made to look like the CEO was instructing employees to issue payments to ABC's suppliers for \$300,000. No additional technical information was provided to Bank A. Bank A recognizes this as a Business E-mail Compromise (BEC) scheme. In the FinCEN SAR narrative, Bank A describes the incident and mentions the term "BEC Fraud" and FinCEN advisory FIN-2016-A003.

Bank A places the following information in the new fixed fields on the FinCEN SAR form:

Item 42: Cyber Event

b. Against Financial Institution Customer(s) [check box]

Item 44: BLANK

Example 3.

Bank C identifies a cyber incident that targeted Bank C's own systems, resulting in access to Bank C's payment systems and an attempted transfer of \$1 million through Bank C's 123-wire system. Bank C's compliance team asks its IT department for additional technical information related to this incident, and whether there were any key indicators associated with the event. The IT department is still gathering information, but has identified one piece of relevant malware and the IP address that relayed instructions to attempt the \$1 million funds transfer. They also have a .csv file containing possibly related technical information that Bank C decides to include as an attachment.

Bank C files a FinCEN SAR with the following information in the new fixed fields:

Item 42: Cyber Event

a. Against Financial Institution [check box]

Field 44a. Command & Control IP Address

44a1. Event value: 127.0.0.1 44a2. Date (2017/01/01) 44a3. UTC Time (00:00:01)

Field 44c. Malware MD5, Malware SHA-1, Malware SHA-256: 44c1Event value: 9e107d9d372bb6826bd81d3542a419d6

Field 44j. Targeted System: 44j1. Event value: 123-wire

Example 4.

Bank D identifies an incident that targeted Bank D's own systems, resulting in access to Bank D's payment systems and an attempted transfer of \$50,000 through Bank D's 123-wire system. Bank D's compliance team asks its IT department for additional technical information related to this incident, and whether there were any key indicators associated with the event. Bank D's IT department confirms that the incident was a cyber event against Bank D, but is unable to spend resources locating additional information due to their necessary focus on continuity of business operations. Bank D files a FinCEN SAR based on the available information.

Bank D files a FinCEN SAR with the following information in the fixed fields:

Item 42: Cyber Event

a. Against Financial Institution [check box]

Field 44j. Targeted System:

44j1. Event Indicator value: 123-wire

Example 5.

Bank E is told by its customer that a fraudulent wire was sent from their online banking account. The customer does not know how fraudsters gained access to their account. Bank D is able to identify the record of the fraudulent wire and when it occurred. Bank D's compliance department asks its IT department for IP log information associated with the targeted customer's account at the time of the fraudulent wire transfer. The IT department is able to provide the information from their logs.

Bank E files a FinCEN SAR with the following information in the new fixed fields:

Item 43:

a. IP address: 127.0.0.1b. Date: 2017-01-30c. UTC Time: 00:00:01

9.6.2. Item Instructions:

NOTE: Critical fields are identified with the * symbol in front of the data element number.

------ Type of Filing ------

- *1. Type of filing (check all that apply)
 - a. Initial report
 - b. Correct/Amend prior report
 - c. Continuing activity report
 - d. Joint report
 - e. Prior report BSA Identification Number if items 1b or 1c are checked

Item *1 Type of filing: Check box 1a "Initial report" if this is the first report filed on the suspicious activity. Check box 1b "Correct/Amend prior report" if the report corrects or amends a previously-filed FinCEN SAR. See General Instruction 3 for additional instructions on filing corrected or amended SARs. Check box 1c "Continuing activity report" if the FinCEN SAR continues reporting on previously-reported suspicious activity. If the FinCEN SAR corrects a previously-filed continuing activity report, both 1b and 1c must be checked. See General Instruction 4 for additional instructions on filing continuing activity reports. Check box 1d "Joint report" if a FinCEN SAR of any filing type is filed jointly by two or more financial institutions. See General Instruction 5 for additional instructions on filing joint reports. If box 1b or 1c is checked, the prior report's BSA Identifier (BSA ID) must be recorded in field 1e. Enter 14 zeros if the prior report BSA ID is unknown.

2. Filing Institution Note to FinCEN

Item 2, Filing Institution Note to FinCEN: This 50 character field is provided for the filer to alert FinCEN that this FinCEN SAR is being filed in response to a current specific geographic targeting order (GTO) or advisory or other activity. If completing for a GTO or advisory enter the GTO or advisory title/reference. Provide a brief description of the other activity. Leave Item 2 blank if the FinCEN SAR does not relate to a GTO, advisory, or other targeted activity.

| Part I Subje | ect Information |
|--------------|-----------------|
|--------------|-----------------|

Part I Subject Information: Complete a Part I section on each known subject involved in the suspicious activity. Persons who are victims of the suspicious activity are not subjects and should not be recorded in a Part I section. Victim information, if necessary for a complete description of the suspicious activity, should be recorded in Part V. If the subject is or all subjects are unknown, complete a single Part I record with box 2b checked to show that all subject information was unavailable for critical Items 4, 5, 11, 12, 13, 14, 15, 16, 17, and 18. These critical items (denoted with an asterisk "*") except Item 27 must be blank. Record the nature of the unknown subject(s) in Part V. If the suspicious activity involves known and unknown subjects, complete a Part I section on each known subject and record the nature of the unknown subject(s) in Part V. Do not complete Part I records on the unknown subjects when there are known subjects.

3. Check:

- a. If entity
- b. If all critical* subject information is unavailable (does not include item *27)

Item 3a Check if entity: Check box 3a if the person described in Part I is an entity and not an individual. Item 3b Check if all critical subject information is unavailable: Check box 3b if the information in Part I is unavailable for all critical subject items except Item 27. These critical items (4, 5, 11, 12, 13, 14, 15, 16, 17, and 18) and their associated "Unknown" fields must be left blank.

- * 4. Individual's last name or entity's legal name
 - a. (check if) unknown

Item *4 Individual's last name or entity's legal name: Enter the individual's last name or the entity's legal name. The legal name is the name on the articles of incorporation or other document that established the entity. Do not abbreviate names unless an abbreviation is part of the legal name. Item 4 and box 4a "Unknown" must be blank if box 3b is checked. Leave item 4 blank and check box 4a "Unknown" if the individual's last name or the entity's legal name is unknown and box 3b is not checked.

* 5. First name

a. (check if) unknown

Item *5 First name: Enter the individual's first name. If the first name is unknown leave item 5 blank and check box 5a "Unknown." Leave Item 5 and box 5a "Unknown" blank if box 3a or 3b is checked.

6. Middle name

Item 6 Middle name/initial: Enter the individual's middle name or initial. Leave this item blank if the middle name or initial is unknown or box 3a is checked.

7. Suffix

Item 7 Suffix name: Enter the individual's suffix such as JR, SR, III, etc. Leave this item blank if the suffix is unknown or the individual's legal name does not include a suffix.

8. Gender

- a. Male
- b. Female
- c. Unknown

Item 8 Gender: Select options 8a Male or 8b Female if individual's gender is known. Select option 8c "Unknown" if the individual's gender is unknown. Leave Item 8 blank if the subject is an entity. Item 8 (Gender) does not create an obligation for a financial institution to collect this data when such collection would be in conflict with the financial institution's obligations under any other federal law.

9. Alternate name, e.g., AKA if individual; DBA/ trade name if entity.

Item 9 Alternate name: Enter the individual's also known as (AKA) name or the entity's doing business as (DBA) name if different from the name entered in Items 4-6. Do not include the acronyms AKA or DBA with the name. Multiple Item 9 fields may be completed if multiple subject alternate names are known.

10. Occupation or type of business

a. NAICS Code

Item 10 Occupation or type of business: Record the occupation, profession, or type of business of the individual or entity recorded in Part I. Use specific descriptions such as doctor, carpenter, attorney, used car dealership, plumber, truck driver, hardware store, etc. Do not use non- descriptive items such as businessman, merchant, retailer, retired, or self-employed. If words like self-employed, unemployed, or retired are used, add the current or former profession if known (e.g. self-employed building contractor, retired teacher, or unemployed carpenter). If the occupation or business activity can be described in more detail, include the additional information in Part V.

Item 10a NAICS Code: select the North American Industry Classification System (NAICS) code for the occupation or type of business entered in Item 10. Batch filers should only enter codes from the list of NAICS Codes authorized for use in the FinCEN SAR and located on the BSA E- Filing Web Site (http://bsaefiling.fincen.treas.gov/main.html) or from the U.S. Census Bureau NAICS list at https://www.census.gov/cgi-bin/sssd/naics/naicsrch?chart=2017. If the Census Bureau list is used filers cannot substitute a sector code (such as 11 Agriculture, Forestry, Fishing and Hunting) for an actual three to six number NAICS Code (such as 11114 Wheat Farming).

Items *11 - *14 Subject address items: Enter the subject's permanent street address, city, two or three letter state/territory/province code (U.S./Canada/Mexico only), ZIP Code or foreign postal code, and two letter country or U.S. Territory code. Complete any address item that is known, even if the complete address is unknown. If an address item is unknown, leave that item blank and check box 11a "Unknown." If box 3b is checked all address items and check boxes must be blank. See General Instruction 7 for additional information on entering addresses. Multiple sets of address fields may be completed if multiple present and past subject addresses are known.

*11. Address

a. (check if) unknown

*12. City

a. (check if) unknown

13. State

a. (check if) unknown

*14. ZIP/Postal Code

- a. (check if) unknown
- *15. Country Code
 - a. (check if) unknown
- *16. TIN (enter number in space provided and check appropriate type below)
 - b. (check if) unknown

Item *16 TIN: Enter the subject's U.S. taxpayer identification number (TIN) or foreign equivalent without formatting or punctuation. If the number is unknown, check box 16a "Unknown" and leave Item 16 blank. Leave item 16 and box 16a "Unknown" blank if box 3b is checked. See General Instruction 9 for information on entering identifying numbers.

17. TIN type

- a. EIN
- b. SSN-ITIN
- c. Foreign

Item 17 TIN type: Identify the type of TIN recorded in Item 16. Select option 17a "EIN" if the subject has a U.S. Employer Identification Number (EIN). Box 3a "If entity" must be checked because an EIN is assigned only to an entity. Select option 17b "SSN-ITIN" if the subject has a U.S. Social Security Number (SSN) or Individual Taxpayer Identification Number (ITIN). Select option 17c "Foreign" if the subject has a foreign TIN of any type. Box 3a must be checked if the foreign subject is an entity. If 17c is checked, record in Part V the name of the country that issued the foreign TIN. Enter the subject's TIN type if known even if the actual TIN is unknown and Item 16a "Unknown" is checked. If a 9-digit TIN is entered in Item 17 but the TIN type is unknown, select option 17a "EIN" if the subject is an entity and option 17b "SSN-ITIN" if the subject is an individual. TINs that are not 9 digits are presumed to be foreign, so option 17c "Foreign" would be selected.

- * 18. Form of identification for subject:
 - a. (check if) unknown
 - b. Driver's license/state ID
 - c. Passport
 - d. Alien registration
 - e. Number
 - f. Issuing State
 - g. Country
 - z. Other (and specify type in space provided)

Item *18 Form of identification: Enter in Item 18 the information used to identify the individual or entity. Select option 18b if the identification was a driver's license or state ID, 18c if the identification was a passport or 18d if the identification was an alien registration. Select option 18z if a different identification was provided and describe that identification in the "Other" text field. "Other" identification could include such things as an entity's business license or incorporation documents, corporate ID cards, local government ID cards, etc. Enter the identification number in field 18e "Number." Do not include formatting such as hyphens or periods. Select the appropriate state option in field 18f "Issuing state" if the identification issuer was a U.S., Canadian, or Mexican state, territory, or province. Select the appropriate country option in field 18f "Country" if the issuer was a country. If field 18f "Issuing state" contains an entry, then 18g "Country" must contain "US," "CA," or "MX" as appropriate. Enter the data on the country that issued the ID or where the ID was issued. See General Instruction 7 for information about the codes to enter in state and country items. If the identification issuer does not have a code, select the option for the issuer's country in field 18q. For example, if the issuer was the London Police Department United Kingdom would be selected in 18g. Record the name and nature of the issuer in Part V. Enter all identification data that is available. Check box 18a "Unknown" only if all identification information is unknown but the subject is known. Leave all fields in Item 18 blank if box 3b has been checked. Multiple sets of Item 18 fields may be completed if multiple types of identification for a subject are known. See General Instruction 9 for information on entering identifying numbers.

* 19. Date of birth MM/DD/YYYY

a. (check if) unknown

Item *19 Date of birth: If the subject is an individual enter the subject's data of birth in Item 19. Filers of FinCEN's discrete FinCEN SAR must use the format MM/DD/MMYY where MM = month, DD = day, and YYYY = year. Batch filers must use the format YYYYMMDD. If the birth day and or month is unknown, enter "00" for the unknown day or month. For example, a date of birth with an unknown day in February 1978 would be entered as 02/00/1978 in a discrete FinCEN SAR and 19780200 in a batch filed FinCEN SAR. Do not enter zeros for the year if the year is unknown. If the year of birth or the complete date of birth is unknown, check box 19a "Unknown" and leave Item 19 blank. If box 3a or b is checked, Item 19 and box 19a "Unknown" must be blank.

20. Phone number - type

- a. Home
- b. Work
- c. Mobile
- d. Fax

Item 20 Phone number – type: selected the telephone number type that applies to the telephone number recorded in Item "21. Phone Number." If a number is known but the type is unknown leave Item 20 blank. If a number is known but the type is unknown, select option "a. Home" if the subject is an individual and "b. Work" if the subject is an entity. Multiple sets of Item 20, Item 21, and Item 21a fields may be completed if multiple telephone numbers for the subject are known

21. Phone number

a. Extension (if any)

Item 21 Phone number: Enter the subject's U.S. or foreign telephone number with no formatting such as parentheses, spaces, or hyphens. If the telephone number is unknown, leave item 21 blank. See General Instruction 8 for information on entering telephone numbers. Multiple sets of Item 21 and Item 21a fields may be completed if multiple telephone numbers for the subject are known.

Item 21a Ext. (*if any*): Enter the telephone extension associated with the subject's telephone number. Leave Item 21a blank if there is no extension or the extension is unknown.

22. E-mail address (if available)

Item 22 E-mail address: Enter the subject's e-mail address if known. Include all formatting, punctuation, and special characters in the e-mail address. Leave Item 22 blank if the e-mail address is unknown. If additional e-mail addresses are known for a subject, complete additional Item 22 fields. An e-mail address must contain the "@" sign and a period in the text following the "@" sign. Examples: johndoe@business.com or richardroephd@college.edu.

22a. Website (URL) address (if available)

Item 22a Website (URL) address: Enter the subject's website URL (Uniform Resource Locator) known. Include all punctuation and special characters present in the URL. If additional URLs are known for a subject, complete an additional Item 22a for each URL. Leave Item 22a blank if the URL is unknown.

23. Corroborative statement to filer?

- a. Yes
- b. No

Item 23 Corroborative statement: Select "Yes" if the subject individual has made a statement to the filer admitting to involvement in or otherwise substantiating the suspicious activity. Record in Part V the nature of the corroborative statement and how it was recorded, i.e. written confession, verbal statement, etc. Select "No" if no corroborative statement was made to the filer. Leave Item 23 blank of the subject is an entity

24. Relationship of the subject to an institution listed in Part III or IV (check all that apply)

- a. Institution TIN
- b. Accountant
- c. Agent
- d. Appraiser
- e. Attorney
- f. Borrower
- g. Customer
- h. Director
- i. Employee
- j. No relationship to institution
- k. Officer
- I. Owner or Controlling Shareholder
- z. Other (and specify type in space provided)

Item 24 Relationship of the subject to an institution: If the subject has a relationship with a financial institution or individual listed in Part III or Part IV, enter the financial institution's TIN from Items 55 or 81 in field 24a "Institution EIN." Select all options 24b through 24l (but not 24j no relationship) that describe the relationship. If the relationship is not covered by any of options 24b through 24l, select option 24z "Other" and enter a brief description of the relationship in the "Other" text field. Avoid descriptions that are too general. For example, the entry "broker" should be made more specific by indicating the relationship was "real estate broker," "securities broker," or "mortgage broker." If necessary, describe the relationship more fully in Part V. If the subject has no relationship with any of the financial institutions in Part III or Part IV, record box 24j "No relationship to institution" once for all institutions and enter the Part IV filing institution's EIN in the Item 24 "Institution TIN" field. Do not record box 24j for the subject if a relationship exists with any institution, even when there is no relationship with other institutions." The FinCEN SAR cannot be a joint FinCEN SAR if any of the options 24h "Director," 24i "Employee," 24k "Officer," or 24l "Owner or Controlling Shareholder" have been selected. If the subject had a relationship with a financial institution recorded in Part III but the financial institution's TIN was unknown, record the relationship but leave field 24a blank. If the subject has relationships with multiple Part III and Part IV financial institutions, complete a separate set of Item 24 fields for each financial institution. If more than one of 24h "Director," 24i "Employee," 24k "Officer," or 24l "Owner or Controlling Shareholder" is selected and/or the status or action date is different for each, an Item 24 for each must be completed.

- 25. If item 24h, i, k, or l is checked, indicate status of relationship
 - a. Relationship continues
 - b. Terminated
 - c. Suspended/barred
 - d. Resigned

Item 25. If item 24h, i, k, or I is selected: If any of boxes 24h, 24i, 24k, or 24l are selected, select the appropriate Item 25 option to indicate the status of the relationship. Select option 25a if the relationship continues. Select option 25b if the subject was terminated, 25c if the subject was suspended or barred, or 25d if the subject resigned. If multiple sets of Item 24 fields are completed on a subject, complete an Item 25 field for each set.

26. Action date MM/DD/YYYY if 25 b, c, or d is checked

Item 26 Action date: If any of boxes 25b through 25d have been checked, enter the date the action was taken. The date must be in MM/DD/YYYY format in a discrete FinCEN SAR and in YYYYMMDD format in a batch-filed FinCEN SAR. Leave Item 26 blank if no action was taken. If multiple Item 24 fields were created where box 25b, 25c, or 25d was checked, complete an Item 25 for each Item 24.

- * 27. Financial Institution TIN and account number(s) affected that are related to subject, if any.
 - a. (check if) No known accounts involved
 - b. (check if) Non-U.S. financial institution
 - c. TIN

- d. account number
- e. (check if) closed

Item 27 Financial institution TIN and account number(s) affected that are related to the subject, if any: Enter in Item 27 information about any accounts involved in the suspicious activity that are related to the subject recorded in Part I. Enter account numbers without formatting or special characters such as spaces, hyphens, or periods. See General Instruction 9 for information about entering account numbers in fields. An account is related to a subject if the subject owns the account, has control over the account, or conducted activity in or through an account the subject does not own or control. Check box 27a "No known acct. involved" if no account related to the subject is involved in the suspicious activity. If box 27a is checked, then all other options in Item 27 will be blank. Check box 27b "Non-US Financial Institution" if the account is located at a foreign financial institution. Enter in field 27c the TIN, if known, of the financial institution where the account is held. If the TIN is unknown leave the TIN field blank. Enter the account number involved in field 27d. If the account is closed, check the "Yes" box. If multiple account numbers are involved in the suspicious activity, complete an additional set of account number fields for each account number. Record account numbers involved in the suspicious activity that are related to the subject even if the TIN or name of the financial institution is unknown. If the TIN of a financial institution associated with an account number entered in 27d is unknown, record the institution name and associated account number in Part V (example: "The account number 123654987 is held at First Federal Bank."). If the filer is aware that the subject has an account involved in the suspicious activity with a financial institution listed in Part III but the account number is unknown, record the financial institution TIN in Item 27a but leave the associated account number field blank. Explain the missing account number in Part V. The subject's relationship to any account recorded in Item 27 must be clearly defined in Part V unless the subject is the owner of the account (example: "The subject made unauthorized purchases using a stolen debit card for account 3456789 owned by his aunt.").

28. Subject's role in suspicious activity (if applicable)

- a. Purchaser/Sender
- b. Payee/Receiver
- c. Both a & b

Item 28 Subject's role: Record the subject's role in the suspicious activity by selecting the appropriate option. Select option 28a "Purchaser/Sender" if the subject purchased or sent the financial instrument(s) or product(s) involved in the suspicious activity. Select option 28b "Payee/Receiver" if the subject was the payee or receiver of the instrument(s) or product(s). Select option 28c "Both a & b" if the subject was both a purchaser/sender and payee/receiver. Instruments and products are not limited to the instruments and products listed in Items 45 and 46.

Note: Item 28 generally applies to institutions such as MSB's or depository institutions through which the subject conducted transactions involving wire transfers, traveler's checks, money orders, or like products/financial instruments

------ Part II Suspicious Activity Information ------

- * 29. Amount involved in this report
 - a. (check if) Amount unknown
 - b. (check if) No amount involved

Item *29 Amount involved in this report: Enter the total amount involved in the suspicious activity for the time period of this report. Multiple amounts will be aggregated and the total recorded in Item 29. This requirement applies even when the amounts involve different transaction types, such as when some are deposits and some are withdrawals. All amounts are aggregated and recorded as the total amount. If some amounts are known and some are unknown, the known amounts are aggregated and the total is recorded in Item 29. Unknown amounts are explained in Part V. If the amount or all amounts involved in the suspicious activity are unknown, box 29a "Amount unknown" is checked and the Item 29 amount field will be blank. Explain in Part V why the amount or amounts are unknown. Check box 29b "No amount involved" and leave the amount field blank if the suspicious activity did not involve any monetary amounts. Never enter "0" in the Item 29 amount field under any circumstance. Never enter a small amount such as \$1 or \$5 to

complete the amount field when that entry is not the actual amount involved. If the FinCEN SAR is a continuing report with box 1c "Continuing activity report" checked, enter only the total of amounts that are involved for the time period covered by this FinCEN SAR. Do not include amounts from prior FinCEN SARs in Item 29. Prior FinCEN SAR amounts and the current FinCEN SAR total amount are aggregated in Item 31 "Cumulative amount only if box 1c (continuing activity report) is checked." See General Instruction 9 for information on entering amounts.

*30. Date or date range of suspicious activity for this report

a. From: MM/DD/YYYYb. To: MM/DD/YYYY

Item *30 Date or date range of suspicious activity for this report: Enter the suspicious activity date or date range for this report. If the suspicious activity occurred on a single day, enter that date in field 30a "From" and leave field 30b "To" blank. If the suspicious activity occurred on multiple days, enter the earliest date of suspicious activity in field 30a and the most-recent date of suspicious activity in field 30b. If the exact date(s) of the suspicious activity is (are) unknown, enter a date range that the filer believes will encompass the date(s) of the suspicious activity. Explain the nature of this date range in Part V. If the FinCEN SAR involves continuing activity with box 1c "Continuing activity report" checked, enter only the date range covered by this FinCEN SAR. Record in Part V the aggregated date range of all FinCEN SARs filed on the continuing suspicious activity. Use the format MM/DD/YYYY for dates in a discrete FinCEN SAR and the format YYYYMMDD for dates in a batch-filed FinCEN SAR.

31. Cumulative amount (only applicable when "Continuing activity report" is checked in Item 1)

Item 31 Cumulative amount: Enter the cumulative amount involved in the suspicious activity in Item 31 if box 1c "Continuing activity report" is checked. The cumulative amount represents the total amount involved in all FinCEN SARs filed on the suspicious activity, including the current FinCEN SAR. If box 1c is checked and the cumulative dollar amount is unknown because all dollar amounts are unknown or no dollar amount is involved, enter zero (0) and explain the entry in Part V. If some dollar amounts are known while others are unknown, enter the total of all known amounts in Item 31 and explain the nature of the unknown amounts in Part V. See General Instruction 10 for information on entering amounts. Leave Item 31 blank if box 1c is not checked.

Items 32 - 41 Types of suspicious activity: Use the suspicious activity category Items 32 through 41 to record the type(s) of suspicious activity being reported. Check all boxes that apply to the suspicious activity. If a category applies but none of the options apply, check the category's box "z Other" and briefly describe the type of suspicious activity in the associated text field. If necessary, explain the type of suspicious activity in more detail in Part V.

Note: Items 32-41 are considered critical. At least one item in 32 to 41 must be checked.

32. Structuring

- a. Alters or cancels transaction to avoid BSA recordkeeping requirement
- b. Alters or cancels transaction to avoid CTR requirement
- c. Suspicious inquiry by customer regarding BSA reporting or recordkeeping requirements
- d. Transaction(s) below BSA recordkeeping threshold
- e. Transaction(s) below CTR threshold
- z. Other (specify type of suspicious activity in space provided)

33. Terrorist financing

- a. Known or suspected terrorist / terrorist organization
- z. Other (specify type of suspicious activity in space provided)

34. Fraud

- a. ACH
- b. Advance fee
- c. Business loan
- d. Check

- e. Consumer loan
- f. Credit/Debit card
- g. Healthcare/Public or private health insurance
- h. Mail
- i. Mass-marketing
- j. Ponzi scheme
- k. Pyramid scheme
- I. Securities fraud
- m. Wire
- z. Other (specify type of suspicious activity in space provided)

35. Gaming activities

- a. Chip walking
- b. Minimal gaming with large transactions
- c. Suspicious use of counter checks or markers
- d. Unknown source of chips
- z. Other (specify type of suspicious activity in space provided)

36. Money laundering

- a. Exchanges small bills for large bills or vice versa
- b. Funnel account
- c. Suspicion concerning the physical condition of funds
- d. Suspicion concerning the source of funds
- e. Suspicious designation of beneficiaries, assignees or joint owners
- f. Suspicious EFT/wire transfers
- g. Suspicious exchange of currencies
- h. Suspicious receipt of government payments/benefits
- i. Suspicious use of multiple accounts
- j. Suspicious use of noncash monetary instruments
- k. Suspicious use of third-party transactors (straw-man)
- I. Trade Based Money Laundering / Black Market Peso Exchange
- m. Transaction out of pattern for customer(s)
- z. Other (specify type of suspicious activity in space provided)

37. Identification / Documentation

- a. Changes spelling or arrangement of name
- b. Multiple individuals with same or similar identities
- c. Provided questionable or false documentation
- d. Provided questionable or false identification.
- e. Refused or avoided request for documentation
- f. Single individual with multiple identities
- z. Other (specify type of suspicious activity in space provided)

38. Other suspicious activities

- a. Account takeover
- b. Bribery or gratuity
- c. Counterfeit instruments
- d. Elder financial exploitation

- e. Embezzlement/theft/disappearance of funds
- f. Forgeries
- g. Human smuggling
- h. Human trafficking
- i. Identity theft
- j. Little or no concern for product performance penalties, fees, or tax consequences
- k. Misuse of position or self-dealing
- I. Suspected public/private corruption (domestic)
- m. Suspected public/private corruption (foreign)
- n. Suspicious use of informal value transfer system
- o. Suspicious use of multiple transaction locations
- p. Transaction with no apparent economic, business, or lawful purpose
- q. Transaction(s) involving foreign high risk jurisdiction
- r. Two or more individuals working together
- s. Unlicensed or unregistered MSB
- z. Other (specify type of suspicious activity in space provided)

39. Insurance

- a. Excessive insurance
- b. Excessive or unusual cash borrowing against policy/annuity
- c. Proceeds sent to or received from unrelated third party
- d. Suspicious life settlement sales insurance (e.g. STOLIs, Viaticals)
- e. Suspicious termination of policy or contract
- f. Unclear or no insurable interest
- z. Other (specify type of suspicious activity in space provided

40. Securities / Futures / Options

- a. Insider trading
- b. Market manipulation
- c. Misappropriation
- d. Unauthorized pooling
- e. Wash Trading
- z. Other (specify type of suspicious activity in space provided)

41. Mortgage fraud

- a. Application fraud
- b. Appraisal fraud
- c. Foreclosure/Short sale fraud
- d. Loan modification fraud
- e. Origination fraud
- z. Other (specify type of suspicious activity in space provided)

42. Cyber event (If reporting)

- a. Against Financial Institution(s)
- b. Against Financial Institution Customer(s)
- z. Other (specify type of suspicious activity in space provided)

Item 42, Cyber event: Complete item 42 to indicate if the cyber event was directed against the financial institution or its customer/account holder. Events against the institution may include, but not limited to, a digital denial of service (DDoS), an attempt to break (hack) into the financial institutions computer system or an attempt to take over the financial institutions "wire transfer system," the financial institutions website, a Business E-Mail Attack (BEA), etc. Examples of cyber events against the financial institutions customer may include the takeover (or attempted takeover) of the customer's account, the sending of bogus e-mails that appear to come from the customer directing various financial transactions that do not follow the customers normal account activity, etc.

- 43. IP Address(es) (if available, multiples up to 99)
 - a. Date (MM/DD/YYYY)
 - b. Time Stamp (UTC) HH:MM:SS

Item 43 IP address: If known, enter the IP address of the subject's electronic internet based contact with the financial institution. For example, this may be the IP address used to log into the institution's online banking page or the IP address used to access an institution's mobile application. In item 43a enter the date (MM/DD/YYYY format) of the activity. In 43b enter the UTC time in (HH:MM:SS format) of the first instance of the reported IP address. Select the (+) sign to report multiple IP address, date and time information. IP address information must be explained in the FinCEN SAR Part V narrative. Batch filers will use the date format YYYYMMDD.

NOTE: If reporting an IP address in connection with a cyber-event, complete item 44.

Item 44. Cyber-event indicator (multiple entries up to 99)

Item 44 Cyber-event indicator: Enter the cyber-event indicator by selecting the appropriate indicator from the dropdown list provided and enter the supporting information in the associated text field (an indicator not listed may be entered in the "z" Other text fields. Select the (+) sign to report multiple event indicators. Each cyber-event indicator and its associated text field is limited to 99 entries. Cyber-event indicator information must be explained in the BFinCEN SAR Part V narrative. See General Instruction 13 for additional information on reporting cyber-related events.

- 44a. Command and Control IP address
 - 44a1 Event value text field (each entry of 44a must have a corresponding event value text field).
 - 44a2 Event value text field (Date associated with the value in 44a1).
 - 44a3 Event value text field (Timestamp associated with the value in 44a1).
- 44b. Command & Control URL/Domain
 - 44b1 Event value text field. (each entry of 44b must have a corresponding event value text field)
- 44c. Malware MD5, Malware SHA-1, or Malware SHA-256.
 - 44c1 Event value text field. (each entry of 44c must have a corresponding event value text field)
- 44d. Media Access Control (MAC) Address
 - 44d1 Event value text field (each entry of 44d must have a corresponding event value text field).
- 44e. Port
 - 44e1 Event value text field. (each entry of 44e must have a corresponding event value text field)

44f. Suspicious e-mail address

44f1 Event value text field. (each entry of 44f must have a corresponding event value text field)

44g. Suspicious filename

44g1 Event value text field. (each entry of 44g must have a corresponding event value text field)

44h. Suspicious IP Address

44h1 Event value text field. (each entry of 44h must have a corresponding event value text field)

44h2 Event value Date associated with the value in 44h1 (discrete format MM/DD/YYYY and batch format YYYYMMDD).

44h3 Event value Timestamp associated with the value in 44h1.

44i. Suspicious URL/Domain

44i1 Event value text field. (each entry of 44i must have a corresponding event value text field)

44j. Targeted system

44j1 Event value text field. (each entry of 44j must have a corresponding event value text field)

44z. Other

44z Text description of Other value

44z1 Event value text field. (each entry of 44z must have a corresponding event value text field)

45. Were any of the following product type(s) involved in the suspicious activity? Check all that apply:

- a. Bonds/Notes
- b. Commercial mortgage
- c. Commercial paper
- d. Credit card
- e. Debit card
- f. Deposit account
- g. Forex transactions
- h. Futures/Options on futures
- i. Hedge fund
- j. Home equity line of credit
- k. Home equity loan
- I. Insurance/Annuity products
- m. Microcap securities
- n. Mutual fund
- o. Options on securities
- p. Prepaid access
- q. Residential mortgage
- r. Security futures products

- s. Stocks
- t. Swap, hybrid or other derivative
- z. Other (specify type in space provided)

Item 45 Product types involved in suspicious activity: Check all Item 45 boxes that apply to record the product type(s) involved in the suspicious activity. Option 45f 'Forex transactions" includes all foreign exchange transactions both on and off-exchange, including futures and options on foreign exchange. Option 45g "Futures/Options on futures" includes futures and options on any "commodity," as that term is defined in Section 1a(4) of the Commodity Exchange Act, including broad-based security indexes. Option 45s "Swap, hybrid or other derivative" includes all derivatives not included above including those traded over-the-counter and off-exchange. If the product type is not covered by options 45a through 45s, check box 45z "Other (list below)" and enter a brief description in the associated text field. If necessary provide a more detailed product type (such as commodity futures contracts, options on commodity futures contracts, commodity options, and OTC agricultural trade options) in Item 48 "Product/instrument description" or in Part V. If there are multiple product types not covered by Item 45, record one in Item 45z "Other (List below)" and all others in Part V.

46. Were any of the following instrument type(s)/payment mechanism(s) involved in the suspicious activity? Check all that apply:

- a. Bank/cashier's check
- b. Foreign currency
- c. Funds transfer
- d. Gaming instruments
- e. Government payment
- f. Money orders
- g. Personal/Business check
- h. Travelers checks
- i. U.S. Currency
- z. Other (specify type in space provided)

Item 46 Instrument types involved in suspicious activity: Check all Item 46 boxes that apply to record the instrument type(s) involved in the suspicious activity. If the instrument type is not covered by options 46a through 46i, check box 46z "Other (List below)" and enter a brief description in the associated text field. If necessary provide a more-detailed description of the instrument type in Part V. If there are multiple instrument types not covered by Item 46, record one in Item 46 "Other (List below)" and all others in Part V.

47. Commodity type (if applicable)

Item 47 Commodity type: If a commodity is involved in the suspicious activity, record the commodity type in Item 47. Multiple Item 47 fields should be completed if multiple commodity types are involved in the suspicious activity.

48. Product/Instrument description (if needed) (multiple entries up to 99)

Item 48 Product description: Provide a description of the product recorded in Item 45 or instrument recorded in Item 46 if necessary for a more-complete understanding of the suspicious activity. Multiple Item 48 fields should be completed if multiple products or instruments requiring a description are involved in the suspicious activity.

49. Market where traded

Item 49 Market where traded: Enter in Item 49 the three to five-letter code for the market where a commodity recorded in Items 45 or 47 was traded. Multiple Item 49 fields should be completed if multiple markets are involved in the suspicious activity. Use only the ISO 10383 Exchange/Market Identifier Codes (MIC) found at http://www.iso15022.org/MIC/homepageMIC.htm.

50. CUSIP number

Item 50 CUSIP® number: Enter in Item 50 the CUSIP® (Committee on Uniform Securities Identification Procedures) number of any securities products such as stocks and bonds involved in the suspicious activity. Multiple Item 50 fields should be completed if there are multiple CUSIP numbers for multiple securities products involved in the suspicious activity.

----- Part III Information about Financial Institution Where Activity Occurred -----

Part III records information about the financial institution(s) where the suspicious activity occurred. Complete a separate Part III record on each financial institution involved in the suspicious activity. If box 1d "Joint report" is checked there must be two or more Part III records in the FinCEN SAR, one for the Part IV filing institution or filer subsidiary and one for each joint filer. If a financial institution recorded in Part III has branches involved in the suspicious activity, record the branch information in Items 68 through 74. Information for up to 99 branches can be recorded in a single FinCEN SAR. A branch is a location (such as an office or ATM) owned by the financial institution but located separately from the financial institution's headquarters. If a reporting financial institution has agents where the suspicious activity occurred, a separate Part III must be prepared on each agent. An agent is an independent financial institution (such as a supermarket that sells money orders or an independent insurance agent) that has a contractual relationship with the reporting financial institution to conduct financial transactions. Do not place agent information in branch fields. Generally, a branch operates under the same TIN as the financial institution. An agent has a TIN different from the financial institution. Financial institution as used in Part III includes individuals acting as sole proprietorship financial institutions using their personal Social Security Number (SSN) or Individual Taxpayer Identification Number (ITIN).

*51. Type of financial institution

- a. Casino/Card club
- b. Depository institution
- c. Insurance company
- d. MSB
- e. Securities/Futures
- f. Loan or Finance Company
- g. Housing GSE
- z. Other (specify type of institution in space provided)

Item *51 - Type of financial institution: Select the appropriate type of financial institution that best describes the financial institution recorded in Item 51. If none of those options apply, select "Other" and enter a brief description in the associated text field. If necessary, include a more- detailed description in Part V.

NOTE: If the financial institution is a dealer in precious metals, stones, or jewels, select option "Other" and enter "DEALER IN PRECIOUS METALS STONES JEWELS" in the associated text field.

*52. Primary Federal Regulator

- a. CFTC
- b. Federal Reserve
- c. FDIC
- d. IRS
- e. NCUA
- f. OCC
- g. SEC
- h. Not Applicable

Item *52 Primary federal regulator: Select the appropriate option to identify the primary federal regulator or BSA examiner of the financial institution recorded in Part III. If more than one regulator option could apply, enter the code for the regulator that has primary responsibility for enforcing compliance with the BSA. If Item 51 option

"Casino/Card Club," "Insurance Company," or "MSB" was selected, the Item 52 entry must be "Internal Revenue Service (IRS)." If the institution recorded in Part III is subject to U.S. law and none of the other codes apply, select option "Internal Revenue Service (IRS)." If the institution recorded in Part III is not subject to U.S. law, then select option "Not Applicable."

- 53. If item 51a is checked, indicate type of gaming institution (check only one)
 - a. State licensed casino
 - b. Tribal authorized casino
 - c. Card club
 - z. Other (specify type of gaming institution in space provided)

Item 53 Gaming institution type: If option 51a was selected indicating the financial institution is a gaming institution such as a casino or card club, record the type of gaming institution by checking the appropriate box. If none of the options 53a through 53c are appropriate, check box 53z "Other" and provide a brief description in the associated text field. If necessary, include a more detailed description in Part V.

- 54. If item 51e is checked, indicate type of Securities and Futures institution or individual where activity occurred check the boxes of all types that apply to this report.
 - a. Clearing broker securities
 - b. Execution-only broker securities
 - c. Futures commission merchant
 - d. Holding company
 - e. Introducing broker commodities
 - f. Introducing broker securities
 - g. Investment adviser
 - h. Investment company
 - i. Retail foreign exchange dealer
 - j. Self-clearing broker-securities
 - k. Subsidiary of financial/bank holding company
 - z. Other (specify type of institution or individual in space provided)

Item 54 Securities and futures type: If option 51e was checked indicating the financial institution is part of the securities and futures industries, check all boxes that apply to the reported suspicious activity. If none of options 54a through 54k apply, check box 54z "Other" and record a brief description of the type in the associated text field. Examples of this are commodity pool operator or commodity trading adviser. If necessary, include a more-detailed description in Part V.

- 55. Financial institution identification number
 - a. Central Registration Depository (CRD) number
 - b. Investment Adviser Registration Depository (IARD) number
 - c. National Futures Association (NFA) number
 - d. Research, Statistics, Supervision, and Discount (RSSD) number
 - e. Securities and Exchange Commission (SEC) number
 - f. National Association of Insurance Commissioners (NAIC Code)
 - g. Mortgage (NMLS ID)
 - z. Identification number

Item 55 Financial institution identification number: Select the appropriate option if the financial institution recorded in Part III has a Central Registration Depository (CRD) number, an Investment Adviser Registration Depository (IARD) number, a National Futures Association (NFA) number, a Research Statistics Supervision Discount (RSSD) number,

National Association of Insurance Commissioners (NAIC Code), Mortgage (NMLS ID) or a Securities and Exchange Commission (SEC) Reporting File Number (RFN). Do not enter an SEC Central Index Key (CIK) number in place of the RFN. Record the number in field 55h. See General Instruction 8 for information on entering identifying numbers.

- 56. Financial institution's role in transaction (if applicable)
 - a. (check if) Selling location
 - b. (check if) Paying location
 - c. (check if) Both a & b

Item 56 Financial institution role in transaction: Check the box "Selling location" if the customer purchased at the Part III financial institution the products or instruments recorded in Items 45 **or 46**. Check the box "Paying location" if the customer received payment from the Part III financial institution for the products or instruments recorded in Items 45 or 46. Check the box "Both" if the Part III financial institution was both a paying and selling location for the products or instruments recorded in Items 45 or 46.

Note: Item 56 generally applies to institutions such as MSB's or depository institutions through which the subject conducted transactions involving wire transfers, traveler's checks, money orders, or like products/financial instruments."

- *57. Legal name of financial institution
 - a. (check if) unknown

Item 57 Legal name of financial institution: Enter the legal name of the financial institution as recorded on articles of incorporation or other documents establishing the institution. Record as the legal name the full name of an individual, such as a sole proprietorship, acting as a financial institution. Enter the individual's name in (first name) (middle name) (last name) or equivalent format, e.g. John Jacob Doe or Richard R. Roe II, etc. Check box 57a "Unknown" if the legal name is unknown and leave Item 57 blank.

58. Alternate name, e.g., AKA if individual; DBA/trade name if entity

Item 58 Alternate name: If the financial institution recorded in Item 58 has a separate doing business as (DBA) name, enter that name here. If an individual recorded in Item 58 has a separate also known as (AKA) name, enter that name here also. Do not include the acronyms DBA or AKA with the alternate name.

- * 59. TIN
 - a. (check if) unknown

Item 59 - TIN: Enter the Taxpayer Identification Number (TIN), either U.S. or foreign, of the financial institution or individual recorded in Item 57. See General Instruction 8 for information on entering identifying numbers. Check box 59a "Unknown" if the TIN is unknown and leave Item 59 blank.

- 60. TIN type
 - a. EIN
 - b. SSN-ITIN
 - c. Foreign

Item 60 TIN type: Select the option for the type of TIN entered in Item 59. If the TIN in Item 59 is unknown and the Item 57 financial institution has a U.S. address, select TIN Type option "EIN" if the financial institution is an entity and "SSN-ITIN" if the financial institution is an individual. If the financial institution has a foreign address and the TIN is unknown, select "Foreign."

Items *61 - *65 Financial institution address items: Enter the financial institution's permanent street address, city, two or three letter state/territory/province code (U.S./Canada/Mexico only), ZIP Code or foreign postal code, and two letter country code. If an address item is unknown, leave that item blank and check the item's "Unknown" box. Leave Item 63 State blank if the state is unknown or the country is not the U.S. or a U.S. Territory, Canada, or Mexico. See General Instruction 6 and the Part III introductory instructions for additional information on entering address data.

- *61. Address
 - a. (check if) unknown
- *62. City
 - a. (check if) unknown
- 63. State
- *64. ZIP/Postal Code
 - a. (check if) unknown
- *65. Country
- 66. Internal control/file number

Item 66 Internal control/file number: Enter the internal control number or file number, if applicable, assigned to the FinCEN SAR by the financial institution. This number should be unique to the FinCEN SAR if possible, allowing interested parties such as law enforcement or the financial institution to reference the FinCEN SAR without committing a potentially illegal disclosure of FinCEN SAR data.

67 Loss to financial institution (if applicable)

Item 67 Loss to financial institution: If the financial institution has suffered a loss because of the suspicious activity, record the amount of loss in Item 67. If some losses are known and other losses unknown, enter the total of known losses as of the date of filing. If the FinCEN SAR is a continuing FinCEN SAR because box 1c was checked, enter the loss amount for the current FinCEN SAR in Item 67 and record in Part V the total aggregated losses for all FinCEN SARs filed on the suspicious activity. The amount entered in this field cannot be zero and cannot be greater than the amount in Item 29 "Amount involved in this report." See General Instruction 10 for information on entering amounts.

- 68. Branch's role in transaction (if applicable)
 - a. (check if) Selling location

- b. (check if) Paying location
- c. (check if) Both a & b

Item 68 Branch's role: Check the box "Selling location" if the branch sold the products or instruments recorded in Items 45 or 46 to a customer. Check the box "Paying location" if a customer received payment from the branch for the products or instruments recorded in Items 45 or 46. Check the box "Both" if the Part III financial institution branch was both a paying and selling location for the products or instruments recorded in Items 45 or 46. This item must be blank if no branch is involved in the suspicious activity. If multiple branches are involved in the suspicious activity, a separate Item 68 must be prepared for each branch.

Note: Item 68 generally applies to institutions such as MSB's or depository institutions through which the subject conducted transactions involving wire transfers, traveler's checks, money orders, or like products/financial instruments.

Items *69 and 71-74 Branch address items: See the instructions for Items *61 - *65, the Part III introductory instructions, and General Instruction 6 for information on entering branch address data. If a branch address item is unknown, leave that item blank. Item 74 "Country" cannot be blank if any other branch address information is recorded. If no branch was involved in the suspicious activity or the branch country is unknown, check box 69a and leave the branch address items blank. If multiple branches are involved in the suspicious activity, complete a set of branch address items for each branch.

- 69. Address of branch or office where activity occurred
 - a. If no branch activity involved, check this box
- 70. RSSD number (of the Branch)

Item 70 RSSD number: Enter the RSSD (Research Statistics Supervision Discount) number of the branch, if known. If multiple branches are involved in the suspicious activity, complete Item 70 for each branch for which the RSSD number is known.

| 1. City | |
|--|--|
| 2. State | |
| 3. ZIP/Postal Code | |
| 74. Country | |
| Part IV Filing Institution Contact Information | |

Part IV records information about the lead financial institution, holding company, agency, or other entity that is filing the FinCEN SAR. There must be only one Part IV record in a FinCEN SAR. Do not include information about joint filers in a Part IV record. Joint filer information must be reported in a Part III record. Financial institution as used in Part IV includes individuals acting as sole proprietorship financial institutions using their personal Social Security Number (SSN) or Individual Taxpayer Identification Number (ITIN).

*75. Primary Federal Regulator (instructions specify banking agencies, SEC, CFTC, IRS)

- a. Commodities Futures Trading Commission (CFTC)
- b. Federal Reserve Board (FRB)

- c. Federal Deposit Insurance Corporation (FDIC)
- d. Internal Revenue Service (IRS)
- e. National Credit Union Administration (NCUA)
- f. Office of the Comptroller of the Currency (OCC)
- g. Securities and Exchange Commission (SEC)
- h. Federal Housing Finance Agency (FHFA)
- z. Not Applicable.

Item *75 Primary federal regulator: Select the appropriate option from the drop-down list to identify the Primary Federal Regulator or BSA Examiner of the filing institution. If more than one regulator option could apply, select the regulator that has primary responsibility for enforcing compliance with the BSA. If Item 79 option "Casino/Card Club," "Insurance Company," or "MSB" is selected, the Item 75 entry must be "Internal Revenue Service (IRS)." If the financial institution filing the FinCEN SAR is subject to U.S. law and none of the other codes apply, the entry must be "Internal Revenue Service (IRS)." If the FinCEN SAR is being filed by a government agency or if the financial institution filing the FinCEN SAR is not subject to U.S. law, the entry must be "Not Applicable."

*76. Filer name (Holding company, lead financial institution, or agency, if applicable).

Item *76 Filer name: Enter the legal name of the filing institution as recorded on articles of incorporation or other documents establishing the institution. Enter the full name of the filer if the filer is an individual, such as a sole proprietorship, acting as a financial institution. If an individual's name is recorded, enter the name in (first name) (middle name) (last name) or equivalent format, e.g. John Jacob Doe or Richard R. Roe II, etc.

*77. TIN

Item *77 - TIN: Enter the Taxpayer Identification Number (TIN), either U.S. or foreign, of the financial institution or individual recorded in Item 76. See General Instruction 8 for information on entering identifying numbers.

*78. TIN type

- a. EIN
- b. SSN/ITIN
- c. Foreign

Item *78 - TIN type: Record the type of TIN entered in Item 77 by selecting the appropriate option.

*79. Type of financial institution

- a. Casino/Card club
- b. Depository institution
- c. Insurance company
- d. MSB
- e. Securities/Futures
- f. Loan or Finance Company
- g. Housing GSE
- z. Other (specify type of institution in space provided)

Item *79 - Type of financial institution: Select the appropriate type of financial institution that best describes the filing institution recorded in Item 76. If none of those options apply, select "Other" and enter a brief description in the associated text field. If necessary, include a more- detailed description in Part V.

NOTE: If the financial institution is a dealer in precious metals, stones, or jewels, select option "Other" and enter "DEALER IN PRECIOUS METALS STONES JEWELS" in the associated text field.

80. Type of Securities and Futures institution or individual filing this report - check the boxes of all types that apply to this report.

- a. Clearing broker securities
- b. CPO/CTA
- c. Execution-only broker securities
- d. Futures commission merchant
- e. Holding company
- f. Introducing broker commodities
- g. Introducing broker securities
- h. Investment adviser
- i. Investment company
- j. Retail foreign exchange dealer
- k. Self-clearing broker-securities
- I. SRO Futures
- m. SRO Securities
- n. Subsidiary of financial/bank holding company
- z. Other (specify type of institution or individual in space provided)

Item 80 - Securities and futures type: If option 80e "Securities/Futures" was selected, check all boxes that apply to indicate the type of securities and futures institution that is filing the FinCEN SAR. If none of options 80a through 80nl apply, check box 80z "Other" and record a brief description of the type in the associated text field. If necessary, include a more-detailed description in Part V.

- 81. Filing institution identification number
 - a. Central Registration Depository (CRD) number
 - b. Investment Adviser Registration Depository (IARD) number
 - c. National Futures Association (NFA) number
 - d. Research, Statistics, Supervision, and Discount (RSSD) number
 - e. Securities and Exchange Commission (SEC) number
 - f. National Association of Insurance Commissioners (NAIC Code)
 - g. Mortgage (NMLS ID)
 - z. Identification number

Item 81 - Filing institution identification number: See instructions for Item 55.

Items 82-86 - Address: See instructions for Items 61 through 65.

*82. Address

* 83. City

*84. State * 85. ZIP/Postal Code * 86. Country 87. Alternate name, e.g., AKA if individual; DBA/ trade name if entity. See instructions for Item 58. 88. Internal control/file number: See instructions for Item 66. 89. LE contact agency Item 89 - LE contact agency: Enter the name of the law enforcement agency, if any, which has been informed of the suspicious activity. NOTE: If more than one LE agency has been contacted about the suspicious activity, record the information on one agency in Items 89-92 and the information on additional agencies in Part V. 90. LE contact name Item 90 - LE contact name: Enter the name of the person contacted at the law enforcement agency. 91. LE contact phone number Item 91 - LE contact phone number: Enter the law enforcement contact telephone number. See General Instruction 7 for information on entering telephone numbers. 91a. Extension (if any) Item 91a - Extension: Enter the extension, if any, of the law enforcement contact telephone number 92. LE contact date Item 92 - LE contact date: Enter the most-recent date the law enforcement agency was contacted about the suspicious activity. If the agency was contacted on multiple dates, record the earlier contact dates in Part V. Discrete filers will use the format MM/DD/YYYY while batch filers will use the format YYYYMMDD.

*93. Filing institution contact office

Item 93 - Filing institution contact office: Enter the name of the filing institution contact office where additional information about the FinCEN SAR or supporting documentation can be requested. If the FinCEN SAR is jointly filed, enter in Part V the contact office and telephone number information for all Part III joint filers.

*94. Filing institution contact office phone number including area code

a. Extension, if any

Item 94 - Filing institution contact office phone number: Enter the contact office telephone number. See General Instruction 7 for additional instructions on entering telephone numbers.

Item 94a - Extension: Enter the extension, if any, of the contact office telephone number.

*95. Date filed

Item 95 - Date filed: Enter the date the FinCEN SAR is filed. This date will be entered automatically when a discrete FinCEN SAR is electronically filed. Batch filers will report this date in YYYYMMDD format.

| * Dart \/ Cucr | icious Activity | / Information – I | Marrativo | |
|-------------------|------------------|----------------------|-----------|--|
| * Part V Susr | IICIOUS ACTIVITY | / IIIIOIIIIauoii — i | Narrative | |

The narrative section of the report is critical to understanding the nature and circumstances of the suspicious activity. The care with which the narrative is completed may determine whether the described activity and its possible criminal nature are clearly understood by investigators. Filers must provide a clear, complete, and concise description of the activity, including what was unusual or irregular that caused suspicion. This description should encompass the data provided in Parts I through III, but should include any other information necessary to explain the nature and circumstances of the suspicious activity. Filers should provide any information the filers believe necessary to better enable investigators to understand the reported suspicious activity. Narratives must be completed in English. Filers should use the following checklist as a guide for preparing the narrative:

- If filers have additional information pertaining to items in Parts I through IV this information should be recorded in the narrative and referenced to the item number.
- If this report is a corrected or amended report, complete the report in its entirety with whatever corrections or amendments were required. Describe the corrections or amendments at the beginning of the narrative.
- If this report is a continuing report, describe the circumstances surrounding the suspicious activity for the 90-day period encompassing the report. Include information from prior FinCEN SAR narratives only when it is necessary for an understanding of the nature and circumstances of the suspicious activity. Never include the entire narratives of the prior FinCEN SARs.
- If any item in the report was insufficient for recording all item data held by the filer, or if an item's instructions require entry of additional data or explanation in the narrative, record the additional data referenced by item number in the narrative.
- Information provided in other sections of the FinCEN SAR need not be repeated in the narrative unless necessary to provide a clear and complete description of the suspicious activity.
- Describe the conduct or transaction(s) that caused suspicion. If appropriate, this description should be chronological when the activity involves multiple instances or encompasses more than one day.
- Explain whether any transaction(s) involved were completed or only attempted.
- Explain who benefited and how they benefited, financially or otherwise, from the activity.

- Describe all supporting documentation and retain the documentation for five years. DO NOT include supporting documentation with the FinCEN SAR. (See General Instruction 6.)
- If the FinCEN SAR is jointly-filed, name all joint filers and describe the nature of supporting document held by the joint filers. Provide the contact office name and telephone number for each joint filer.
- Describe and retain any evidence of cover-up or evidence of an attempt to deceive federal or state examiners or others
- Describe and retain any admission or explanation of the activity or transaction(s) provided by the subject(s), witness(s), or other person(s), including to whom and when it was given.
- Indicate where the suspicious activity took place, e.g. branch, cage, gaming pit, agent location, etc.
- Indicate whether the suspicious activity is an isolated incident or related to other activity.
- Indicate whether any U.S. or foreign currency or other negotiable instruments were involved. If foreign currency or other foreign instruments, provide the foreign amount, currency name, and country of origin.
- Indicate if there is any litigation related to the activity by specifying the name of the litigation and court where the action is pending.
- Describe the nature of losses and recoveries related to the suspicious activity, including aggregated losses and recoveries in continuing activity.
- Identify the names of financial institutions associated with account numbers when the financial institution TINs were unknown.
- If the subject is a foreign national provide all available information on the subject's passport(s), visa(s), and other identification. Include identifying data such as issuing date, country, document numbers, issuing authority, and nationality.
- If the suspicious activity involves transfers of funds to or from a foreign country or currency exchanges involving foreign currencies, identify the foreign currency, country of issue, and the source or destination of the funds.
- If a subject involved in the suspicious activity has an insider relationship with a financial institution, describe the subject's position with the financial institution and how that position related to the suspicious activity.
- Provide information on the victims of the suspicious activity only when it is necessary for a complete understanding of the activity. DO NOT record victim information in a Part I Subject Information record
- Provide information about the financial institution's business policies and practices only if it is necessary for a complete understanding of the suspicious activity. DO NOT include legal disclaimers in the narrative.
- Do not include tabular data in a FinCEN SAR narrative. Such data should be reported in an appropriate comma separated values attachment.

If this SAR contains information provided by another financial institution under the 314(b) Voluntary Information Sharing Program, include in the narrative the statement "This SAR contains 314(b) data. Filers can include with a FinCEN SAR an attachment containing tabular data (such as transaction data) that provides additional suspicious activity information not suitable for inclusion in the narrative. This file must be an MS Excel-compatible comma separated value (CSV) file with a maximum size of 1 megabyte. Discrete FinCEN SAR filers can attach this file by clicking the "Add Attachment" button on the discrete FinCEN SAR header page and following the instructions provided. Batch filers must follow the instructions in Attachment D – Batch Attachments to add CSV files to a batch file.

10. Attachment D - Secure Data Transfer Mode Filers

FinCEN provides the ability for filers to submit the FinCEN SAR XML batch file securely via the Internet using a VPN device or Connect:Direct* software. This method of filing is referred to as Secure Data Transfer Mode (SDTM). SDTM allows for a secure, system to system mechanism for transferring batch submissions from your organization's internal server to the BSA E-Filing server. The batch submission process can be automated such that user intervention/involvement is minimized. There is no interaction with the BSA E-Filing system web site for the upload of the batch file but the BSA E-Filing system web site is used to track the status of the submissions.

For filers using this option for filing, SDTM filers can submit a single file containing the FinCEN SAR XML batch data. The file naming convention is as follows:

| Position | Description | Requirement | |
|--|--|--|--|
| Form type | Form type being submitted (i.e. SARXST) | Form type (SARXST) required in 1 st position (case sensitive). | |
| | Filename delimiter | Delimiter required. | |
| Unique value Value determined by filer (must not contain periods or spaces) | | Value required in 2 nd position (unique date-timestamp recommended) | |
| | Filename delimiter | Delimiter required. | |
| SDTM_UID** | The User ID associated with the SDTM account | Complete SDTM_UID required in 3 rd position (case sensitive). | |
| . Filename delimiter | | Delimiter required. | |
| xml File extension | | Extension required (not case sensitive). | |

EXAMPLE: SARXST.20170609153015.ABCPreparingFirm.xml

For more information on how to setup an SDTM connection, please direct them to the BSA E-Filing Help via the <u>Support Request Form</u>. The Help Desk hours of operation are M-F 8:00 AM to 6:00 PM, Eastern Time (closed on federal holidays).

^{*}Please be advised that IBM's Connect:Direct software is scheduled to be replaced with IBM's Sterling File Gateway software in 2020.

**You can verify your filing organization's SDTM_UID by having a Supervisory User for your organization login to the BSA E-Filing
System and select "Manage Users."

11. Attachment E – Supporting Documentation (Attachments)

Institutions filing electronic FinCEN Suspicious Activity Reports (FinCEN SAR) may, but are not required to, attach a Microsoft Excel-compatible comma separated values (CSV) file (no larger than 1 MB) providing details in tabular form of transactions subject to the suspicious activity discussed in Part V "Narrative Description" of the FinCEN SAR.

NOTE: Please be advised that when entering data into an Excel spreadsheet prior to saving it as a comma separated (.CSV) file, the default behavior for numeric data entered into cells is to convert numeric values over 11 characters into scientific notation. For example, the value of 123456789123 is converted to 1.23457E+11 after entry. When the Excel spreadsheet is saved to a comma separated (.CSV) fill, this visible format is retained and when opened the entire original number is not displayed, 123456789123, but rather 1.23457E+11. To avoid this behavior, please ensure that your workbook cells are formatted as text prior to entering data in the cell. This can be accomplished by selecting the column, right clicking the mouse and selecting Format Cells, and then selecting Text under Category, and then OK. This must be done before entering the data, not after.

While the BSA E-Filing System limits the number of attachments for a single FinCEN SAR to one (1) CSV file, batch filers must abide by the following instructions in order to submit attachments for one or more FinCEN SAR within their batch file:

1. Record the supporting document file name for each FinCEN SAR XML within the batch

Record the <ActivitySupportDocument> element, along with the <OriginalAttachmentFileName> subelement, for each FinCEN SAR Activity within the XML batch associated with an attachment. Record the full name of the corresponding CSV file within the OriginalAttachmentFileName element.

Record the counts for the total number of attachments and FinCEN SAR XML activities with attachments with the batch

Record the following attributes and counts within the EFilingBatchXML element in the XML batch:

- ActivityAttachmentCount. The count of all <Activity> elements in the batch where the
 <OriginalAttachmentFileName> element is recorded with a value referencing the file name of the
 FinCEN SAR attachment
- AttachmentCount. The count of all <OriginalAttachmentFileName> elements in the batch that contain a value referencing the file name of the FinCEN SAR attachment

3. Include all attachments in a single zip file with the FinCEN SAR XML activity sequence number appended to each attachment file name

- Create a zip file composed of all attachments. When naming the zip file, be sure to use a descriptive file name to help you identify which FinCEN SAR batch your attachment zip file is associated with.
- For each csv attachment file within the zip file, append the corresponding sequence number (i.e. "SeqNum" value associated with the FinCEN SAR Activity in the XML batch as follows:

<FinCEN SAR Activity SeqNum>_<OriginalAttachmentFileName>.csv

For example:

1_BankofUSBatchAttachment.csv

The above example indicates that within the FinCEN SAR XML batch, Activity SeqNum="1" contains the <OriginalAttachmentFileName> element with the value of "BankofUSBatchAttachment.csv".

4. Attach the attachments zip file to the FinCEN SAR XML Batch Form prior to submission

Once all required fields are complete and your FinCEN SAR XML batch has been attached to the FinCEN SAR XML Batch Form, locate the Add File button for attachments in order to add your attachment zip file to the FinCEN SAR XML Batch Form. Once the attachment file is attached, you may sign the FinCEN SAR Batch Form with your PIN, save, and submit.

ATTENTION: Secure Data Transfer Mode (SDTM) Filers

Filers who transmit the FinCEN SAR XML batch data via secure server-to-server connection may submit a single ZIP file containing the FinCEN SAR XML batch file along with the corresponding attachment zip file. This single ZIP file is composed of one FinCEN SAR XML batch file and one attachment ZIP file. The attachment ZIP file shall follow the same attachment requirements described above. The single ZIP file name must start with "SARXST." and end with ".ZIP". For example: SARXST.SARXML_batch.ZIP. FinCEN SAR XML SDTM batch files without any attachment shall follow the naming convention described in Attachment D of this guide.